

LIGHTER :: FASTER :: STRONGER

ERIE



Foreword Simon Farren MD Reverie limited

Reverie was founded back in May 2000 with the intention of designing niche automotive track day and performance enhancing products, after having worked at Lotus for a number of years, latterly on the management team putting the 340R into production. As well as producing a number of universal fitment race car products, my passion for Lotus cars led me to develop a range of aftermarket accessories purely for Lotus to further improve the performance and on track abilities of these fantastic lightweight sports cars using advanced composites.

Between 2003 and 2005 Reverie was proudly involved in winning one of the largest Motorsport Composite projects for Foggy PETRONAS Racing, involving building 150 full panel sets (inc structural seat unit) for the FP1 homologation special. Reverie in this period employed 20 full time staff and 6 Formula One contractors. All delivery times and quality targets were met by the Reverie production staff to both the OEM and FP1 Race Team.



Reverie is an established composites manufacturer with a 'can-do' attitude and uniquely, a range of its own, ever expanding motorsport products and accessories; available worldwide directly from Reverie or through our expanding worldwide dealer network. We also have a thriving sub-contract composites manufacturing business to clients such as AER engines, Citroen WRC, Ginetta cars, Mosler, Sails etc, Gibson Technology and other such clients.

Reverie's well trained and highly passionate staff have been key to the company's success. We possess an excellent knowledge of composite manufacturing processes and our extensive experience allows Reverie to intuitively make a part right first time. We are highly passionate about developing and improving our product range, levels of service and ensuring Reverie stay at the forefront of affordable high quality autoclaved composites.

I would like to thank Lotus tuners; Hangar 111, Sector 111 and Miki Preparation for supplying images plus all other loyal customer donations. I hope our product offerings allow you to further enhance, improve and enjoy your Lotus car on track.

Contents:		9
Lotus Elise S1	Pages 3-6	
Lotus Elise S2	Pages 7 - 11	30
Lotus Elise S3	Pages 12	1/4/10
Lotus Exige S1	Pages 13 - 14	
Lotus Exige S2	Pages 15 - 20	
Lotus Exige V6	Pages 21 - 22	
Lotus 340 R	Page 23 - 26	
Lotus 2 Eleven	Pages 27 - 28	
Lotus Evora	Page 29	
Seats	Page 30 - 33	
Steering wheels	Page 34	Θ

The autoclave process

Reverie predominantly use pre-impregnated epoxy thermo set composite materials to ensure high fibre contents can be achieved consistently. We also vacuum bag and autoclave nearly all components to further ensure low void contents and trapped volatiles to maximise interlaminar shear properties by forcing the various layers in the fibre / resin matrix together. This process results in high quality, stiff, lightweight parts achievable time and time again.

Lighter :: Faster :: Stronger.





SPLITTERS & SPOILERS







- Carbon fibre splitter plate, can be used with or without carbon front spoiler, provides additional downforce by improving airflow under the car R01SB0102
- Optional tyre air deflectors for use with or without splitter or spoiler R01SB0152

REAR WINGS

Carbon fibre front spoiler,

increases downforce reducing

front end lift at high speeds,

available painted at extra cost



- 255mm chord carbon fibre curved motorsport rear wing, uses alloy mounts to fix to the clam shell
 - 3 150mm chord carbon fibre curved motorsport rear wing, uses alloy mounts to fix to the clam shell



Elise S1 curved rear wing with cast mounts



Elise S1 rear wing

DIMENSIONS

PRODUCT NUMBER	CHORD	MAXIMUM WIDTH	ADJUSTABLE POST MOUNTS	REVERIE ALLOY
1 R01SB0122	150	1450*	• -	
2 R01SB0159	225	1650		• /
8 R01SB0213	150	1650		

*Between wing base tips
For all aerodynamic data please visit http://www.reverie.ltd.uk/techdata.php
All allow full access / use of boot space.



Elise S1 motorsport curved rear wing



MID FLOORS

Standard width
mid floor section with
two Naca ducts available with or
without alloy honeycomb
reinforcements

With honeycomb R01SB0323 Without honeycomb R01SB0177 Elise S1 front clam floor section Drop in carbon fibre replacement Uses OEM fixings (not shown) R01SB0178 Increased width mid floor section with two Naca ducts available with or without alloy honeycomb reinforcements

With honeycomb R01SB0322 Without honeycomb R01SB0247

DIFFUSERS

Direct OEM replacement with improved downforce




Single element, 1.36kg Standard length




Single element, 1.45kg Medium length



3 Single element, 1.54kg Long length



DIMENSIONS



PART NUN	BER A	В	C	D	E	F	G
1 R01SB0	0045 540	540	35	810	890	55	120
2 R01SB0	120 580	510	35	775	890	55	120
3 R01SB0	0055 690	620	35	775	910	55	120
4 R01SB0	0056 690	620	35	775	910	55	120
6 R01SB0	128 690	620	35	775	910	55	120



Five element

2.54kg, Long length

Single element short diffuser



Medium length diffuser



INTERIOR PARTS



- Carbon fibre footwell divider, available in left and right hand drive versions RHD R01SU0141 LHD R01SU0143
- Carbon fibre centre tunnel, replaces OEM part available in left and right hand drive versions RHD R01SU0140 LHD R01SU0192



- Elise S1 carbon fibre sill covers Supplied as a pair R01SB0130
- Elise S1 carbon fibre door cards supplied as a pair R01SU0142

EXTERIOR PARTS







- Carbon fibre hardtop for Elise S1 R01SB0100 hardtop carry bag available
- Tyre air deflectors for use with or without Reverie carbon fibre front spoiler
- 3 Carbon fibre side scoops, increases standard scoop frontal area
- Carbon fibre brake duct trumpets, allows for easy routing of brake hose to calipers
 Rot
- 6 Carbon fibre Sill Extensions LH & RH

R01SY0019

R01SB0152 R01SE0378

R01SE0386

R01SB0407

ΜĒ



INDUCTION



Daytona induction kit for Lotus
Elise S1, available as kit featuring
carbon canister and carbon filter
adaptor or carbon canister and alloy
filter adaptor, includes filter and
all ducting and clips

230C carbon case, alloy adaptor R01SE0274 230CX carbon case, carbon adaptor R01SE0205 Daytona induction kit for Lotus Elise S1, alloy equivilent of Daytona 230C kit, features alloy canister and filter adaptor, includes filter and all ducting and clips

> 230A alloy case, alloy adaptor R01SE0268



Indy remote filter kit for Honda powered Elise S1, includes all ducting and clips

R01SE0412

ENGINE COVERS



Drop in carbon fibre replacement for OEM engine cover, full engine cover to keep water out of spark plug holes for Elise 111S VVC, engine. Fully EMI shielded R01SE0509 Drop in carbon fibre replacement for OEM engine cover, full engine cover to keep water out of spark plug holes for early K series engines. Fully EMI shielded R01SE0508 Carbon fibre HT lead cover for early K series engines, drop in replacement for OEM part, uses original fixings. Fully EMI shielded

Sales 0044 1206 866663 www.reverie.ltd.uk

REVERIE



REAR WINGS

Adjustable rear wing assembly uses carbon fibre mounting posts



Fixed rear wing assembly fixes directly to clam shell



225mm chord motorsport rear wing uses Reverie alloy mounts





rear wing uses Reverie alloy wing mounts



Elise S2 300mm chord straight wing



225mm Chord Curved Drop Endplate Wing Adjustable Clam Mounted



Reverie increased

height alloy

wing mounts R01SB6039

DIMENSIONS

PRODUCT NUMBER	CHORD LENGTH	WING WIDTH	CURVED	STRAIGHT	FIXED CLAM SHELL	ADJUSTABLE SUPPORT POSTS	CLAM SHELL MOUNTED
1 R01SB0095	150	1450*	•			•	
2 R01SB0119	150	1450*	Ť		. 0		
3 R01SB0160	225	1650	*				
4 R01SB0215	150	1650	•				•
6 R01SB0269	300	1650		ığ			(€
6 R01SB0386	225	1650					

ERIE

SPLITTERS & SPOILERS





- Reverie splitter plates for use with Reverie non splitter carbon fibre spoiler
- Reverie Elise S2 Canards supplied as a pair R01SB0212

Reverie carbon fibre front spoiler offers increased downforce over OEM part supplied with or without integrated splitter plates (see image Right)

With splitter plates Without splitter plates

R01SB0125 R01SB0101



MID FLOORS

PRE 2010 FACELIFT



Standard width mid floor available with or without alloy honeycomb reinforcement, available with two / three naca ducts

> K Series two naca ducts R01SB0177 K Series with honeycomb R01SB0323 111R Three naca ducts R01SB0180 111R with honey comb R01SB0325



Increased width mid floor available with or without alloy honeycomb reinforcement. available with two / three naca ducts. Use with 📆

K Series two naca ducts K Series with honeycomb R01SB0322 111R three naca ducts 111R with honey comb

R01SB0247 R01SB0248 R01SB0324



DIFFUSERS

PRE 2010 FACELIFT

Direct OEM replacement with improved downforce, heat sheilded to reflect exhaust heat Please ask for exhaust hole options



Single element, 1.98kg, for standard K Series



Three element, 2.34kg, for standard K Series
Standard exhaust R01SB0109



Five element, 2.54kg, for standard K Series (as shown in header image) R01SB0110



Three element, 2.52kg, for Elise 111S, also available without heatshield, which requires increased exhaust clearance 3 holes R01SB0039 5 Holes R01SB0216 No heatshield 3 holes R01SB0254





Three element, 2.49kg, for Elise 111R
Std Exhaust 3 holes R01SB0092 5 Holes R01SB0217 7 holes R01SB0318
Stage 2 Exhaust 3 holes R01SB0112 5 Holes R01SB0218 7 holes R01SB0319



Three element for all models, 3.20kg, use with wider midfloor sections, available undrilled or with 3/5 centre tunnel fixing holes
Undrilled R01SB0253 3 holes R01SB0251 5 Holes R01SB0252

DIMENSIONS





111R STAGE 2



5 rear centre tunnel fixing holes and 3 side fixing holes



111R WITH 1115 DIFFUSER



centre tunnel and two side fixing holes

ELISE SE 7 rear centre tunnel fixing holes and 3 side fixing holes

							-	-0			
PART NUMB	BER	Α	В	C	D	E	F	G	Н	1	J
R01SB0040	1	690	395	30	790	1195	445	16	90	120	180
R01SB0109	2	690	395	30	790	1195	445	16	90	120	180
R01SB0110	3	690	395	30	790	1195	445	16	90	120	180
R01SB0039	4	680	410	30	785	1240	495	16	70	125	185
R01SB0254	5	680	410	30	785	1240	495	16	70	125	185
R01SB0092	6	680	410	30	785	1230	495	16	50	100	185
R01SB0251	7	740	650	35	1180	1180	n/a	n/a	45	120	n/a



INTERIOR PARTS



- Carbon fibre replacement door cards and door handle covers
- Carbon fibre centre tunnel for Elise S2 111R powered by Toyota 2ZZ-GE engine
- Carbon fibre centre tunnel for Elise S2 powered by K Series engine
- Carbon fibre foot well divider, replaces OEM part, for post 2010 Elise S2
- Carbon fibre foot well divider available as left or right hand drive for pre 2010 Elise
- Carbon fibre rear electrical cover for Elise S2 111R using Toyota 2ZZ-GE engine

R01SU0214

LHD R01SU0223 RHD R01SU0220 LHD R01SU0224 RHD R01SU0219 R01SB0350

LHD R01SU0143 RHD R01SU0141 R01SU0221

INDUCTION

Peak power gain of 13 bhp and average of 7 bhp when using the daytona remote filter system on a stock 111R



Daytona K series ducted remote filter kit includes all ducting and clips

Elise S2 boost tube assembly,

provides a high density cold

air feed to the engine, reducing

intake temperatures R01SB0036

230A Alloy case and adpator 230C Carbon case / alloy adaptor 230CX Carbon case and adpator

R01SE0273 R01SE0275 R01SE0206



230CX Ducted carbon (bracket not required) R01SE0278



Daytona 111R ducted / non ducted

R01SE0276

R01SE0277

Pair of Elise S2 carbon fibre side scoops, direct replacement for OEM part. For use with R01SE0294



Indy remote filter kit Honda powered Elise S2, includes ducting and clips + Left hand side scoop intake

> Remote filter kit R01SE0412 Side scop intake R01SE0294



Front clam ducts and top wishbone ABS brake bell air canals (fits all Elise models)

Motionsport Disc bell air canal R01SB6065 Motionsport Brake duct R01SB6064



10



BODY WORK PARTS



Elise S2 wheel arch kits available as front, rear or full kits, with internal or external flanges for bolting or blending on. Supplied in unpainted GRP gives an additional 40mm more clearance to standard wheels / tyres. Please specify optional +60mm rear arches if required

Full kit with internal flanges* R01SB0300
Full kit with external flanges* R01SB0303
Front kit only with internal flanges R01SB0301
Front kit only with external flanges R01SB0304
Rear kit only with internal flanges* R01SB0305
Rear kit only with external flanges* R01SB0305

30 - 50mm wheel spacers for use with arch kits 30mm R01SB6026 40mm R01SB6025 50mm R01SB0042









Elise S2 full K Series cam cover, replaces OEM part with fully EMI shielded carbon fibre part, uses OEM fixings

Standard K series R01SE0135 111S version R01SE0295

Elise horizontal sill extensions, available for use with standard or Reverie wider wheel arches

Std arches R01SB0249 Reverie arches R01SB0250

- Reverie bond in carbon fibre wheel arch louvres, supplied as a front pair or rear pair Front R01SB0241 Rear R01SB0242
- Elise S2 111R injector and spark plug cover drop in replacements for OEM parts

Spark plug cover R01SE0284 Injector cover non supercharged R01SE0283 Injector cover supercharged R01SE0441

65 GT3 Exige S2 Front structure radiator mount for angled radiator (requires removal of original GRP lotus crash structure from chassi) R01SB0389









REAR DIFFUSERS









- R01SB0420 Elise S3 Carbon Fibre 3 Element Rear Diffuser
- R01SB0452 Elise S3 Carbon Fibre 5 Element Rear Diffuser

DIMENSIONS





PART NUMBER	A	В	C	D	E	F	G	н	1 4	ل ا
1 R01SB0420	590	460	35	970	1240	160	NA	40	75	NA
2 R01SB0452	590	460	35	970	1240	160	NA	40	75	NA

REAR WINGS

Reverie standard height alloy wing mounts supplied as standard



Reverie increased height alloy wing mounts



150mm chord motorsport rear wing uses Reverie alloy wing mounts 225mm chord motorsport rear wing uses Reverie alloy mounts Elise S2 300mm chord straight wing

alloy wing mounts

DIMENSIONS	3						
909 ANTEGRATION AND	2000 N. P. COLON STREET AND	MERMONTO			FIXED	ADJUSTABLE	ADJUSTABLE
PRODUCT	CHORD	WING			CLAM	SUPPORT	CLAM SHELL
NUMBER	LENGTH	WIDTH	CURVED	STRAIGHT	SHELL	POSTS	MOUNTED
3 R01SB0160	225	1650	¥				- 4
4 R01SB0215	150	1650					100
6 R01SB0269	300	1650		9 1			2€

12

Sales 0044 1206 866663 www.reverie.ltd.uk 2 J 🜌 77 N

13

REVERIE



SPLITTERS





Reverie front splitter plate, can be used as left or right hand part, sold individually

REAR WINGS

For all aerodynamic data please visit http://www.reverie.ltd.uk/techdata.php





PRODUCT NUMBER			FITS DEM MOUNTS
1 R01SB0183	255	1650	
2 R01SB0214	150	1650	•
8 R01SB0429	310	1650	Lotus Motorsport Mounts





INTERIOR PARTS



- Carbon fibre footwell divider, available in left and right hand drive versions RHD R01SU0141 LHD R01SU0143
- Carbon fibre centre tunnel, replaces OEM part available in left and right hand drive versions RHD R01SU0140 LHD R01SU0192
- 3 Elise S1 carbon fibre sill covers
- Supplied as a pair R01SB0130
- Elise S1 carbon fibre door cards supplied as a pair R01SU0142

INDUCTION



Exige S2 Side scoop pair Direct OEM replacement



Remote filter kit for Honda powered Exige S1 R01SE0412



MID FLOORS

Standard width
mid floor section with
two Naca ducts available with or
without alloy honeycomb
reinforcements

With honeycomb R01SB0323 Without honeycomb R01SB0177 Increased width mid floor section with two Naca ducts available with or without alloy honeycomb reinforcements

With honeycomb R01SB0322 Without honeycomb R01SB0247

DIFFUSERS


Direct OEM Replacement with improved downforce




Single element, 1.54kg Long length



Three element, 1.81kg Long length (as shown in header image)



Single element, 1.36kg Standard length



DIMENSIONS



						-		
PAR	T NUMBER	A	В	C	D	E	F	G
1	R01SB0349	540	540	35	810	890	55	120
2	R01SB0082	690	620	35	780	900	55	120
3	R01SB0083	690	620	35	780	900	55	120
4	R01SB0129	690	620	35	780	890	55	120



Long five element diffuser



Long five element diffuser





REAR WINGS





Fixed tailgate mounted Curved wing

Adjustable clam mounted Curved droop end wing



DIMENSIONS

	PRODUCT NUMBER AND FITTMENT	CHORD LENGTH	WING WIDTH	CURVED	STRAIGHT	ADJUSTABLE CLAM MOUNTED	FIXED TAILGATE MOUNTED	ADJUSTABLE TAILGATE MOUNTED
1	R01SB0160 Pre 2010	225	1650					
2	R01SB0161 Pre 2010	225	1000	•				
3	R01SB0215 Pre 2010	150	1650	•		1.01		
4	R01SB0236 Pre 2010	225	1245	•				ij
5	R01SB0269 Pre 2010	300	1650	- '5,	•			
6	R01SB0335 Pre 2010	225	1245		10			(•
7	R01SB0386 Pre 2010	225	1650			*	(Droop E	nd Wing)

REVERIE



SPLITTERS / SPOILERS

Available as a standard version or as a wide version for use with Reverie wheel arch kits, many of these parts have been wind tunnel tested at Mira, visit http://www.reverie.ltd.uk/techdata.php for more information



Bolt on OEM replacement spoiler for pre 2010 cars



Front Splitter / Spoiler with flat underside needs clamshell cutting For pre 2010 cars

Standard version
Wide arch version



Front Splitter / Spoiler with clamshell hump cut-outs, bolt on fitment

For pre 2010 cars Standard version Wide arch version

R01SB0191 R01SB0198

R01SB0255

R01SB0256



Exige S2 canards supplied as a pair

Pre 2010 cars R01SB0212



2010 style full race Spoiler Pre 2010 cars R01SB0315



MID FLOORS ALL EXIGE MODELS, NOT 260 CUP



Standard width mid floor available with or without alloy honeycomb reinforcement. available with or without two / three or no naca ducts

Three naca ducts R01SB0180 with honey comb R01SB0325



Increased width mid floor available with or without alloy honeycomb reinforcement. available with or without two / three or no naca ducts. Use with

Three naca ducts with honey comb 260 cup, two naca ducts 260 cup no naca ducts R01SB0248 R01SB0324 R01SB0384 R01SB0385



DIFFUSERS ALL EXIGE MODELS, NOT 260 CUP



1 Three element, 2.49kg, for above diffuser exhausts, available with 3, 5 or 7 centre rear fixing holes (as shown in header image) 5 holes R01SB0216 7 holes R01SB0317 Pre 2010 - 3 holes R01SB0039 260 Cup car R01SB0376



Three element, 2.48kg, Exige 220S available with 5 or 7 centre rear fixing holes Pre 2010 - 5 holes R01SB0219 7 holes R01SB0320 260 Cup car - R01SB0372



2+8 Three element, 2.48kg, available for standard or stage two exhaust available with 3, 5 or 7 centre rear fixing holes Std Exhaust 3 holes R01SB0092 5 Holes R01SB0217 7 holes R01SB0318 Stage 2 Exhaust 3 holes R01SB0112 5 Holes R01SB0218 7 holes R01SB0319



Three element for all models, 3.20kg, use with wider midfloor sections, available undrilled or with 3/5 centre tunnel fixing holes Undrilled R01SB0253 3 holes R01SB0251 5 Holes R01SB0252

REAR FIXING HOLES

EXIGE S



Standard diffuser shown with 7 rear centre tunnel fixing holes and 3 side fixing holes

111R STAGE 2



Standard diffuser shown with 5 rear centre tunnel fixing holes and 3 side fixing holes

111R WITH 111S DIFFUSER



Exige with Reverie 111S diffuser and high exit exhaust with 3 centre tunnel and two side fixing holes

DIMENSIONS





		-	- 10							
PART NUMBER	A	В	C	D	E	F	G	н	II.	J
■ R01SB0039	680	410	30	785	1240	495	16	70	125	185
R01SB0376	580	420	30	820	1240	315	16	70	125	185
2 R01SB0092	680	410	30	785	1240	495	16	70	125	185
8 R01SB0112	680	410	30	785	1240	495	16	70	125	185
4 R01SB0219	680	410	30	785	1240	495	16	70	125	185
R01SB0372	580	420	30	820	1240	315	16	70	125	185
5 R01SB0253	740	650	35	1180	1180	n/a	16	45	120	n/a

REVERIE



INTERIOR PARTS



- Carbon fibre replacement door cards and door handle cover set
- Carbon fibre centre tunnel for Exige S2 111R powered by Toyota 2ZZ-GE engine
- Carbon fibre foot well divider for post 2010 Exige models
- Carbon fibre foot well divider available as left or right hand drive for pre 2010 Exige LHD R015U0143 RHD R015U0141
- Carbon fibre rear electrical cover for Exige S2 111R using Toyota 2ZZ-GE engine

R01SB0350

R01SU0214

LHD R01SU0223 RHD R01SU0220

R01SU0221

BODYWORK PARTS



Elise S2 wheel arch kits available as front, rear or full kits, with internal or external flanges for bolting or blending on. Gives an additional 40mm more clearance to standard wheels / tyres

Image left shows painted full GRP wheel arch kit fitted to Lotus Exige S2, please specify optional +60mm rear arches If required

Full kit with internal flanges R01SB0188 Full kit with external flanges R01SB0189 Front kit only with internal flanges R01SB0153 Front kit only with external flanges R01SB0185 Rear kit only with internal flanges R01SB0186 Rear kit only with external flanges R01SB0187 30 - 50mm wheel spacers for use with arch kits

30mm R01SB6026 40mm R01SB6025 50r GT3 Carbon Radiator Chassis Mount see page 10 50mm R01SB0042 R01SB0389



Exige S2 carbon fibre tailgate improves intercooler efficiency, with louvre exits, includes louvres and internal boot cover



Exige horizontal sill extensions, available for use with standard or Reverie wider wheel arches



Reverie Carbon Fibre wheel arch louvres, supplied as a front or rear pair



Exige S2 bonnet inspection panels. direct replacement for OEM panels, Supplied as a pair

Sales 0044 1206 866663 www.reverie.ltd.u

19

REVERIE



INDUCTION

Peak power gain of 13Bhp and average of 7Bhp when using the daytona remote filter system on a stock 111R



Daytona non-ducted remote filter kit, available in alloy or carbon fibre fits 111R and Exige S

230A Alloy canister 230C Carbon fibre canister R01SE0277



Daytona ducted carbon fibre remote filter kit, includes, MAF adaptor, canister, filter adaptors and ducting For ram air use with @(R01SE0294) Fits 111R and Exige S

230CX all carbon kit R01SE0278



Indy remote filter kit for Honda powered Elise S2.Side scoop intake replaces OEM part, can be used with carbon fibre side scoops and 230 CX ducted filter kits. (100mm exit)

> Indy remote filter kit R01SE0412 LH Side scoop intake R01SE0294

SCOOPS



Exige S2 roof scoop available in carbon fibre or GRP. Extends standard roof scoop to top of wind screen

Carbon Fibre R01SB0193



Exige S2 side scoops 25mm deeper than OEM part, can be used in conjunction with side scoop intake R01SE0294 and ducted filter kit R01SE0280



Exige / Elise All Models front top wishbone Motionsport disc bell air canal ducts supplied as a pair.

> Elise S2 clam intake ducts R01SB6064

ENGINE COVERS



- Exige S2 engine bulkhead cover, supplied as a pair containing left hand and right hand covers, clips on to framework R01SB0124
 - Exige 111R carbon fibre spark plug and HT lead cover, direct replacement, uses OEM fixings R01SE0284



Exige 111R injector cover drop in replacements for OEM parts not for use with supercharged cars, fully EMI shielded R01SE0283

> Exige S Injector cover, for use with supercharged cars R01SE0441

2010 ON



INTERIOR AND AERO BODY PARTS



Increased width mid floor available with or without alloy honeycomb reinforcement, available with or without two / three or no naca ducts. Use with

260 cup, two naca ducts R01SB0384 260 cup no naca ducts R01SB0385



Three element, 2.48kg, Exige available with 5 or 7 centre rear fixing holes 7 holes R01SB0320

260 Cup car No Exhaust Hole R01SB0320 R01SB0372 R01SB0376



Carbon fibre foot well divider for post 2010 Exige models R01SB0350



Exige S2 canards supplied as a pair 2010 onwards R01SB0375



Exige S2 2010 Motosport 225mm Carbon Fibre Adjustable Rear Wing 4.85kg approx R01SB0383



Underside of 2010 Front Spoiler



2010 style full race Spoiler Post 2010 Cars R01SB0374



Exige horizontal sill extensions, available for use with standard or Reverie wider wheel arches

Std arches R01SB0249
Reverie arches R01SB0250



Reverie Carbon Fibre wheel arch louvres, supplies a front pair or rear pair

Front R01SB0241



Sales 0044 1206 866663 www.reverie.ltd.uk

REVERIE



AERO BODY PARTS



R01SB0454 - Exige V6 Carbon Fibre Front Splitter Assembly



- R01SB0465 Exige V6 Carbon Fibre Rear Diffuser 5 Element
- R01SB0482 Exige V6 Carbon Fibre Rear Upper Grill Surround (Required to Mount Diffuser)




- R01SB0466 Exige V6 Carbon Fibre Side Scoops (pair)
- R01SB0462 Exige V6 Carbon Fibre Side Sill Extensions (pair)



- R01SB0463 Exige V6 Carbon Fibre Race Front Canards (pair)
- R01SB0464 Exige V6 Carbon Fibre Track Front Canards (pair)

DIMENSIONS





PART NUMBER	A	В	C	D	E	F	G	н	1	J
R01SB0465	640	460	85	860	1260	320	10	55	75	60



ENGINE COVERS AND WINGS



- R01SE0637 Exige V6 Carbon Fibre Engine Cover Front
- R01SE0638 Exige V6 Carbon Fibre Engine Cover Rear



Exige V6 Carbon Fibre 310mm Tailgate Low Drag Wing R01SB0469



Exige V6 Carbon Fibre 310mm High Downforce Clam Mounted Adjustable Wing R01SB0472



R01SB0471 - Exige V6 Carbon Fibre 225mm Tailgate Drop End Wing



CNC Swept Mount Wing Kit R01SB0484



6 Exige V6 carbon fibre door cards including handles R01SU0214
Specify Round or oval window switches



R01SB0474 - Exige V6 Carbon Fibre Front Floor Wishbone Infil Panels

FLOOR PANELS



- R01SB0479 Exige V6 Carbon Fibre Std Width Replacement Mid Floor
- 8 R01SB0480 Exige V6 Carbon Fibre Wide Width Replacement Mid Floor Wide version has part outlined in red included Use with low droop sports shocks

REVERIE



SPLITTERS & SPOILERS

Full width carbon fibre or GRP front spoilers and optional carbon splitters for Lotus 340R Stand Alone Carbon Fibre splitter available for OEM spoiler R01SB0053





340R carbon fibre / GRP deep spoiler, includes splitter plates and gurney end plates with brake ducts Carbon fibre R01580051 GRP R015B0052 (See images left and page header)



340R carbon fibre / GRP standard depth spoiler, includes splitter plates and gurney end plates with brake ducts

Carbon fibre R01SB0107 GRP R01SB0108 (see right image)



REAR WINGS

Straight wing with 3mm carbon fibre wing mount extensions for standard wing mounts R01SB0258

Curved wing with Reverie carbon fibre supports









Reverie carbon fibre standard height OEM replacement wing mounts R01SB0023







Reverie carbon fibre raised height 230mm increase OEM replacement wing mounts R01SB0050

Reverie carbon fibre raised height 100mm increase OEM replacement wing mounts R01SB0043

WING DIMENSIONS

PRODUCT NUMBER	CHORD LENGTH	MAXIMUM WIDTH	STRAIGHT	GURVED	DEM WING MOUNTS	REVERIE WING MOUNTS	WING MOUNT EXTENSIONS
■ R01SB0258	225	1245	• .		7.0		ĕ
2 R01SB0195	225	1650		1)•;	
8 R01SB0190	255	960	1		/ •		



MID FLOORS

Standard width mid floor section with two Naca ducts available with or without alloy honeycomb reinforcements.

With honeycomb R01SB0323
Without honeycomb R01SB0177

Increased width mid floor section with two Naca ducts available with or without alloy honeycomb reinforcements

With honeycomb R01SB0322 Without honeycomb R01SB0247

DIFFUSERS


Direct OEM replacement with improved downforce



Single element, 1.45kg Medium length




3 Single element, 1.54kg Long length



Single element, 1.36kg Standard length

DIMENSIONS



PAR	T NUMBER	Α	В	C	D	E	F	G
1	R01SB0339	540	540	35	810	890	55	120
2	R01SB0340	580	510	35	775	890	55	120
3	R01SB0341	690	620	35	775	910	55	120
4	R01SB0253	740	650	35	1180	1180	45	125

4 Three element, 1.76kg Long length for use with wider midfloor (see header image)



Elise S2 111S diffuser fitted



Standard length diffuser fitted

Sales 0044 1206 866663www.reverie.ltd.uk

25

REVERIE



BODYWORK PARTS



340R shell guards, light weight protector for top of clam shell sold individually as left hand or right hand part

LH R01SB0103 RH R01SB0104



Carbon fibre rear number plate holder for 340R, replaces OEM steel plynth

R01SB0118



 340R BBQ panel, shields induction from exhaust heat and allows for exhaust air cooling
 R01SB0088

2 340R Mid spoiler infill panel, replaces OEM infill panel with carbon fibre R01SB0089



340R boost tube assembly, replacement engine cover with integrated ram air boost tube, provides high density cold air feed

direct to the engine
Carbon fibre version R01SB0008
GRP version R01SB0046



340R footwell cooler snorkel, provides a cold ram air feed to the driver and passenger footwells,improving comfort R01SB0012



340R mid spoiler, replaces OEM part with a light weight carbon fibre part R01SB0041

REVERIE



INTERIOR PARTS



- Carbon fibre dashboard, available in left and right hand drive versions
- Carbon fibre centre tunnel, available as left or right hand drive versions
- Carbon fibre foot well divider available as left or right hand drive versions
- Carbon fibre rear electrical cover for Lotus 340R

LHD R01SU0041 RHD R01SU0030

LHD R01SU0191 RHD R01SU0088

LHD R01SU0143 RHD R01SU0141

R01SE0285

ENGINE COVERS



Drop in carbon fibre replacement for OEM engine cover, full engine cover to keep water out of spark plug holes for early K series engines



Carbon fibre HT lead cover for early K series engines, drop in replacement for OEM part







Sales 0044 1206 866663 www.reverie.ltd.uk

27

REVENE



REAR WINGS AND FRONT SPOILER



For all aerodynamic data please visit http://www.reverie.ltd.uk/techdata.php



- 300mm chord high downforce straight wing, 1405mm wide fits standard wing mounts (See left image) R01SB0299
- 225mm chord high downforce straight wing, 1650mm wide fits standard wing mounts
 R01SB0246
- 3 2-Eleven carbon fibre front spoiler R01SB6053



INDUCTION

Peak power gain of 13 bhp and average of 7 bhp when using the daytona remote filter system on a stock 111R



Daytona non-ducted remote filter kit, includes all ducting and clips supplied with MAF adaptor with carbon case

ENGINE COVERS AND CENTRE TUNNELS



Spark plug cover for Lotus 2-Eleven powered by Toyota VVTI spark plug cover, direct replacement for OEM part, uses OEM fixing Fully EMI shielded R01SE0284



Injection cover for Lotus 2-Eleven modified to suit supercharged models direct replacement for OEM part uses OEM fixings R01SE0441

Carbon fibre centre tunnel for Elise S2 111R powered by Toyota 2ZZ-GE engine LHD R01SU0223 RHD R01SU0220







MID FLOORS

Lotus 2-Eleven floor sections with three Naca ducts available with stiff 4mm alloy honeycomb reinforcement



Standard width floor section

No honeycomb R01SB0180 With honeycomb R01SB0325



Increased width floor section for use with

No honeycomb R01SB0248 With honeycomb R01SB0324

DIFFUSERS

Direct OEM replacement with improved downforce, heat shielded to reflect exhaust heat



Single element, 1.98kg, for standard K Series



Five element, 2.54kg, for standard K Series R01SB0110





Three element, 2.34kg, for standard K Series R01SB0109



Three element for all models, 3.20kg, use with wider midfloor sections, available undrilled or with 3/5 centre tunnel fixing holes
Undrilled R01SB0253 3 holes R01SB0251 5 Holes R01SB0252

DIMENSIONS





PAR	T NUMBER	A	В	C	D	E	F	G	н	f	J
1	R01SB0040	690	395	30	790	1195	445	16	90	120	180
2	R01SB0109	690	395	30	790	1195	445	16	90	120	180
3	R01SB0110	690	395	30	790	1195	445	16	90	120	180
4	R01SB0253	740	650	35	1180	1180	n/a	n/a	45	120	n/a

REVERA





2010 Lotus Evora S with rear diffuser attached


Lotus Evora sport pack and rear diffuser with lower centre exhaust section (3 element)

R01SB0360

Lotus Evora carbon fibre rear diffuser STD (5 element)
R01SB0359







DIMENSIONS (MM)

	P	ART NUMBER	Α	В	c/	D	Ε	F	G
	0	R01SB0360	560	440	1150	240	240	240	1050
-	2	R01SB0359	560	440	1150	250	N/A	N/A	1050

REVERIE



SEATS All narrow seats (Mulsanne B / C low and high back, XR C and X C) fit Lotus S1 / 340R subframes and S2 models with subframe conversion kits, all seats can be fitted with our velcro on cushion trim kits



Mulsanne C twin skin Mass: 2.4kg (approx) applional bolt on side head restraint

Mulsanne C R01SI0001
Optional bolt on head restraint R01SI0043



Mulsanne B light weight single skin, carbon fibre seat Mass: 3.0kg (approx) R01SI0017



X C twin skin carbon fibre seat, provides additional support to leg and kidney areas Mass: 3.0kg (approx) R01SI0047



XR C narrow Light weight twin skin seat with side impact head rest. Mass 3.1kg (approx) R01SI0036



SUBFRAMES



Subframe conversion kit, converts Elise S1/S2 or Elise 111R / 2-Eleven / VX220 to 340R style subframe

Elise S1/S2 drivers side RHD R01S10040
Elise S1/S2 drivers side LHD R01S10054
111R / 2-eleven drivers side RHD R01S10039 111R / 2-eleven drivers side LHD R01SI0053



Elise / 2-Eleven / VX220 passengers side fixed subframe + Mulsanne B

spacer kit

RHD passengers side R01Sl0063 LHD passengers side R01Sl0064 Mulsane spacer kit R01Sl0087

REVERIE



SEATS

All Super Sports seats fit Elise S1/S2/S3 / Exige S1/S2/S3 V6 & 340R / 2-Eleven / 340R / VX220 With our Lotus fitment Subframes. All seats can be fitted with our velcro on cushion trim kits. See page 30



Super Sports Twin Skin Seat Polished Mass 4.4kg (approx).

Super Sport (FIA Approved) Super Sport (Non FIA) R01SI0091 R01SI0107



Super Sports Twin Skin Seat Black Fia Fabric Trimmed Mass 5.2kg (approx).

Super Sport (FIA Approved) R01SI0101 Super Sport (Non FIA) R01SI0108



Super Sports B Single Skin Seat Black Fia Fabric Trimmed Fia Approved Mass 5.4kg (approx).

Super Sport B

R01SI0106



Optional Bolt on Fia Approved Head Restraint to Fit all Super Sports Seats R01SI0094



Lotus Fitment Solid Billet Aluminium CNC Subframes for S/Sport Seat Fia Approved.

(pair) R01SI0115







SEAT SIZES



Seat Type	Α	В	С	D	E	F	G	н	1	J	K	L	x
Mulsanne C	460	440	330	380	405	880	540	288	630	870	150	650	60
Mulsanne B	475	450	330	380	405	910	605	288	660	900	100	630	60
X C without side head rest	480	420	320	460	440	910	680	288	640	850	140	690	60
3 XR C	480	420	320	460	440	910	680	288	640	850	140	690	60
Super Sport Twin Skin	490	440	330	440	430	910	630	288	700	870	150	660	65
7 Super Sport B Single Skin	510	460	370	440	450	910	620	288	700	850	150	660	65



CUSHION KITS

Reverie velcro on cushion pad kits, comprising of base, back, head and shoulder pads per seat Standard colours listed below, other colours may be available on request Narrow kits will fit all Lotus seat models



BRUSHED NYLON FABRIC CUSHION KITS



Black R01Sl6043 Red R01SI6043R



Dark Blue R01SI6043DB



Blue R01SI6043B



Dark Grey R01SI6043DG



FIA SPACER FABRIC CUSHION KITS



Black R01Sl6135 Yellow Stitching R01SI6191



Red R01SI6135R





Grey R01SI6135G White Stitching R01SI6192 Red Stitching R01SI6193



OPTIONAL STITCHING



DINAMICA CUSHION KITS



Black R01Sl6045



Red R01SI6045R



Royal Blue R01SI6045RB



Grey R01SI6045G



Green (Yellow Stitching) R01SI6194



LEATHER CUSHION KITS



Black R01SI6007B



R01SI6007R



Blue R01SI6007BE



Grey R01SI6007GY



Green R01SI6007GN



Yellow R01SI6007Y

BLACK FOAM CUSHION KITS



Black foam cushion kit R01SI0007

VINYL CUSHION KITS



Vinyl cushion kit R01SI6009

CARBON LEATHER



Carbon effect leather cushion kit R01SI6024 Yellow Stitching R01SI6202



33

REVERIE WHEELS



STEERING WHEELS

Autoclaved carbon fibre steering wheels of superb quality which meet F1 technical regulations tested by TRL For dimensions of our steering wheels please visit www.reverie.ltd.uk/steering_data.php



- Rally 330, suede trimmed carbon fibre steering wheel, 330mm O/D, Mass 350g (approx) As used by Citroen WRC since 2003
- Flight 315, untrimmed carbon fibre steering wheel, 315mm O/D, Mass 300g (approx)
- 3 Flight 280, untrimmed carbon fibre steering wheel, 280mm O/D, Mass 300g (approx)
- Rally 330, half suede trimmed, flat bottom steering wheel, 320mm O/D, Mass 350g (appprox) R01SH0140
- Eclipse 315, untrimmed carbon fibre steering wheel, 315mm O/D, Mass 300g (approx)

 R01SH0001
- 6 Eclipse 280, untrimmed carbon fibre steering wheel, 280mm O/D, Mass 260g (approx)

STEERING WHEEL ACCESSORIES



Light Momo/Sparco collapsible boss for Elise based vehicles, versions for cars with or without airbags

For cars with airbag R01SH6028 For cars without airbag R01SH6018



Cast Momo / Sparco boss for Lotus Elise style fitment cars 86mm O/D R01SH6000



Carbon fibre centre horn push ring, fits Momo, OMP and sparco drilling patterns



R01SH0037

R01SH0002

R01SH0008

R01SH0118

Reverie centre horn push kit, fits to holes drilled in wheels

GEAR KNOBS

Non-lift reverse gear knobs will fit Elise S1, Exige S1, 340R and K series Elise S2 Lift reverse will fit 111R Elise S2, Exige S2 and 2-Eleven



Carbon fibre lift reverse gear knob with alloy or brass insert Tungsten filled or unfilled M8 - 1.5 Pre Feb 05 hex shaft Alloy - filled R01SU0122 Unfilled R01SU0084

Alloy - filled R01SU0122 Unfilled R01SU0084
Brass - filled R01SU0124 Unfilled R01SU0104
M10 - 1.5 Pre 2009 round shaft
Alloy - filled R01SU0136 Unfilled R01SU0138
Brass - filled R01SU0144 Unfilled R01SU0146
M12 - 1.5 Post 2009 and Exige V6
Alloy - filled R01SU0199 Unfilled R01SU0200

Brass - filled R01SU0196 Unfilled R01SU0197



Texalium lift reverse gear knob with alloy or brass insert Tungsten filled or unfilled M8 - 1.5 Pre Feb 05 hex shaft Alloy - filled R01SU0123 Unfilled R01SU0085

Alloy - filled R01SU0123 Unfilled R01SU0085 Brass - filled R01SU0125 Unfilled R01SU0105 M10 - 1.5 Pre 2009 round shaft Alloy - filled R01SU0137 Unfilled R01SU0139 Brass - filled R01SU0145 Unfilled R01SU0147 M12 - 1.5 Post 2009 and Exige V6 Brass - filled R01SU0195 Unfilled R01SU0198



Carbon fibre non-lift reverse gear knob, with brass insert. Tungsten filled or unfilled

filled or unfilled

M10 - 1.5 S1 / 340R Fittment

Tungsten filled R01SU0128

Unfilled R01SU0126



Texalium non-lift reverse gear knob, with brass insert. Tungsten filled or unfilled M10 - 1.5 S1/ 340R Fitment

M10 - 1.5 S1 / 340R Fitment Tungsten filled R01SU0129 Unfilled R01SU0127

2 1 6



The following terms and conditions ("the Conditions") are the terms on which ReVerie Limited sells products and supersedes all other terms and conditions relating to the subject matter of these Conditions

1. OFFERS & ACCEPTANCE

No obligation shall arise as a result of a catalogue entry, quotation or any other offer, until ReVerie limited supplies written acceptance of the order via post, e-mail or fax from a customer seeking to buy goods or services. Verbal orders are no longer deemed acceptable, orders must be placed using our orders form via post, fax or e-mail, or retail using our on-line store PRICE AND PAYMENT

The price (exclusive of VAT Tax) for the Goods "the Price" shall be the quoted price of the Seller and payment of the Price shall be made by the Buyer before despatch or in exceptional circum

stances where an account is agreed within 30 days of the date of the invoice for the Goods
If the Price is not paid by the due date interest shall accrue both before and after judgement on the unpaid portion of the Price at the rate of 8 per cent above the base / bank rate per annum the six month periods listed in the table below: as per

(The late payment of commercial debts (Interest) act of 1998)

The Bank of England base rate on 31st December will be the reference rate for: The Bank of England base rate on 30th June will be the reference rate for:

The six month period 1st January to 30th June 1st July to 31st December

- 2.3. If the purchaser falls to make any payment on the due date then without prejudice to any of ReVerie's other rights, Reverie may:
 - a) Suspend or cancel delivery of any goods to the purchaser and I or
 - b) Appropriate any payment made by the purchaser to such of the goods (or Goods supplied under any other contract with the purchaser) as the company may in its sole discretion think
- Secured payments made on our website by credit or debit card are 'deferred' and checked by us before processing at the soonest opportunity, if we decide not to process the transaction we 2.4. will advise, your order is not confirmed until you have received written acknowledgement back. We reserve the right to charge a deposit or payment in full for orders upfront depending on the circumstances
- 3. GOODS

The description and quantity of the goods to be sold ("the Goods") shall be as set out in the quotation provided by the Seller to the Buyer ("the Quotation")

4. DELIVERY

The Seller shall deliver the Goods to the Buyer at the address of the Buyer as shown on the Quotation on the date shown on the Quotation. Time shall not be of the essence for delivery Where Goods are delivered by an independent carrier instructed by the purchaser, delivery to the carrier shall be deemed to be delivery to the purchaser.

ACCEPTANCE

The Buyer shall be deemed to have accepted the Goods if they have not been rejected on or before the 7th day after delivery. The Buyer shall not be entitled to reject the Goods in whole or in part after such date. 6. GUARANTEE

We guarantee your satisfaction. All of our products come with a 30 day no quibble guarantee. RETURNS

If you are wishing to return a product please call us first, if the product has been wrongly ordered or no longer required it will be subject to a 15% Handling fee if we agree at our discretion to the return of the item for a refund or exchange. If the item does not fit, is not fit for purpose or has been damaged and signed for as damaged in transit then on return of damaged swe will send a new replacement or may offer a full refund if the replacement item will be some weeks. Special order items may not be cancelled or returned unless agreed by Reverie goods we will send Limited

8. INTELLECTUAL PROPERTY AND INFORMATION

ReVerie Limited will take all reasonable steps in the course of business to ensure that the products do not infringe any patent, design, trademark, copyright or any other rights of third parties Reverie Limited own full copyright on all items supplied unless rights to the design are specifically sold on to the buyer. Intellectual property is retained by Reverie Limited.

ReVerie Limited will take action to protect its copyright & Intellectual property.

The Goods shall be at the risk of the Buyer following delivery. 9.2

In spite of delivery having been made, ownership in the Goods shall not pass from ReVerle limited until:

a) The Buyer has paid the price plus VAT in full; and

- b) No other sums whatever shall be due from Buyer to ReVerie Limited.
- Until such time as title in the Goods passes to the Buyer the Seller shall have the right to repossess or otherwise recover the Goods
- Notwithstanding that the Goods-or any of them remain the property of the Company the purchaser may sell or use the Goods in the ordinary course of the purchaser's business at full market value for the account of ReVerie. Until property in, the Goods passes from ReVerie limited the entire proceeds of sale or otherwise of the Goods shall be held in trust for ReVerie limited.

 Until such time as property in the Goods passes from ReVerie limited, the Buyer shall upon request deliver up such of the Goods as have not ceased to be in existence or resold to ReVerie limited, If the Buyer falls to do so, ReVerle limited may enter upon any premises owned, occupied or controlled by the buyer where the Goods are situated and repossess the Goods.

10. LIMITATION OF LIABILITY 10.1. Save in respect of personal injury or death due to the negligence of the Seller the Seller shall not be liable to the Buyer in respect of any loss suffered by the Buyer due to any defect in the Goods

10.2. Without prejudice to Condition 6.1 the Seller shall not be liable to the Buyer or any third party for any loss of profit, consequential or other economic loss suffered by the Buyer arising in any

way from this Agreement
10.3. Save in respect of personal injury or death due to the negligence of the Seller the liability of the Seller under these Conditions shall not exceed the Price 11. FORCE MAJEURE

The Seller shall not be liable for any default due to any circumstance beyond the reasonable control of the Seller including, but not limited to, Acts of God, war, civil unrest, riot, strike, lock-out, acts of civil or military authorities, fire flood, earthquake or shortage of supply or fallure to deliver of the suppliers of the Supplier 12.GENERAL

12.1. If any term or provision of these Conditions is held invalid illegal or unenforceable for any reason by any Court of competent jurisdiction such provision shall be severed and the remainder of provisions hereof shall continue in full force and effect as if these Conditions had been agreed with the invalid illegal or unenforceable provision eliminated

12.2. The Seller may without the consent of the Buyer sublicense its rights or obligations or any part of these Conditions.

12.3. The headings in these Conditions are for ease of reference only and shall not affect the interpretation of any of the Conditions 13.ENTIRE AGREEMENT

Each of the parties agrees that save in respect of statements made fraudulently it shall have no remedy in respect of any untrue statement upon which it relied in entering this Agreement and

that Its only remedies shall be for breach of contract 14. GOVERNING LAW AND JURISDICTION This agreement shall be governed by the laws of England and Wales and the parties hereby submit to the non-exclusive jurisdiction of the Courts of England and Wales 15.RIGHTS OF CONSUMER

Nothing in these Conditions shall affect the statutory rights of a consumer.

Reverie Limited, Unit 2 Chandlers Row, Colchester, Essex, CO1 2HG, UK

Tel: 0044 (0) 1206 866663 or 0044 (0) 2081 235997 Fax: 0044 (0) 1206 868144 Skype: reverie_composites Email: sales@reverie.ltd.uk Web: www.reverie.ltd.uk











Visit ReVerie online for worldwide dealers

Download latest prices, technical data, drawings and digital versions of our brochures for free Advanced search function available to show all parts compatible with your Lotus car

www.reverie.ltd.uk

Authorised Dealer Stamp

ReVerie Limited
Unit 2 Chandlers Row
Colchester
Essex
CO1 2HG
UK

WARNING MOTORSPORT OR DRIVING CAN BE DANGEROUS RESULTING IN DEATH OR PERSONAL INJURY. READ OUR FITTING INSTRUCTIONS CAREFULLY ReVerie automotive products are for "motorsports use only". We cannot be hald responsible for misuse of our products. This article is sold without warranty expressed or implied. No warranty or representation is made as to this product sability to protect the user form injury or death. The user assumes that risk. The effectiveness, warranty and longevity of this equipment are directly related to the manner in which it is INSTALLED, USED, and/or MAINTAINED. THE USER ASSUMESTHE RISK, Filtern for reverie products to automobiles that are subject to a manufacturer's warranty MAY VOID THE MANUFACTURER'S WARRANTY AND THE VEHICLES ABILITY TO MEET EMISSION OR OTHER TRANSPORT REGULATIONS. By purchasing this product and or opening the packaging, users? J purchasers expressly acknowledge, understand and agree that they take, select and purchase these REVERIE products from REVERIE, its affiliates, distributors, and agents (collectively, REVERIE) "as is "and "with all faults". The entire risk as to the quality and performance of these REVERIE parts is with the purchasers. Should the goods prove defective following their purchase; the purchasers assume the entire cost for all necessary servicing or repair or any resulting liability. Working on your car can be a dangerous activity. If you are unsure of what you are doing, please leave mechanical or Safety critical work to a skilled mechanic. We take no responsibility for the incorrect use and / or installation of REVERIE products. If this Carbon fibre product is exposed to sunlight / UV then it should be regularly UV coated with Armour-all protect and or sadd and 2k clear lacquered. Prolonged exposure to UV will 'yellow' the epoxy and lead to slow deterioration of structural performance (more info available on our web site or on request).

Although ReVerie Limited supply parts for use with/on vehicles manufactured by Lotus Cars Limited, ReVerie Limited is in no way connected to Lotus Cars Limited or any other member of the Lotus Group of companies ("Lotus") and is entirely independent of Lotus. Accordingly, none of the products offered for sale or supplied by ReVerie Limited (nor any advice or service offered or provided by ReVerie Limited) are in any way endorsed by Lotus and Lotus has not tested or approved any such products or services. Accordingly, Lotus shall not under any circumstances be liable for any loss, claim, damages or any consequential, indirect or special damages whatsoever arising out of or in connection with the use of products sold or supplied by ReVerie."