

# REVERIE

LOTUS PARTS BROCHURE

*"Every car has a lot of speed in it.  
The trick is getting the speed out of it".*

A.J.Foyt





# REVERIE



## Foreword Simon Farren MD Reverie limited

Reverie was founded back in May 2000 with the intention of designing niche automotive track day and performance enhancing products, after having worked at Lotus for a number of years, latterly on the management team putting the 340R into production. As well as producing a number of universal fitment race car products, my passion for Lotus cars led me to develop a range of aftermarket accessories purely for Lotus to further improve the performance and on track abilities of these fantastic lightweight sports cars using advanced composites.

Between 2003 and 2005 Reverie was proudly involved in winning one of the largest Motorsport Composite projects for Foggy PETRONAS Racing, involving building 150 full panel sets (inc structural seat unit) for the FP1 homologation special. Reverie in this period employed 20 full time staff and 6 Formula One contractors. All delivery times and quality targets were met by the Reverie production staff to both the OEM and FP1 Race Team.



Reverie is an established composites manufacturer with a 'can-do' attitude and uniquely, a range of its own, ever expanding motorsport products and accessories; available worldwide directly from Reverie or through our expanding worldwide dealer network. We also have a thriving sub-contract composites manufacturing business to clients such as AER engines, Citroen WRC, Ginetta cars, Mosler, Sails etc, Gibson Technology and other such clients.

Reverie's well trained and highly passionate staff have been key to the company's success. We possess an excellent knowledge of composite manufacturing processes and our extensive experience allows Reverie to intuitively make a part right first time. We are highly passionate about developing and improving our product range, levels of service and ensuring Reverie stay at the forefront of affordable high quality autoclaved composites.

I would like to thank Lotus tuners; Hangar 111, Sector 111 and Miki Preparation for supplying images plus all other loyal customer donations. I hope our product offerings allow you to further enhance, improve and enjoy your Lotus car on track.

## Contents:

Lotus Elise S1	Pages 3 - 6
Lotus Elise S2	Pages 7 - 11
Lotus Elise S3	Pages 12
Lotus Exige S1	Pages 13 - 14
Lotus Exige S2	Pages 15 - 20
Lotus Exige V6	Pages 21 - 22
Lotus 340 R	Page 23 - 26
Lotus 2 Eleven	Pages 27 - 28
Lotus Evora	Page 29
Seats	Page 30 - 33
Steering wheels	Page 34



## The autoclave process

Reverie predominantly use pre-impregnated epoxy thermo set composite materials to ensure high fibre contents can be achieved consistently. We also vacuum bag and autoclave nearly all components to further ensure low void contents and trapped volatiles to maximise interlaminar shear properties by forcing the various layers in the fibre / resin matrix together. This process results in high quality, stiff, lightweight parts achievable time and time again.

Lighter :: Faster :: Stronger.





# REVERIE

## ELISE S1

ELISE S1

### SPLITTERS & SPOILERS

Full width carbon fibre spoilers and optional carbon splitters for Lotus Elise S1



Painted Reverie carbon fibre spoiler and carbon splitter plate



- 1** Carbon fibre front spoiler, increases downforce reducing front end lift at high speeds, available painted at extra cost  
R01SB0057

- 2** Carbon fibre splitter plate, can be used with or without carbon front spoiler, provides additional downforce by improving airflow under the car  
R01SB0102

- 3** Optional tyre air deflectors for use with or without splitter or spoiler - pair  
R01SB0152

### REAR WINGS



- 1** Carbon fibre wing assembly, uses four adjustable carbon fibre posts to fix to the clam shell

- 2** 225mm chord carbon fibre curved motorsport rear wing, uses alloy mounts to fix to the clam shell

- 3** 150mm chord carbon fibre curved motorsport rear wing, uses alloy mounts to fix to the clam shell



Elise S1 curved rear wing with cast mounts



Elise S1 rear wing



Elise S1 motorsport curved rear wing

#### DIMENSIONS

PRODUCT NUMBER	CHORD LENGTH	MAXIMUM WIDTH	ADJUSTABLE POST MOUNTS	REVERIE ALLOY CLAM MOUNTS
<b>1</b> R01SB0122	150	1450*	•	
<b>2</b> R01SB0159	225	1245		•
<b>3</b> R01SB0213	150	1450		•

\*Between wing base tips

For all aerodynamic data please visit <http://www.reverie.ltd.uk/techdata.php>  
All allow full access / use of boot space.

Sales 0044 1206 866663  
[www.reverie.ltd.uk](http://www.reverie.ltd.uk)





# REVERIE

## ELISE S1

ELISE S1




### MID FLOORS



Standard width  
mid floor section with  
two Naca ducts available with or  
without alloy honeycomb  
reinforcements

With honeycomb R01SB0323  
Without honeycomb R01SB0177



Elise S1 front clam floor section  
Drop in carbon fibre replacement  
Uses OEM fixings (not shown)

R01SB0178

Increased width  
mid floor section with two  
Naca ducts available with or  
without alloy honeycomb  
reinforcements

With honeycomb R01SB0322  
Without honeycomb R01SB0247

### DIFFUSERS

Direct OEM replacement with improved downforce



1 Single element, 1.36kg  
Standard length



2 Single element, 1.45kg  
Medium length



3 Single element, 1.54kg  
Long length




4 Three element  
1.76kg, Long length



5 Five element  
2.54kg, Long length

### DIMENSIONS



PART NUMBER	A	B	C	D	E	F	G
1 R01SB0045	540	540	35	810	890	55	120
2 R01SB0120	580	510	35	775	890	55	120
3 R01SB0055	690	620	35	775	910	55	120
4 R01SB0056	690	620	35	775	910	55	120
5 R01SB0128	690	620	35	775	910	55	120



Single element short diffuser



Medium length diffuser



# REVERIE

## ELISE S1

ELISE S1



### INTERIOR PARTS



- 1** Carbon fibre footwell divider, available in left and right hand drive versions  
RHD R01SU0141 LHD R01SU0143
- 2** Carbon fibre centre tunnel, replaces OEM part available in left and right hand drive versions  
RHD R01SU0140 LHD R01SU0192

- 3** Elise S1 carbon fibre sill covers  
Supplied as a pair R01SB0130
- 4** Elise S1 carbon fibre door cards  
supplied as a pair R01SU0142

### EXTERIOR PARTS



- 1** Carbon fibre hardtop for Elise S1 R01SB0100
- 2** Tyre air deflectors for use with or without Reverie carbon fibre front spoiler - pair R01SB0152
- 3** Carbon fibre side scoops, increases standard scoop frontal area - pair R01SE0378
- 4** Carbon fibre brake duct trumpets, allows for easy routing of brake hose to calipers R01SE0386
- 5** Carbon fibre Sill Extensions LH & RH R01SB0407

Hardtop carry bag R01SY0019

Sales 0044 1206 866663  
www.reverie.ltd.uk





# REVERIE

## ELISE S1

ELISE S1

### INDUCTION



Daytona air induction kit for Lotus Elise S1, available as a kit featuring carbon canister, filter adaptor or carbon canister and alloy adaptor. Includes filter, all ducting and clips

- 1 230C Carbon case, alloy adaptor  
R01SE0274
- 230CX Carbon case, carbon adaptor  
R01SE0205
- 2 230A Alloy case, alloy adaptor  
R01SE0208

Indy air induction kit, for Honda powered Elise S1, includes all ducting and clips

R01SE0412

### ENGINE COVERS



Lotus Elise S1 VVC carbon fibre engine cam/rocker cover. Drop in replacement for OEM cover, full engine cover to keep water out of spark plug holes. Fully EMI shielded

R01SE0509

Lotus Elise S1 carbon fibre engine cam/rocker cover. Drop in replacement for OEM cover, full engine cover to keep water out of spark plug holes. Fully EMI shielded

R01SE0508

Carbon fibre spark plug cover for Rover K-Series (early) engines. Fits Lotus cars. Direct replacement for OEM part

R01SE0169



# REVERIE

## ELISE S2

ELISE S2



### REAR WINGS

- 1** Adjustable rear wing assembly uses carbon fibre mounting posts



- 2** Fixed rear wing assembly fixes directly to clam shell



- 3** 225mm chord motorsport rear wing uses Reverie alloy mounts



Reverie standard height alloy wing mounts



- 4** 150mm chord motorsport rear wing uses Reverie alloy wing mounts



- 5** Elise S2 300mm chord straight wing



- 6** 225mm Chord Curved Drop Endplate Wing Adjustable Clam Mounted

Reverie increased height alloy wing mounts R01SB6039



### DIMENSIONS

PRODUCT NUMBER	CHORD LENGTH	WING WIDTH	CURVED	STRAIGHT	FIXED CLAM SHELL	ADJUSTABLE SUPPORT POSTS	ADJUSTABLE CLAM SHELL MOUNTED
<b>1</b> R01SB0095	150	1450*	•			•	
<b>2</b> R01SB0119	150	1450*	•		•		
<b>3</b> R01SB0160	225	1650	•				•
<b>4</b> R01SB0215	150	1245	•				•
<b>5</b> R01SB0269	300	1650		•			•
<b>6</b> R01SB0386	225	1240	•				•

\*Between lower clam shell fixing points

For all aerodynamic data please visit <http://www.reverie.ltd.uk/techdata.php>

Sales 0044 1206 866663  
www.reverie.ltd.uk





# REVERIE

## ELISE S2

ELISE S2

### SPLITTERS & SPOILERS



- 1 Reverie splitter plates for use with  
Reverie non splitter carbon fibre spoiler  
R01SB0115
- 2 Reverie Elise S2 Canards - pair  
R01SB0212

3 Reverie carbon fibre front spoiler  
offers increased downforce over OEM part  
supplied with or without integrated splitter plates  
(see image Right)

With splitter plates R01SB0125  
Without splitter plates R01SB0101



### MID FLOORS PRE 2010 FACELIFT



Standard width mid floor available  
with or without alloy honeycomb  
reinforcement. available with two /  
three NACA ducts

K Series two NACA ducts R01SB0177  
K Series with honeycomb R01SB0323  
111R Three NACA ducts R01SB0180  
111R with honey comb R01SB0325



Increased width mid floor available  
with or without alloy honeycomb  
reinforcement. available with two /  
three NACA ducts. Use with 7

K Series two NACA ducts R01SB0247  
K Series with honeycomb R01SB0322  
111R three NACA ducts R01SB0248  
111R with honey comb R01SB0324

Sales 0044 1206 866663  
www.reverie.ltd.uk





# REVERIE

## ELISE S2

ELISE S2

### DIFFUSERS PRE 2010 FACELIFT

Direct OEM replacement with improved downforce, heat sheilded to reflect exhaust heat  
Please ask for exhaust hole options



Single element, 1.98kg, for standard K Series  
R01SB0040



Three element, 2.34kg, for standard K Series  
Standard exhaust R01SB0109



Five element, 2.54kg, for standard K Series  
(as shown in header image) R01SB0110



Three element, 2.52kg, for Elise 111S, also available  
without heatshield, which requires increased exhaust clearance  
3 holes R01SB0039 5 Holes R01SB0216 No heatshield 3 holes R01SB0254




Three element, 2.49kg, for Elise 111R  
Std Exhaust 3 holes R01SB0092 5 Holes R01SB0217 7 holes R01SB0318  
Stage 2 Exhaust 3 holes R01SB0112 5 Holes R01SB0218 7 holes R01SB0319



Three element for all models, 3.20kg,  
use with wider midfloor sections,  
available undrilled or with 3/5 centre tunnel fixing holes  
Undrilled R01SB0253 3 holes R01SB0251 5 Holes R01SB0252

### DIMENSIONS



111R STAGE 2  
5 rear centre tunnel fixing holes  
and 3 side fixing holes



111R WITH 111S DIFFUSER  
centre tunnel and two side  
fixing holes



ELISE SE  
7 rear centre tunnel fixing  
holes and 3 side fixing holes

PART NUMBER		A	B	C	D	E	F	G	H	I	J
R01SB0040	1	690	395	30	790	1195	445	16	90	120	180
R01SB0109	2	690	395	30	790	1195	445	16	90	120	180
R01SB0110	3	690	395	30	790	1195	445	16	90	120	180
R01SB0039	4	680	410	30	785	1240	495	16	70	125	185
R01SB0254	5	680	410	30	785	1240	495	16	70	125	185
R01SB0092	6	680	410	30	785	1230	495	16	50	100	185
R01SB0251	7	740	650	35	1180	1180	n/a	n/a	45	120	n/a

Sales 0044 1206 866663  
www.reverie.ltd.uk





# REVERIE

## ELISE S2

ELISE S2

### INTERIOR PARTS



- 1 Carbon fibre replacement door cards and door handle covers - pair
- 2 Carbon fibre centre tunnel for Elise S2 111R powered by Toyota 2ZZ-GE engine
- 3 Carbon fibre centre tunnel for Elise S2 powered by K Series engine
- 4 Carbon fibre foot well divider, replaces OEM part, for post 2010 Elise S2
- 5 Carbon fibre foot well divider available as left or right hand drive for pre 2010 Elise
- 6 Carbon fibre rear electrical cover for Elise S2 111R using Toyota 2ZZ-GE engine

R01SU0214  
LHD R01SU0223 RHD R01SU0220  
LHD R01SU0224 RHD R01SU0219  
R01SB0350  
LHD R01SU0143 RHD R01SU0141  
R01SU0221

### INDUCTION

Peak power gain of 13 bhp and average of 7 bhp when using the daytona remote filter system on a stock 111R



K series ducted air induction kit includes all ducting and clips (Reverie Daytona)

230A Alloy case and adaptor  
230C Carbon case / alloy adaptor  
230CX Carbon case and adaptor

R01SE0273  
R01SE0275  
R01SE0206



111R ducted / non ducted air induction kit (Reverie Daytona)

230A Non ducted alloy  
230C Non ducted carbon  
230CX Ducted carbon (bracket not required)

R01SE0276  
R01SE0277  
R01SE0278



Indy air induction kit Honda powered Elise S2, includes ducting and clips + Left hand side scoop intake

Air induction kit R01SE0412  
Side scoop intake R01SE0294



Elise S2 boost tube assembly, provides a high density cold air feed to the engine, reducing intake temperatures R01SB0036



Pair of Elise S2 carbon fibre side intake scoops, direct replacement for OEM part. For use with R01SE0294 R01SE0296



# REVERIE

## ELISE S2

ELISE S2



### BODY WORK PARTS



Elise S2 wheel arch kits available as front, rear or full kits, with internal or external flanges for bolting or blending on. Supplied in unpainted GRP gives an additional 40mm more clearance to standard wheels / tyres. Please specify optional +60mm rear arches if required

Full kit with internal flanges*	R01SB0300
Full kit with external flanges*	R01SB0303
Front kit only with internal flanges	R01SB0301
Front kit only with external flanges	R01SB0304
Rear kit only with internal flanges*	R01SB0302
Rear kit only with external flanges*	R01SB0305

30 - 50mm wheel spacers for use with arch kits  
30mm R01SB6026 40mm R01SB6025 50mm R01SB0042



- 1 Rover K Series cam/rocker cover, replaces OEM part with fully EMI shielded carbon fibre part, uses OEM fixings

Standard K series R01SE0135 Elise 111S version R01SE0295

- 2 Elise horizontal sill extensions, available for use with standard or Reverie wider wheel arches

Std arches R01SB0249  
Reverie arches R01SB0250



- 3 Reverie bond in carbon fibre wheel arch louvres, supplied as a front pair or rear pair


Front R01SB0241  
Rear R01SB0242

- 4 Elise S2 111R injector and spark plug cover drop in replacements for OEM parts

Spark plug cover R01SE0284  
Injector cover non supercharged R01SE0283  
Injector cover supercharged R01SE0441

- 5 GT3 Exige S2 front radiator mount for angled radiator (requires removal of original GRP Lotus crash structure from chassis)

R01SB0289



REVERIE

Sales 0044 1206 866663  
www.reverie.ltd.uk






# REVERIE

## ELISE S3



ELISE S3



### REAR DIFFUSERS



1 R01SB0420 - Elise S3 Carbon Fibre  
3 Element Rear Diffuser

2 R01SB0452 - Elise S3 Carbon Fibre  
5 Element Rear Diffuser

### DIMENSIONS



PART NUMBER	A	B	C	D	E	F	G	H	I	J
1 R01SB0420	590	460	35	970	1240	160	NA	40	75	NA
2 R01SB0452	590	460	35	970	1240	160	NA	40	75	NA

### REAR WINGS

Reverie  
standard  
height alloy  
wing mounts  
supplied as  
standard



4

150mm chord motorsport  
rear wing uses Reverie  
alloy wing mounts



3

225mm chord motorsport rear  
wing uses Reverie alloy  
mounts



5

Lotus Elise S3 (11 - )  
rear wing  
(straight)



6

Elise S2 300mm  
chord straight  
wing



Reverie  
increased  
height alloy  
wing mounts

### DIMENSIONS

PRODUCT NUMBER	CHORD LENGTH	WING WIDTH	CURVED	STRAIGHT	FIXED CLAM SHELL	ADJUSTABLE SUPPORT POSTS	ADJUSTABLE CLAM SHELL MOUNTED
3 R01SB0160	225	1650	•				•
4 R01SB0215	150	1245	•				•
5 R01SB0509	225	1300		•			•
6 R01SB0269	300	1650		•			•

\*Between lower clam shell fixing points



# REVERIE

## EXIGE S1

EXIGE S1



### SPLITTERS



Reverie front splitter plate, can be used as left or right hand part, sold individually  
R01SB0199

### REAR WINGS

For all aerodynamic data please visit <http://www.reverie.ltd.uk/techdata.php>



#### DIMENSIONS

PRODUCT NUMBER	CHORD LENGTH	MAXIMUM WIDTH	FITS OEM MOUNTS
1 R01SB0183	255	1650	•
2 R01SB0214	150	1650	•
3 R01SB0429	310	1650	Lotus Motorsport Mounts



### INTERIOR PARTS



1 Carbon fibre footwell divider, available in left and right hand drive versions  
RHD R01SU0141 LHD R01SU0143

2 Carbon fibre centre tunnel, replaces OEM part available in left and right hand drive versions  
RHD R01SU0140 LHD R01SU0192



3 Elise S1 carbon fibre sill covers  
Supplied as a pair R01SB0130

4 Elise S1 carbon fibre door cards  
supplied as a pair R01SU0142

### INDUCTION



Exige S2 Side scoop pair  
Direct OEM replacement  
R01SE0378



Air induction kit for Honda powered Exige S1/S2  
R01SE0412

Sales 0044 1206 866663  
[www.reverie.ltd.uk](http://www.reverie.ltd.uk)





# REVERIE

## EXIGE S1

EXIGE S1

### MID FLOORS



Standard width  
mid floor section with  
two Naca ducts available with or  
without alloy honeycomb  
reinforcements

With honeycomb R01SB0323  
Without honeycomb R01SB0177



Increased width  
mid floor section with two  
Naca ducts available with or  
without alloy honeycomb  
reinforcements

With honeycomb R01SB0322  
Without honeycomb R01SB0247

### DIFFUSERS


Direct OEM Replacement with improved downforce




2 Single element, 1.54kg  
Long length



3 Three element, 1.81kg  
Long length (as shown in  
header image)




1 Single element, 1.36kg  
Standard length



4 Five element, 2.54kg  
Long length

### DIMENSIONS



PART NUMBER	A	B	C	D	E	F	G
1 R01SB0349	540	540	35	810	890	55	120
2 R01SB0082	690	620	35	780	900	55	120
3 R01SB0083	690	620	35	780	900	55	120
4 R01SB0129	690	620	35	780	890	55	120



Long five element diffuser



Long five element diffuser



# REVERIE

## EXIGE S2



EXIGE S2

## REAR WINGS

Clam Mount  
straight wing

Fixed tailgate  
mounted straight wing

Clam mount  
curved wing

Adjustable tailgate  
mounted curved wing



8 Standard and  
9 optional increased  
height wing mounts  
R01SB6039



Tailgate mount blanking  
fins R01SB0192



Adjustable  
tailgate  
wing mounts  
unavailable separately



2  
Fixed  
tailgate  
mounted  
Curved wing



7  
Adjustable  
clam  
mounted  
Curved droop  
end wing

## DIMENSIONS

	PRODUCT NUMBER AND FITTMENT	CHORD LENGTH	WING WIDTH	CURVED	STRAIGHT	ADJUSTABLE CLAM MOUNTED	FIXED TAILGATE MOUNTED	ADJUSTABLE TAILGATE MOUNTED
1	R01SB0160 Pre 2010	225	1650	•		•		
2	R01SB0161 Pre 2010	225	1000	•			•	
3	R01SB0215 Pre 2010	150	1650	•		•		
4	R01SB0236 Pre 2010	225	1245	•				•
5	R01SB0269 Pre 2010	300	1650		•	•		
6	R01SB0335 Pre 2010	225	1245		•			•
7	R01SB0386 Pre 2010	225	1240	•		•	(Droop End Wing)	

Sales 0044 1206 866663  
www.reverie.ltd.uk





# REVERIE

## EXIGE S2

EXIGE S2



### SPLITTERS / SPOILERS

Available as a standard version or as a wide version for use with Reverie wheel arch kits, many of these parts have been wind tunnel tested at Mira, visit <http://www.reverie.ltd.uk/techdata.php> for more information



Bolt on OEM replacement spoiler for pre 2010 cars  
R01SB0328



**10** Front Splitter / Spoiler with flat underside needs clamshell cutting

For pre 2010 cars

Standard version  
Wide arch version

R01SB0255  
R01SB0256



Front Splitter / Spoiler with clamshell hump cut-outs, bolt on fitment

For pre 2010 cars

Standard version  
Wide arch version

R01SB0191  
R01SB0198



Exige S2 canards supplied as a pair

Pre 2010 cars

R01SB0212



2010 style full race Spoiler  
Pre 2010 cars R01SB0315




### MID FLOORS ALL EXIGE PRE-2010 MODELS



Standard width mid floorsection available with or without alloy honeycomb reinforcement. Available with two/ three NACA ducts

Three NACA ducts R01SB0180  
with honey comb R01SB0325



Wide mid floor section, available with or without alloy honeycomb reinforcement. Available with two/three NACA ducts

3 x NACA ducts R01SB0248  
3 x NACA ducts alloy honey comb R01SB0324



# REVERIE

## EXIGE S2

EXIGE S2



### DIFFUSERS ALL EXIGE PRE-2010 MODELS



- 1** Three element, 2.49kg, for above diffuser exhausts, available with 3, 5 or 7 centre rear fixing holes (as shown in header image)

Pre 2010 - 3 holes R01SB0039 5 holes R01SB0216 7 holes R01SB0317  
260 Cup car R01SB0376



- 2+3** Three element, 2.48kg, available for standard or stage two exhaust available with 3, 5 or 7 centre rear fixing holes

Std Exhaust 3 holes R01SB0092 5 Holes R01SB0217 7 holes R01SB0318  
Stage 2 Exhaust 3 holes R01SB0112 5 Holes R01SB0218 7 holes R01SB0319



- 4** Three element, 2.48kg, Exige 220S available with 5 or 7 centre rear fixing holes

Pre 2010 - 5 holes R01SB0219 7 holes R01SB0320  
260 Cup car - R01SB0372



- 5** Three element for all models, 3.20kg, use with wider midfloor sections, available undrilled or with 3/5 centre tunnel fixing holes

Undrilled R01SB0253 3 holes R01SB0251 5 Holes R01SB0252

### REAR FIXING HOLES

EXIGE S



Standard diffuser shown with 7 rear centre tunnel fixing holes and 3 side fixing holes

111R STAGE 2





Standard diffuser shown with 5 rear centre tunnel fixing holes and 3 side fixing holes

111R WITH 111S DIFFUSER



Exige with Reverie 111S diffuser and high exit exhaust with 3 centre tunnel and two side fixing holes

### DIMENSIONS



PART NUMBER	A	B	C	D	E	F	G	H	I	J
<b>1</b> R01SB0039	680	410	30	785	1240	495	16	70	125	185
R01SB0376	580	420	30	820	1240	315	16	70	125	185
<b>2</b> R01SB0092	680	410	30	785	1240	495	16	70	125	185
<b>3</b> R01SB0112	680	410	30	785	1240	495	16	70	125	185
<b>4</b> R01SB0219	680	410	30	785	1240	495	16	70	125	185
R01SB0372	580	420	30	820	1240	315	16	70	125	185
<b>5</b> R01SB0253	740	650	35	1180	1180	n/a	16	45	120	n/a

Sales 0044 1206 866663  
www.reverie.ltd.uk





# REVERIE

## EXIGE S2


EXIGE S2

### INTERIOR PARTS



- |   |   |                             |
|---|---|-----------------------------|
| 1 | Carbon fibre replacement door cards and door handle cover set - pair                    | R01SU0214                   |
| 2 | Carbon fibre centre tunnel for Exige S2 111R powered by Toyota 2ZZ-GE engine            | LHD R01SU0223 RHD R01SU0220 |
| 3 | Carbon fibre foot well divider for post 2010 Exige models                               | R01SB0350                   |
| 4 | Carbon fibre foot well divider available as left or right hand drive for pre 2010 Exige | LHD R01SU0143 RHD R01SU0141 |
| 5 | Carbon fibre rear electrical cover for Exige S2 111R using Toyota 2ZZ-GE engine         | R01SU0221                   |

### BODYWORK PARTS



Exige S2 wheel arch kits available as front, rear or full kits, with internal or external flanges for bolting or blending on. Gives an additional 40mm more clearance to standard wheels / tyres

Image left shows painted full GRP wheel arch kit fitted to Lotus Exige S2, please specify optional +60mm rear arches if required

- |                                      |           |
|--------------------------------------|-----------|
| Full kit with internal flanges       | R01SB0188 |
| Full kit with external flanges       | R01SB0189 |
| Front kit only with internal flanges | R01SB0153 |
| Front kit only with external flanges | R01SB0185 |
| Rear kit only with internal flanges  | R01SB0186 |
| Rear kit only with external flanges  | R01SB0187 |

30 - 50mm wheel spacers for use with arch kits  
 30mm R01SB6026 40mm R01SB6025 50mm R01SB0042  
 GT3 Carbon Radiator Chassis Mount see page 10 R01SB0389



Exige S2 carbon fibre tailgate improves intercooler efficiency, with louvre exits, includes louvres and internal boot cover

R01SB0329



Exige horizontal sill extensions, available for use with standard or Reverie wider wheel arches

Std arches  
Reverie arches

R01SB0249  
R01SB0250



Reverie Carbon Fibre wheel arch louvres, supplied as a front or rear pair

Front R01SB0241  
Rear R01SB0242



Exige S2 bonnet inspection panels, direct replacement for OEM panels, Supplied as a pair

R01SB0353

Sales 0044 1206 866663  
 www.reverie.ltd.uk





# REVERIE

## EXIGE S2

EXIGE S2



### INDUCTION

Peak power gain of 13Bhp and average of 7Bhp when using the daytona remote filter system on a stock 111R



Daytona non-ducted air induction kit, available in alloy or carbon fibre fits 111R and Exige S

230A Alloy canister R01SE0276  
230C Carbon fibre canister R01SE0277



Daytona ducted carbon air induction kit, includes, MAF adaptor, canister, filter adaptors and ducting  
For ram air use with 2 (R01SE0294)  
Fits 111R and Exige S

230CX all carbon kit R01SE0278



Indy air induction kit for Honda powered Elise S2.  
Side scoop intake replaces OEM part, can be used with carbon fibre side scoops and 230 CX ducted filter kits. (100mm exit)

1 Indy air induction kit R01SE0412  
2 LH Side scoop intake R01SE0294

### AIR SCOOPS



Exige S2 roof scoop available in carbon fibre or GRP. Extends standard roof scoop to top of wind screen

Carbon Fibre R01SB0193  
GRP R01SB0194



Exige S2 side scoops 25mm deeper than OEM part - pair R01SE0280  
Can be used in conjunction with side scoop intake R01SE0294 and ducted filter kit

### ENGINE COVERS



1 Exige S2 engine bulkhead cover, supplied as a pair containing left hand and right hand covers, clips on to framework R01SB0124

2 Toyota 2ZZ-GE carbon fibre spark plug and HT lead cover, direct replacement, uses OEM fixings. Fits Exige 111R  
R01SE0284



3 Toyota 2ZZ-GE engine cover drop in replacements for OEM parts not for use with supercharged cars, fully EMI shielded. Fits Exige 111R  
R01SE0283

Toyota VVTi engine cover, for use with supercharged cars. Fits Exige S R01SE0441

Sales 0044 1206 866663  
www.reverie.ltd.uk





# REVERIE

## EXIGE S2

### 2010 ON

S2 2010 +



## INTERIOR AND AERO BODY PARTS



Mid floor section with alloy honeycomb reinforcement. Available with two NACA ducts and also as in a extra width version. Fits Exige 260 Cup

260 cup, two NACA ducts	R01SB0373
260 cup	R01SB0377
260 cup, wide, 2 x NACA ducts	R01SB0384
260 cup, wide	R01SB0385



Three element, 2.48kg, Exige available with 5 or 7 centre rear fixing holes

7 holes	R01SB0320
260 Cup car	R01SB0372
No Exhaust Hole	R01SB0376

Carbon fibre footwell divider for post 2010 Exige models  
R01SB0350



Exige S2 canards supplied as a pair  
R01SB0375



Exige S2 2010 Motosport  
225mm Carbon Fibre  
Adjustable Rear Wing  
4.85kg approx  
R01SB0383



Five element, for Exige S2 260 Cup  
(for wide mid floor sections only)

No exhaust hole	R01SB0498
Oval exhaust	R01SB0499



Underside of 2010 Front Spoiler R01SB0374



2010 style full race Spoiler  
Post 2010 Cars R01SB0374



Exige horizontal sill extensions, available for use with standard or Reverie wider wheel arches

Std arches	R01SB0249
Reverie arches	R01SB0250



Reverie Carbon Fibre wheel arch louvres, supplies a front pair or rear pair

Front	R01SB0241
Rear	R01SB0242



Sales 0044 1206 866663  
www.reverie.ltd.uk





# REVERIE

## EXIGE V6



EXIGE V6

### AERO BODY PARTS



**1** R01SB0454 - Exige V6 Carbon Fibre Front Splitter Assembly



**2** R01SB0466 - Exige V6 Carbon Fibre Side Scoops (pair)

**3** R01SB0462 - Exige V6 Carbon Fibre Side Sill Extensions (pair)



**4** R01SB0465 - Exige V6 Carbon Fibre Rear Diffuser 5 Element



**5** R01SB0482 - Exige V6 Carbon Fibre Rear Upper Grill Surround  
(Required to Mount Diffuser)



**6** R01SB0464 - Exige V6 Carbon Fibre Race Front Canards (pair)

**7** R01SB0463 - Exige V6 Carbon Fibre Track Front Canards (pair)

### DIMENSIONS



PART NUMBER	A	B	C	D	E	F	G	H	I	J
<b>4</b> R01SB0465	640	460	85	860	1260	320	10	55	75	60

Sales 0044 1206 866663  
www.reverie.ltd.uk





# REVERIE

## EXIGE V6



EXIGE V6

### ENGINE COVERS AND WINGS



- 1** Exige V6 Carbon Fibre Engine Cam Cover Front R01SE0637
- 2** Exige V6 Carbon Fibre Engine Cover Rear R01SE0638



- 3** Exige V6 Carbon Fibre 225mm Tailgate Drop End Wing R01SB0471



- 4** Exige V6 Carbon Fibre 310mm Tailgate Low Drag Wing R01SB0469
- 5** Exige V6 Carbon Fibre 310mm High Downforce Clam Mounted Adjustable Wing R01SB0472
- 6** Exige 380 S3 V6 Tailgate Carbon fibre Curved Wing kit 225mm Chord - Exige 380 style end plates R01SB0494
- 7** Exige S3 V6 Tailgate Carbon fibre Wing kit swept CNC mounts R01SB0484
- 8** Carbon Fibre 225mm Exige 380 V6 angled wing end plates R01SB0495
- 9** Exige S3 V6 Tailgate Carbon fibre Curved Wing kit 225mm Chord 2-Eleven style end plates R01SB0490

Note: All wing mounts supplied in satin black

### FLOOR PANELS



- 1** Exige V6 Carbon Fibre Std Width Replacement Mid Floor R01SB0479

- 2** Exige V6 Carbon Fibre Wide Width Replacement Mid Floor R01SB0480  
Wide version has part outlined in red included  
Use with low droop sports shocks



Exige V6 carbon fibre door cards including handles (specify oval or round window switches) R01SU0214



Exige V6 Carbon Fibre Front Floor Wishbone Infil Panels R01SB0474

Sales 0044 1206 866663  
www.reverie.ltd.uk



22



# REVERIE

## 340R

340R

## SPLITTERS & SPOILERS

Full width carbon fibre or GRP front spoilers and optional carbon splitters for Lotus 340R  
Stand alone Carbon Fibre splitter available for OEM spoiler R01SB0053



340R carbon fibre / GRP deep spoiler, includes splitter plates and gurney end plates with brake ducts  
Carbon fibre R01SB0051 GRP R01SB0052  
(See images left and page header)



340R carbon fibre / GRP standard depth spoiler, includes splitter plates and gurney end plates with brake ducts  
Carbon fibre R01SB0107 GRP R01SB0108  
(see right image)



## REAR WINGS

Straight wing with 3mm carbon fibre wing mount extensions for standard wing mounts R01SB0258



Curved wing with Reverie carbon fibre supports R01SB0195



Curved Reverie rear wing for use with standard wing mounts R01SB0190



Reverie carbon fibre standard height OEM replacement wing mounts R01SB0023



Reverie carbon fibre raised height 100mm increase OEM replacement wing mounts R01SB0043

Reverie carbon fibre raised height 230mm increase OEM replacement wing mounts R01SB0050

## WING DIMENSIONS

	PRODUCT NUMBER	CHORD LENGTH	MAXIMUM WIDTH	STRAIGHT	CURVED	OEM WING MOUNTS	REVERIE WING MOUNTS	WING MOUNT EXTENSIONS
1	R01SB0258	225	1245	•				•
2	R01SB0195	225	1650		•		•	
3	R01SB0190	255	960		•	•		

For all aerodynamic data please visit <http://www.reverie.ltd.uk/techdata.php>

Sales 0044 1206 866663  
[www.reverie.ltd.uk](http://www.reverie.ltd.uk)





# REVERIE

## 340R

340R



### MID FLOORS

Standard width mid floor section with two NACA ducts available with or without alloy honeycomb reinforcements.

With honeycomb R01SB0323  
Without honeycomb R01SB0177



Increased width mid floor section with two NACA ducts available with or without alloy honeycomb reinforcements.

With honeycomb R01SB0322  
Without honeycomb R01SB0247



### DIFFUSERS


Direct OEM replacement with improved downforce



2 Single element, 1.45kg  
Medium length



3 Single element, 1.54kg  
Long length




1 Single element, 1.36kg  
Standard length



4 Three element, 1.76kg  
Long length for use  
with wider midfloor  
(see header image)

### DIMENSIONS



PART NUMBER	A	B	C	D	E	F	G
1 R01SB0339	540	540	35	810	890	55	120
2 R01SB0340	580	510	35	775	890	55	120
3 R01SB0341	690	620	35	775	910	55	120
4 R01SB0253	740	650	35	1180	1180	45	125



Elise S2 111S diffuser fitted



Standard length diffuser fitted



# REVERIE

## 340R

340R



### BODYWORK PARTS



340R top shell guards, light weight protector for top of clam shell sold individually as left hand or right hand part

LH R01SB0103  
RH R01SB0104



Carbon fibre rear number plate holder for 340R, replaces OEM steel plynth

R01SB0118



1 340R rear infill exhaust heatshield panel, shields induction from exhaust heat and allows for exhaust aircooling

R01SB0088

2 340R Mid spoiler infill panel, replaces OEM infill panel with carbon fibre

R01SB0089



340R boost tube assembly, replacement engine cover with integrated ram air boost tube, provides high density cold air feed

direct to the engine  
Carbon fibre version R01SB0008  
GRP version R01SB0046



340R footwell cooler scoop, provides a cold ram air feed to the driver and passenger footwells, improving comfort

R01SB0012



3 340R mid spoiler, replaces OEM part with a light weight carbon fibre part

R01SB0041

Sales 0044 1206 866663  
www.reverie.ltd.uk





# REVERIE

## 340R

340R

### INTERIOR PARTS



- 1 Carbon fibre dashboard top/mat, available in left and right hand drive versions
- 2 Carbon fibre centre tunnel, available as left or right hand drive versions
- 3 Carbon fibre foot well divider available as left or right hand drive versions
- 4 Lotus 340R rear 12v carbon fibre electrical socket cover

LHD R01SU0041 RHD R01SU0030  
 LHD R01SU0191 RHD R01SU0088  
 LHD R01SU0143 RHD R01SU0141  
 R01SE0285

### ENGINE COVERS



Engine cam/rocker cover, drop in carbon fibre replacement for OEM part. Full engine cover to keep water out of spark plug holes for early K series engines

R01SE0508



Rover K Series engine spark plug cover, drop in replacement for OEM part - fits Lotus cars

R01SE0169





# REVERIE

## 2-ELEVEN

2-ELEVEN



### REAR WINGS AND FRONT SPOILER



- 1 300mm chord high downforce straight wing, 1405mm wide fits standard wing mounts (See left image) R01SB0299
- 2 225mm chord high downforce straight wing, 1650mm wide fits standard wing mounts R01SB0246
- 3 2-Eleven carbon fibre front splitter R01SB6053

For all aerodynamic data please visit <http://www.reverie.ltd.uk/techdata.php>

### INDUCTION

Peak power gain of 13 bhp and average of 7 bhp when using the Reverie Daytona air induction kit on a stock 111R

Daytona non-ducted air induction kit, includes all ducting and clips supplied with MAF adaptor with alloy case  
R01SE0276



Daytona non-ducted air induction kit, includes all ducting and clips supplied with MAF adaptor with carbon case  
R01SE0277



### ENGINE COVERS AND CENTRE TUNNELS



Toyota 2ZZ-GE Spark plug cover for Lotus 2-Eleven direct replacement for OEM part, uses OEM fixing Fully EMI shielded  
R01SE0284



Toyota VVTi engine cover for Lotus 2-Eleven modified to suit supercharged models direct replacement for OEM part uses OEM fixings  
R01SE0441

Carbon fibre centre tunnel for Elise S2 111R powered by Toyota 2ZZ-GE engine  
LHD R01SU0223 RHD R01SU0220



Sales 0044 1206 866663  
[www.reverie.ltd.uk](http://www.reverie.ltd.uk)





# REVERIE

## 2-ELEVEN

2-ELEVEN



### MID FLOORS

Lotus 2-Eleven floor sections with three Naca ducts available with stiff 4mm alloy honeycomb reinforcement



Standard width floor section



Increased width floor section for use with 4

No honeycomb R01SB0180  
With honeycomb R01SB0325

No honeycomb R01SB0248  
With honeycomb R01SB0324

### DIFFUSERS

Direct OEM replacement with improved downforce, heat shielded to reflect exhaust heat



1 Single element, 1.98kg, for standard K Series  
R01SB0040



3 Five element, 2.54kg, for standard K Series  
R01SB0110





2 Three element, 2.34kg, for standard K Series  
R01SB0109



4 Three element for all models, 3.20kg, use with wider midfloor sections, available undrilled or with 3/5 centre tunnel fixing holes  
Undrilled R01SB0253 3 holes R01SB0251 5 Holes R01SB0252

### DIMENSIONS



PART NUMBER	A	B	C	D	E	F	G	H	I	J
1 R01SB0040	690	395	30	790	1195	445	16	90	120	180
2 R01SB0109	690	395	30	790	1195	445	16	90	120	180
3 R01SB0110	690	395	30	790	1195	445	16	90	120	180
4 R01SB0253	740	650	35	1180	1180	n/a	n/a	45	120	n/a



# REVERIE

## EVORA

EVORA



2010 Lotus Evora S with rear diffuser attached


- 1 Lotus Evora sport pack and rear diffuser with lower centre exhaust section (3 element)

R01SB0360



- 2 Lotus Evora carbon fibre rear diffuser STD (5 element)

R01SB0359

1



2



### DIMENSIONS (MM)

	PART NUMBER	A	B	C	D	E	F	G
1	R01SB0360	560	440	1150	240	240	240	1050
2	R01SB0359	560	440	1150	250	N/A	N/A	1050

Sales 0044 1206 866663  
www.reverie.ltd.uk



29



# REVERIE SEATS

**SEATS** All narrow seats (Mulsanne B / C low and high back, XR C and X C) fit Lotus S1 / 340R subframes and S2 models with subframe conversion kits, all seats can be fitted with our velcro on cushion trim kits



**1** Mulsanne C twin skin Mass: 2.4kg (approx)  
**2** optional bolt on side head restraint

Mulsanne C R01SI0001  
Mulsanne C Low Back version R01SI0015  
Optional bolt on head restraint R01SI0043



Mulsanne B light weight single skin, carbon fibre seat  
Mass: 3.0kg (approx)

Mulsanne B R01SI0017  
Mulsanne B Low Back version R01SI0055



X C twin skin carbon fibre seat, provides additional support to leg and kidney areas Mass: 3.0kg (approx)

R01SI0047



XR C narrow Light weight twin skin seat with side impact head rest.  
Mass 3.1kg (approx)

R01SI0036



## SUBFRAMES



Subframe conversion kit, converts Elise S1/S2 or Elise 111R / 2-Eleven / VX220 to 340R style subframe

Elise S1/S2 drivers side RHD R01SI0081  
Elise S1/S2 drivers side LHD R01SI0083  
111R / 2-eleven drivers side RHD R01SI0039  
111R / 2-eleven drivers side LHD R01SI0053



Elise / 2-Eleven / VX220 passengers side fixed subframe + Mulsanne B spacer kit

RHD passengers side R01SI0063  
LHD passengers side R01SI0064  
Mulsanne spacer kit R01SI0087



# REVERIE SEATS

SEAT

**SEATS** All Super Sports seats fit Elise S1/S2/S3 / Exige S1/S2/S3 V6 & 340R / 2-Eleven / 340R / VX220  
With our Lotus fitment Subframes. All seats can be fitted with our velcro on cushion trim kits. See page 33



**Super Sports Twin Skin Seat Polished**  
Mass 4.4kg (approx).

Super Sport (FIA Approved)	R01SI0091
Super Sport (Non FIA)	R01SI0107



**Super Sports Twin Skin Seat**  
Black Fia Fabric Trimmed  
Mass 5.2kg (approx).

Super Sport (FIA Approved)	R01SI0101
Super Sport (Non FIA)	R01SI0108



**Super Sports B Single Skin Seat**  
Black Fia Fabric Trimmed  
Fia Approved Mass 5.4kg (approx).

Super Sport B	R01SI0106
---------------	-----------



**Optional Bolt on**  
Fia Approved Head Restraint  
to Fit all Super Sports Seats

R01SI0094



**Lotus Fitment Solid Billet Aluminium**  
CNC Subframes for S/Sport Seat  
Fia Approved.

(pair) R01SI0115



Sales 0044 1206 866663  
[www.reverie.ltd.uk](http://www.reverie.ltd.uk)





# REVERIE

## SEATS

SEATS

### SEAT SIZES



PART NO	DESCRIPTION	FIA	KG	DIMENSIONS																	
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	X
R01SI0055	Mulsanne B Single Skin (Narrow, LowBack)	N	2.5	475	445	330	385	410	680	560	288	670	640	NA	NA	360	90	200	130	175	63
R01SI0017	Mulsanne B Single Skin (Narrow)	N	2.9	475	445	330	385	410	890	560	288	670	860	95	640	360	330	200	130	175	63
R01SI0015	Mulsanne C Twin Skin (Narrow, Lowback)	N	2.4	470	440	330	380	410	680	540	288	680	630	NA	NA	360	90	230	130	175	60
R01SI0001	Mulsanne C Twin Skin (Narrow)	N	2.9	470	440	330	380	410	885	540	288	680	850	95	640	360	345	230	130	175	60
R01SI0047	X C Twin Skin (Narrow)	N	3.7	495	440	320	380	430	890	650	288	690	850	150	640	340	240	340	130	175	65
R01SI0036	XR C Twin Skin (Narrow)	N	3.6	500	440	330	380	470	890	640	288	690	850	140	640	340	250	340	130	175	65
R01SI0106	Super Sports B Single Skin (Narrow, Trimmed)	Y	5	525	460	370	440	450	910	620	288	700	850	130	670	330	330	310	130	175	70
R01SI0091	Super Sports Twin Skin (Narrow, Polished)	N	4.4	490	440	330	420	430	910	630	288	700	880	150	655	340	330	310	130	175	65
R01SI0101	Super Sports Twin Skin (Narrow, Trimmed)	Y	5.2	490	440	310	420	430	910	630	288	700	880	150	655	325	310	310	130	175	65
R01SI0107	Super Sports Twin Skin (Narrow, Polished)	N	4.4	490	440	330	420	430	910	630	288	700	880	150	655	340	330	310	130	175	65
R01SI0108	Super Sports Twin Skin (Narrow, Trimmed)	N	5.2	490	440	310	420	430	910	630	288	700	880	150	655	325	310	310	130	175	65



# REVERIE SEATS

SEATS

## SEAT CUSHION KITS

Reverie velcro on cushion pad kits, comprising of base, back, head and shoulder pads per seat  
Standard colours listed below, other colours may be available on request  
Narrow kits will fit all Lotus seat models



### BRUSHED NYLON FABRIC CUSHION KITS



Black  
Narrow R01SI6043  
Wide R01SI6044



Red  
Narrow R01SI6043R  
Wide R01SI6044R



Dark Blue  
Narrow R01SI6043DB  
Wide R01SI6044DB



Blue  
Narrow R01SI6043B  
Wide R01SI6044B



Dark Grey  
Narrow R01SI6043DG  
Wide R01SI6044DG



### FIA SPACER FABRIC CUSHION KITS



Black  
Narrow R01SI6135  
Wide R01SI6137  
Yellow Stitching  
Narrow R01SI6191  
Wide R01SI6198  
White Stitching  
Narrow R01SI6204  
Wide R01SI6206  
Green Stitching  
Narrow R01SI6205  
Wide R01SI6207



Red  
Narrow R01SI6135R  
Wide R01SI6137R  
CM Narrow Seat  
Black  
Black Stitching R01SI6208  
Yellow Stitching R01SI6209



Blue  
Narrow R01SI6135BE  
Wide R01SI6137BE



Grey  
Narrow R01SI6135G  
Wide R01SI6137G  
White Stitching  
Narrow R01SI6192  
Wide R01SI6199  
Red Stitching  
Narrow R01SI6193  
Wide R01SI6200

### OPTIONAL STITCHING



### DINAMICA CUSHION KITS



Black  
Narrow R01SI6045  
Wide R01SI6046



Red  
Narrow R01SI6045R  
Wide R01SI6046R




Royal Blue  
Narrow R01SI6045RB  
Wide R01SI6046RB




Grey  
Narrow R01SI6045G  
Wide R01SI6046G



Green (Yellow Stitching)  
Narrow R01SI6194  
Wide R01SI6201



### LEATHER CUSHION KITS



Black  
Narrow R01SI6007B  
Wide R01SI6011  
CM R01SI6211



Red  
Narrow R01SI6007R  
Wide R01SI6011R



Blue  
Narrow R01SI6007BE  
Wide R01SI6011BE



Grey  
Narrow R01SI6007GY  
Wide R01SI6011GY




Green  
Narrow R01SI6007GN  
Wide R01SI6011GN



Yellow  
Narrow R01SI6007Y  
Wide R01SI6011Y

### BLACK FOAM CUSHION KITS



Black foam cushion kits  
Narrow R01SI0007 Wide R01SI0014

### VINYL CUSHION KITS



Vinyl cushion kits  
Narrow R01SI6009 Wide R01SI6013

### CARBON LEATHER



Carbon effect leather cushion kits  
Narrow R01SI6024 Wide R01SI6025

### ADDITIONAL SUPPORT CUSHIONS



Additional support cushion pads  
1 Side head rest R01SI6164  
2 Lumbar support R01SI6162  
3 Side support R01SI6163

Sales 0044 1206 866663  
www.reverie.ltd.uk





# REVERIE

## STEERING WHEELS

STEERING  
WHEELS

### STEERING WHEELS

Autoclaved carbon fibre steering wheels of superb quality which meet F1 technical regulations tested by TRL  
For dimensions of our steering wheels please visit [www.reverie.ltd.uk/steering\\_data.php](http://www.reverie.ltd.uk/steering_data.php)



- |   |           |
|---|-----------|
| <b>1</b> Rally 330, suede trimmed carbon fibre steering wheel, 330mm O/D, Mass 350g (approx)<br>As used by Citroen WRC since 2003 | R01SH0037 |
| <b>2</b> Flight 315, untrimmed carbon fibre steering wheel, 315mm O/D, Mass 300g (approx)   | R01SH0002 |
| <b>3</b> Flight 280, untrimmed carbon fibre steering wheel, 280mm O/D, Mass 300g (approx)   | R01SH0008 |
| <b>4</b> Rally 330, half suede trimmed, flat bottom steering wheel, 320mm O/D, Mass 350g (approx)                                 | R01SH0140 |
| <b>5</b> Eclipse 315, untrimmed carbon fibre steering wheel, 315mm O/D, Mass 300g (approx)  | R01SH0001 |
| <b>6</b> Eclipse 280, untrimmed carbon fibre steering wheel, 280mm O/D, Mass 260g (approx)  | R01SH0118 |

### STEERING WHEEL ACCESSORIES



Light Momo/Sparco collapsible boss  
for Elise based vehicles, versions  
for cars with or without airbags

For cars with airbag R01SH6028  
For cars without airbag R01SH6018



Cast Momo / Sparco  
boss for Lotus Elise  
style fitment cars  
86mm O/D  
R01SH6000



Carbon fibre centre horn  
push ring, fits Momo, OMP  
and sparco drilling patterns  
R01SH0057



Reverie centre horn push  
kit, fits to holes drilled  
in wheels  
R01SH6003

### GEAR KNOBS

Non-lift reverse gear knobs will fit Elise S1, Exige S1, 340R and K series Elise S2  
Lift reverse will fit 111R Elise S2, Exige S2 and 2-Eleven



Carbon fibre lift reverse gear  
knob with alloy or brass insert  
Tungsten filled or unfilled  
**M8 - 1.5 Pre Feb 05 hex shaft**  
Alloy - filled R01SU0122 Unfilled R01SU0084  
Brass - filled R01SU0124 Unfilled R01SU0104  
**M10 - 1.5 Pre 2009 round shaft**  
Alloy - filled R01SU0136 Unfilled R01SU0138  
Brass - filled R01SU0144 Unfilled R01SU0146  
**M12 - 1.5 Post 2009 and Exige V6**  
Alloy - filled R01SU0199 Unfilled R01SU0200  
Brass - filled R01SU0196 Unfilled R01SU0197



Texalium lift reverse gear knob  
with alloy or brass insert  
Tungsten filled or unfilled  
**M8 - 1.5 Pre Feb 05 hex shaft**  
Alloy - filled R01SU0123 Unfilled R01SU0085  
Brass - filled R01SU0125 Unfilled R01SU0105  
**M10 - 1.5 Pre 2009 round shaft**  
Alloy - filled R01SU0137 Unfilled R01SU0139  
Brass - filled R01SU0145 Unfilled R01SU0147  
**M12 - 1.5 Post 2009 and Exige V6**  
Brass - filled R01SU0195 Unfilled R01SU0198



Carbon fibre non-lift  
reverse gear knob, with  
brass insert. Tungsten  
filled or unfilled  
**M10 - 1.5 S1 / 340R Fitment**  
Tungsten filled R01SU0128  
Unfilled R01SU0126



Texalium non-lift  
reverse gear knob, with  
brass insert. Tungsten  
filled or unfilled  
**M10 - 1.5 S1 / 340R Fitment**  
Tungsten filled R01SU0129  
Unfilled R01SU0127





World Wide Dealers Wanted



# Visit ReVerie online for worldwide dealers

Download latest prices, technical data, drawings and digital versions of our brochures for free  
Advanced search function available to show all parts compatible with your Lotus car

[www.reverie.ltd.uk](http://www.reverie.ltd.uk)

Authorised Dealer Stamp



**WARNING! MOTORSPORT OR DRIVING CAN BE DANGEROUS RESULTING IN DEATH OR PERSONAL INJURY. READ OUR FITTING INSTRUCTIONS CAREFULLY** ReVerie automotive products are for "motorsports use only". We cannot be held responsible for misuse of our products. This article is sold without warranty expressed or implied. No warranty or representation is made as to this product's ability to protect the user from injury or death. The user assumes that risk. The effectiveness, warranty and longevity of this equipment are directly related to the manner in which it is INSTALLED, USED, and/or MAINTAINED. THE USER ASSUMES THE RISK. Fitment of reverie products to automobiles that are subject to a manufacturer's warranty MAY VOID THE MANUFACTURER'S WARRANTY AND THE VEHICLES ABILITY TO MEET EMISSION OR OTHER TRANSPORT REGULATIONS. By purchasing this product and/or opening the packaging, users / purchasers expressly acknowledge, understand and agree that they take, select and purchase these REVERIE products from REVERIE, its affiliates, distributors, and agents (collectively, REVERIE) "as is" and "with all faults". The entire risk as to the quality and performance of these REVERIE parts is with the purchasers. Should the goods prove defective following their purchase, the purchasers assume the entire cost for all necessary servicing or repair or any resulting liability. Working on your car can be a dangerous activity. If you are unsure of what you are doing, please leave mechanical or Safety critical work to a skilled mechanic. We take no responsibility for the incorrect use and / or installation of REVERIE products. If this Carbon fibre product is exposed to sunlight / UV then it should be regularly UV coated with Armour-all protectant or sanded and 2k clear lacquered. Prolonged exposure to UV will 'yellow' the epoxy and lead to slow deterioration of structural performance (more info available on our web site or on request).

Although ReVerie Limited supply parts for use with/on vehicles manufactured by Lotus Cars Limited, ReVerie Limited is in no way connected to Lotus Cars Limited or any other member of the Lotus Group of companies ("Lotus") and is entirely independent of Lotus. Accordingly, none of the products offered for sale or supplied by ReVerie Limited (nor any advice or service offered or provided by ReVerie Limited) are in any way endorsed by Lotus and Lotus has not tested or approved any such products or services. Accordingly, Lotus shall not under any circumstances be liable for any loss, claim, damages or any consequential, indirect or special damages whatsoever arising out of or in connection with the use of products sold or supplied by ReVerie."



## 1 DEFINITIONS AND INTERPRETATION

- 1.1 In these Conditions, the following definitions apply:
- 1.1.1 "Acceptance" the acceptance of the Order by any of the following means: a) In writing whether by the return of a signed duplicate copy of the Order or by any other means; or b) By dispatch or delivery of the Items by the Seller to the Customer.
- 1.1.2 "Business Day" means a day (other than a Saturday, Sunday or public holiday) when banks in London are open for business.
- 1.1.3 "Conditions" means the terms and conditions set out in this document as amended from time to time in accordance with clause 10.6.
- 1.1.4 "Delivery date" the estimated date specified by the Customer in the Order when the Items are to be delivered see clause 3
- 1.1.5 "Contract" the contract for the supply and delivery of the Items by REVERIE LIMITED to the Customer in accordance with the terms of the Order and the Supplier Contract which arises on Acceptance in accordance with these Conditions;
- 1.1.6 "Customer" means the person or firm who purchases the Products / Services from REVERIE LIMITED.
- 1.1.7 "Force Majeure Event" has the meaning given in clause 9.
- 1.1.8 "Price" is defined in clause 6
- 1.1.9 "Quantity Required" the number of the Items which the customer wishes to purchase as set out in the purchase order.
- 1.1.9 "Products / Services" means the Products (or any part of them) set out in the Order, and shall include (if applicable) any advice provided by REVERIE LIMITED in relation to such Products.
- 1.1.10 "Order" means the Customer's order for the Products, as set out in the Customer's purchase order form or in the absence of a purchase order form from the Customer then in the Customer's written acceptance of REVERIE LIMITED's quotation.
- 1.1.11 REVERIE LIMITED is herein the Supplier company registered in England and Wales with company number 3987987.
- 1.1.12 "Specification" means any specification for the Products / Services, including any related plans, CAD models, drawings, reference samples or quality documents that are produced by REVERIE LIMITED or supplied by the Customer and agreed to in writing by REVERIE LIMITED.
- 1.2 Construction. In these Conditions, the following rules apply:
- 1.2.1 A person includes a natural person, corporate or unincorporated body (whether or not having separate legal personality).
- 1.2.2 A reference to a party includes its personal representatives, successors or permitted assigns.
- 1.2.3 A reference to a statute or statutory provision is a reference to such statute or provision as amended or re-enacted. A reference to a statute or statutory provision includes any subordinate legislation made under that statute or statutory provision, as amended or re-enacted.
- 1.2.4 Any phrase introduced by the terms including, include, in particular or any similar expression shall be construed as illustrative and shall not limit the sense of the words preceding those terms.
- 1.2.5 A reference to writing or written includes faxes, e-mails, SMS text messages and 'WhatsApp'

## 2 BASIS OF CONTRACT

- 2.1 These Conditions apply to the Contract to the exclusion of any other terms that the Customer seeks to impose or incorporate, or which are implied by trade, custom, practice or course of dealing (save as shall have been expressly agreed in writing by REVERIE LIMITED). No variation or representation will be binding on REVERIE LIMITED unless confirmed in writing by an authorized officer of REVERIE LIMITED.
- 2.2 The Order constitutes an offer by the Customer to purchase the Goods in accordance with these Conditions. The Customer is responsible for ensuring that the terms of the Order and any applicable Specification submitted by the Customer are complete and accurate.
- 2.3 The Order shall only be deemed to be accepted when REVERIE LIMITED issues a written acceptance of the order, at which point the contract shall come into existence.
- 2.4 The Contract constitutes the entire agreement between the parties. The Customer acknowledges that it has not relied on any statement, promise or representation made or given by or on behalf of REVERIE LIMITED which is not set out in the Contract.
- 2.5 Any samples, drawings, CAD models, descriptive matter, or advertising and any descriptions or illustrations on REVERIE LIMITED's website or catalogues are produced for the sole purpose of giving an approximate idea of the Goods described in them. They shall not form part of the Contract or have any contractual force.
- 2.6 A quotation for the Goods given by REVERIE LIMITED shall not constitute an offer. A quotation shall only be valid for a period of 30 Days from its date of issue.
- 2.7 Any reference in these Conditions to any provision of an Act of Parliament or statutory instrument shall be construed as a reference to the provision as amended or re-enacted or extended at the relevant time.
- 2.8 The headings in these Conditions are set out for convenience only and shall have no effect in the interpretation of the individual clauses.

## 3 DELIVERY

- 3.1 REVERIE LIMITED shall deliver the Products (Ex works) to the location set out in the Order and agreed by REVERIE LIMITED or such other location as the parties may agree ("Delivery Location") at any time after REVERIE LIMITED notifies the Customer that the Products are ready subject to clause 6.
- 3.2 Delivery of the Products shall be completed on the Products' arrival at the Delivery Location or Where Goods are delivered by an independent carrier instructed by the purchaser, delivery to the carrier shall be deemed to be delivery to the customer.
- 3.3 Any dates quoted for delivery are approximate only, and the time of delivery is not of the essence. REVERIE LIMITED shall not be liable for any delay in delivery of the Products that is caused by a Force Majeure event or the Customer's failure to provide REVERIE LIMITED with adequate delivery instructions or any other instructions that are relevant to the supply of the Products.
- 3.4 If REVERIE LIMITED fails to deliver the Products, its liability shall be limited to the costs and expenses incurred by the Customer in obtaining replacement Products of similar description and quality in the cheapest market available, less the price of the Products. REVERIE LIMITED shall have no liability for any failure to deliver the Products to the extent that such failure is caused by a Force Majeure Event or the Customer's failure to provide REVERIE LIMITED with adequate delivery instructions or any other instructions that are relevant to the supply of the Products.
- 3.5 If the Customer fails to accept delivery of the Products within 3 Business Days of REVERIE LIMITED notifying the Customer that the Products are ready, then, except where such failure or delay is caused by a Force Majeure Event or REVERIE LIMITED's failure to comply with its obligations under the Contract:
- 3.5.1 Delivery of the Products shall be deemed to have been completed at 9.00 am on the third Business Day following the day on which REVERIE LIMITED notified the Customer that the Products were ready; and
- 3.5.2 REVERIE LIMITED shall store the Products until delivery takes place, and the Customer shall be liable for all related costs and expenses (including insurance).
- 3.6 If 5 Business Days after REVERIE LIMITED notified the Customer that the Products were ready for delivery the Customer has not accepted delivery of them, REVERIE LIMITED may resell or otherwise dispose of part or all of the Products and, after deducting reasonable storage and selling costs, account to the Customer for any excess over the price of the Products or charge the Customer for any shortfall below the price of the Products.
- 3.7 The Customer shall not be entitled to reject the Products if REVERIE LIMITED delivers up to and including 5% more or less than the quantity of Products ordered, but a pro rata adjustment shall be made to the Order invoice on receipt of notice from the Customer that the wrong quantity of Products was delivered.
- 3.8 REVERIE LIMITED may deliver the Products by instalments, which shall be invoiced and paid for separately. Each instalment shall constitute a separate Contract. Any delay in delivery or defect in an instalment shall not entitle the Customer to cancel any other instalment.
- 3.9 Each delivery of the Goods to the address requested on the order is accompanied by a delivery note which shows the date of the Order, all relevant Customer and REVERIE LIMITED reference numbers, the type and quantity of the Goods (including the code number of the Goods, where applicable).

## 4 QUALITY

- 4.1 REVERIE LIMITED warrants that on delivery, and for a period of 12 months from the date of delivery ("warranty period"), the Products shall:
- 4.1.1 Conform in all material respects with their description and any applicable Specification; and
- 4.1.2 Be free from material defects in design, material and workmanship.
- 4.2 Subject to clause 4.3, if:
- 4.2.1 The Customer gives notice in writing to REVERIE LIMITED during the warranty period within a reasonable time of discovery that some or all of the Products do not comply with the warranty set out in clause 4.1; and
- 4.2.2 REVERIE LIMITED is given a reasonable opportunity of examining such Products; and
- 4.2.3 The Customer (if asked to do so by REVERIE LIMITED) returns such Products to REVERIE LIMITED's place of business at the Customer's cost; then REVERIE LIMITED shall, at its option, repair or replace the defective Products, or refund the price of the defective Products in full.
- 4.3 REVERIE LIMITED shall not be liable for Products' failure to comply with the warranty set out in clause 4.1 if:
- 4.3.1 The Customer makes any further use of such Products after giving notice in accordance with clause 4.2; or
- 4.3.2 The defect arises because the Customer failed to follow REVERIE LIMITED's oral or written instructions as to the storage, commissioning, installation, use and maintenance of the Products or (if there are none) good trade practice; or
- 4.3.3 The defect arises as a result of REVERIE LIMITED following any drawing, design or specification supplied by the Customer; or
- 4.3.4 The Customer alters or repairs (or engages a third party to alter or repair) such Products without the written consent of REVERIE LIMITED; or
- 4.3.5 The defect arises as a result of fair wear and tear, wilful damage, negligence, or abnormal storage or working conditions.
- 4.4 Except as provided in this clause 4, REVERIE LIMITED shall have no liability to the Customer in respect of the Products' failure to comply with the warranty set out in clause 4.1.
- 4.5 Except as set out in these Conditions, all warranties, conditions and other terms implied by statute or common law are, to the fullest extent permitted by law, excluded from the Contract.
- 4.6 These Conditions shall apply to any repaired or replacement Products supplied by REVERIE LIMITED.

## 5 TITLE AND RISK

- 5.1 The risk in the Products shall pass to the Customer on completion of delivery.
- 5.2 Title to the Products shall not pass to the Customer until REVERIE LIMITED has received payment in full (in cash or cleared funds) for:
- 5.2.1 The Products; and
- 5.2.2 Any other Products or services that REVERIE LIMITED has supplied to the Customer in respect of which payment has become due.
- 5.3 Until title to the Products has passed to the Customer, the Customer shall:
- 5.3.1 Hold the Products on a fiduciary basis as REVERIE LIMITED's bailee;
- 5.3.2 Store the Products separately from all other Products held by the Customer so that they remain readily identifiable as REVERIE LIMITED's property;
- 5.3.3 Not remove, deface or obscure any identifying mark or packaging on or relating to the Products;
- 5.3.4 Maintain the Products in satisfactory condition and keep them insured against all risks for their full price from the date of delivery;
- 5.3.5 Notify REVERIE LIMITED immediately if it becomes subject to any of the events listed in clause 7.2; and
- 5.3.6 Give REVERIE LIMITED such information relating to the Products as REVERIE LIMITED may require from time to time, but the Customer may resell or use the Products in the ordinary course of its business.
- 5.4 If before title to the Products passes to the Customer the Customer becomes subject to any of the events listed in clause 7.2, or REVERIE LIMITED reasonably believes that any such event is about to happen and notifies the Customer accordingly, then, provided that the Products have not been resold, or irrevocably incorporated into another product, and without limiting any other right or remedy REVERIE LIMITED may have, REVERIE LIMITED may at any time require the Customer to deliver up the Products and, if the Customer fails to do so promptly, enter any premises of the Customer or of any third party where the Products are stored in order to recover them.

## 6 PRICE AND PAYMENT

- 6.1 The price of the Products shall be the price set out in the Order, or, if no price is quoted, the price set out in REVERIE LIMITED's published price list in force as at the date of delivery.
- 6.2 REVERIE LIMITED may, by giving notice to the Customer at any time up to 30 Business Days before delivery, increase the price of the Products to reflect any increase in the cost of the Products that is due to:
- 6.2.1 Any factor beyond REVERIE LIMITED's control (including foreign exchange fluctuations, increases in taxes and duties, and increases in labour, materials and other manufacturing costs);
- 6.2.2 Any request by the Customer to change the delivery date(s), quantities or types of Products ordered, or the Specification; or
- 6.2.3 Any delay caused by any instructions of the Customer or failure of the Customer to give REVERIE LIMITED adequate or accurate information or instructions.
- 6.3 The price of the Products is exclusive of the costs and charges of packaging, insurance and transport of the Products, which shall be paid by the Customer when it pays for the Products.
- 6.4 The price of the Products is exclusive of amounts in respect of value added tax (VAT). The Customer shall, on receipt of a valid VAT invoice from REVERIE LIMITED, pay to REVERIE LIMITED such additional amounts in respect of VAT as are chargeable on the supply of the Products.
- 6.5 Unless advance payment or some other arrangement is specified in REVERIE LIMITED's written acceptance of the Order, REVERIE LIMITED may invoice the Customer for the Products on or at any time after the completion of delivery.
- 6.6 The Customer shall pay the invoice in full and in cleared funds before delivery or for agreed account customers within the terms set out and agreed, if no special terms have been agreed then our default 30 days net of the date of the invoice shall apply. For non-account customers We may ask for a deposit or full payment in advance of goods or services being supplied. Payment shall be made to the bank account nominated in writing by REVERIE LIMITED on the invoice. Time of payment is of the essence.
- 6.7 If the Customer fails to make any payment due to REVERIE LIMITED under the Contract by the due date for payment ("due date"), then the Customer shall pay interest on the overdue amount at the rate of 8% per annum above the Bank of England's base lending rate from time to time. Such interest shall accrue on a daily basis from the due date until the date of actual payment of the overdue amount, whether before or after judgment. The Customer shall pay the interest together with the overdue amount. REVERIE LIMITED may also (a) Suspend or cancel delivery of any goods to the purchaser and / or (b) Appropriate any payment / payments (SET-OFF) made by the customer to such of the goods (or Goods supplied under any other contract with the purchaser) as the company may in its sole discretion think fit.
- 6.8 The Customer shall pay all amounts due under the Contract in full without any deduction or withholding except as required by law and the Customer shall not be entitled to assert any credit, set-off or counterclaim against REVERIE LIMITED in order to justify withholding payment of any such amount in whole or in part. REVERIE LIMITED may at any time, without limiting any other rights or remedies it may have, set off any amount owing to it by the Customer against any amount payable by REVERIE LIMITED to the Customer.

## 7 CUSTOMER'S INSOLVENCY OR INCAPACITY

- 7.1 If the Customer becomes subject to any of the events listed in clause 7.2, or REVERIE LIMITED reasonably believes that the Customer is about to become subject to any of them and notifies the Customer accordingly, then, without limiting any other right or remedy available to REVERIE LIMITED, REVERIE LIMITED may cancel or suspend all further deliveries under the Contract or under any other contract between the Customer and REVERIE LIMITED without incurring any liability to the Customer, and all outstanding sums in respect of Products delivered to the Customer shall become immediately due.
- 7.2 For the purposes of clause 7.1, the relevant events are:
- 7.2.1 The Customer suspends, or threatens to suspend, payment of its debts or is unable to pay its debts as they fall due or admits inability to pay its debts or (being a company) is deemed unable to pay its debts within the meaning of section 123 of the Insolvency Act 1986, or (being an individual) is deemed either unable to pay its debts or as having no reasonable prospect of so doing, in either case, within the meaning of section 268 of the Insolvency Act 1986, or (being a partnership) has any partner to whom any of the foregoing apply; or
- 7.2.2 The Customer commences negotiations with all or any class of its creditors with a view to rescheduling any of its debts, or makes a proposal for or enters into any compromise or arrangement with its creditors other than (where the Customer is a company) these events take place for the sole purpose of a scheme for a solvent amalgamation of the Customer with one or more other companies or the solvent reconstruction of the Customer; or
- 7.2.3 (being an individual) the Customer is the subject of a bankruptcy petition or order; or
- 7.2.4 A creditor or encumbrancer of the Customer attaches or takes possession of, or a distress, execution, sequestration or other such process is levied or enforced on or sued against, the whole or any part of its assets and such attachment or process is not discharged within 14 days; or
- 7.2.5 (being a company) an application is made to court, or an order is made, for the appointment of an administrator or if a notice of intention to appoint an administrator is given or if an administrator is appointed over the Customer; or
- 7.2.6 (being a company) a floating charge holder over the Customer's assets has become entitled to appoint or has appointed an administrative receiver; or
- 7.2.7 A person becomes entitled to appoint a receiver over the Customer's assets or a receiver is appointed over the Customer's assets; or
- 7.2.8 Any event occurs, or proceeding is taken, with respect to the Customer in any jurisdiction to which it is subject that has an effect equivalent or similar to any of the events mentioned in clause 7.2.1 to clause 7.2.7 (inclusive); or
- 7.2.9 The Customer suspends, threatens to suspend, ceases or threatens to cease to carry on all or substantially the whole of its business; or 7.2.10 The Customer's financial position deteriorates to such an extent that in REVERIE LIMITED's opinion the Customer's capability adequately to fulfil its obligations under the Contract has been placed in jeopardy
- 7.2.10 (being an individual) the Customer dies or, by reason of illness or incapacity (whether mental or physical), is incapable of managing his or her own affairs or becomes a patient under any mental health legislation.

## 8 LIMITATION OF LIABILITY

- 8.1 Nothing in these Conditions shall limit or exclude REVERIE LIMITED's liability for:
- 8.1.1 Death or personal injury caused by its negligence, or the negligence of its employees, agents or subcontractors (as applicable);



## REVERIE LIMITED TERMS AND CONDITIONS OF SALE 13/05/2019 v1.0

The customer's attention is drawn in particular to the provisions of clause 8

- 8.1.2 Fraud or fraudulent misrepresentation; or
- 8.1.3 Breach of the terms implied by section 12 of the Sale of Products Act 1979; or
- 8.1.4 Defective products under the Consumer Protection Act 1987; or
- 8.1.5 Any matter in respect of which it would be unlawful for REVERIE LIMITED to exclude or restrict liability.
- 8.2 Subject to clause 8.1:
- 8.2.1 REVERIE LIMITED shall have no liability to the Customer, whether direct or indirect, and whether in contract, tort (including negligence), breach of statutory duty, indemnity or otherwise for any costs, losses or expenses arising out of, under, in relation to or in connection with the Contract (any and all such liability together being "Liability"), for any:
- 8.2.1.1 Loss of profit or anticipated profit;
- 8.2.1.2 Loss of sales, revenue, opportunity or business;
- 8.2.1.3 Loss of agreements or contracts;
- 8.2.1.4 Loss of anticipated savings;
- 8.2.1.5 Loss of or damage to goodwill or reputation;
- 8.2.1.6 Loss of use or corruption of software, data or information;
- 8.2.1.7 Financial or economic loss; or
- 8.2.1.8 Indirect or consequential loss; and
- 8.2.2 REVERIE LIMITED's total aggregate Liability to the Customer shall, save as specified in clause 8.2.3 below, not exceed the aggregate price paid for Products under the Contract; and
- 8.2.3 REVERIE LIMITED's total aggregate Liability to the Customer for property damage caused by the negligence or breach of the Contract of REVERIE LIMITED shall not exceed £500,000; and
- 8.2.4 Where the Customer is not the ultimate customer or end user of the Products (such person being "End User"), then the Customer shall indemnify REVERIE LIMITED against any Liability to such End User to the extent that such Liability is in excess of the Liability that REVERIE LIMITED would have to the Customer under the applicable Contract in relation to which the relevant Products were supplied.
- 9 FORCE MAJEURE**
- 9.1 Neither party shall be liable for any failure or delay in performing its obligations under the Contract to the extent that such failure or delay is caused by a Force Majeure Event. A "Force Majeure Event" means any event beyond a party's reasonable control, which by its nature could not have been foreseen, or, if it could have been foreseen, was unavoidable, including strikes, lock-outs or other industrial disputes (whether involving its own workforce or a third party's), failure of energy sources or transport network, acts of God, war, terrorism, riot, civil commotion, interference by civil or military authorities, national or international calamity, armed conflict, malicious damage, breakdown of plant or machinery, nuclear, chemical or biological contamination, sonic boom, explosions, collapse of building structures, fires, floods, storms, earthquakes, loss at sea, epidemics or similar events, natural disasters or extreme adverse weather conditions, or default of suppliers or subcontractors.
- 10 GENERAL**
- 10.1 Assignment and subcontracting.
- 10.1.1 REVERIE LIMITED may at any time assign, transfer, charge, subcontract or deal in any other manner with all or any of its rights or obligations under the Contract.
- 10.1.2 The Customer may not assign, transfer, charge, subcontract or deal in any other manner with all or any of its rights or obligations under the Contract without the prior written consent of REVERIE LIMITED.
- 10.2 Notices.
- 10.2.1 Any notice or other communication given to a party under or in connection with the Contract shall be in writing, addressed to that party at its registered office (if it is a company) or its principal place of business (in any other case) or such other address as that party may have specified to the other party in writing in accordance with this clause, and shall be delivered personally, sent by pre-paid first-class post, recorded delivery, commercial courier, fax or e-mail.
- 10.2.2 A notice or other communication shall be deemed to have been received: if delivered personally, when left at the address referred to in clause 10.2.1; if sent by pre-paid first-class post or recorded delivery, at 9.00 am on the second Business Day after posting; if delivered by commercial courier, on the date and at the time that the courier's delivery receipt is signed; or, if sent by fax or e-mail, one Business Day after transmission.
- 10.2.3 The provisions of this clause shall not apply to the service of any proceedings or other documents in any legal action.
- 10.3 Severance.
- 10.3.1 If any court or competent authority finds that any provision of the Contract (or part of any provision) is invalid, illegal or unenforceable, that provision or part-provision shall, to the extent required, be deemed to be deleted, and the validity and enforceability of the other provisions of the Contract shall not be affected.
- 10.3.2 If any invalid, unenforceable or illegal provision of the Contract would be valid, enforceable and legal if some part of it were deleted, the provision shall apply with the minimum modification necessary to make it legal, valid and enforceable.
- 10.4 Waiver. A waiver of any right or remedy under the Contract is only effective if given in writing and shall not be deemed a waiver of any subsequent breach or default. No failure or delay by a party to exercise any right or remedy provided under the Contract or by law shall constitute a waiver of that or any other right or remedy, nor shall it preclude or restrict the further exercise of that or any other right or remedy. No single or partial exercise of such right or remedy shall preclude or restrict the further exercise of that or any other right or remedy.
- 10.5 Third party rights. A person who is not a party to the Contract shall not have any rights under or in connection with it.
- 10.6 Variation. Any variation to the Contract, including the introduction of any additional terms and conditions, shall only be binding when agreed in writing and signed by the Customer.
- 10.7 Governing law and jurisdiction. The Contract, and any dispute or claim arising out of or in connection with it or its subject matter or formation (including non-contractual disputes or claims), shall be governed by, and construed in accordance with, English law, and the parties irrevocably submit to the exclusive jurisdiction of the courts of England and Wales.
- 10.8 Entire Agreement. Each of the parties agrees that save in respect of statements made fraudulently it shall have no remedy in respect of any untrue statement upon which it relied in entering this Agreement and that its only remedies shall be for breach of contract.
- 10.9 Rights of Consumer. Nothing in these conditions shall affect the statutory rights of a consumer.
- 11 RETURNS**
- 11.1 If you are wishing to return a product please call us first. If the product has been wrongly ordered or no longer required it will be subject to a 15% Handling fee if we agree at our discretion to accept the return of the item for a refund or exchange. If the item does not fit, is not fit for purpose or has been damaged and signed for as damaged in transit then on return of damaged goods we will send a new replacement or may offer a full refund if the replacement item will be some weeks. Special order items may not be cancelled or returned unless agreed by REVERIE LIMITED.
- 12 INTELLECTUAL PROPERTY AND INFORMATION**
- 12.1 REVERIE LIMITED will take all reasonable steps in the course of business to ensure that the products do not infringe any patent, design, trademark, copyright or any other rights of third parties.
- 12.2 REVERIE LIMITED own full copyright on all items supplied unless rights to the design are specifically sold on to the buyer. Intellectual property is retained by REVERIE LIMITED.
- 12.3 REVERIE LIMITED will take action to protect its copyright & Intellectual property.
- 13 INSPECTION AND ACCEPTANCE**
- 13.1 The Customer shall not be deemed to have accepted any part of the products until they have actually inspected the items and ascertained that they are in accordance with the Contract or not more 14 days from the Delivery Date.
- 13.2 The Customer may, by notice to REVERIE LIMITED prior to acceptance, reject any items which are not in accordance with the Contract.
- 13.3 Unless within a reasonable time of receipt of notice of rejection REVERIE LIMITED collects such items the Customer may dispose of them as the Buyer shall think fit (provided that if the Buyer sells such items the Buyer shall account to the Seller for the net proceeds of such sale).
- 14 CANCELLATION OF ORDERS**
- 14.1 Orders for Services may not be cancelled or suspended without the Supplier's written consent, there may also be a cancellation fee if any of the works have been planned, started, materials purchased etc.
- 15 PRIVACY POLICY**
- 15.1 REVERIE LIMITED privacy policy can be found at [https://www.reverie.ltd.uk/legal\\_info.php](https://www.reverie.ltd.uk/legal_info.php)
- 16 DISCLAIMER**
- 16.1 Opening the package/packages and/or fitting / using our products / items means you accept & understand our liability / warranty disclaimers & warnings as set out below:
- WARNING! MOTORSPORT OR DRIVING CAN BE DANGEROUS RESULTING IN DEATH OR PERSONAL INJURY. READ OUR FITTING INSTRUCTIONS CAREFULLY
- REVERIE LIMITED automotive products are for "motorsports use only". We cannot be held responsible for misuse of our products. This article is sold without warranty expressed or implied. No warranty or representation is made as to this product's ability to protect the user from injury or death. The user assumes that risk. The effectiveness, warranty and longevity of this equipment are directly related to the manner in which it is INSTALLED, USED, and/or MAINTAINED. THE USER ASSUMES THE RISK.
- Fitting of REVERIE LIMITED products to automobiles that are subject to a manufacturer's warranty MAY VOID THE MANUFACTURER'S WARRANTY AND THE VEHICLES ABILITY TO MEET EMISSION OR OTHER TRANSPORT REGULATIONS.
- By purchasing this product and/or opening the packaging, users / purchasers expressly acknowledge, understand and agree that they take, select and purchase these REVERIE LIMITED products from REVERIE LIMITED, its affiliates, distributors, and agents (collectively, REVERIE LIMITED) "as is" and "with all faults".
- The entire risk as to the quality and performance of these REVERIE LIMITED parts is with the purchasers. Should the goods prove defective following their purchase; the purchasers assume the entire cost for all necessary servicing or repair or any resulting liability. Working on your car can be a dangerous activity. If you are unsure of what you are doing, please leave mechanical or Safety critical work to a skilled mechanic. We take no responsibility for the incorrect use and / or installation of REVERIE LIMITED products.
- If this Carbon fibre product is exposed to sunlight / UV then it should be regularly UV coated with Armour-all protectant or sanded and 2k clear lacquered. Prolonged exposure to UV will 'yellow' the epoxy and lead to slow deterioration of structural performance (more info available on our web site or on request).
- 16.2 Although REVERIE LIMITED supply parts for use with/on vehicles manufactured by Lotus Cars Limited, REVERIE LIMITED is in no way connected to Lotus Cars Limited or any other member of the Lotus Group of companies ("Lotus") and is entirely independent of Lotus. Accordingly, none of the products offered for sale or supplied by REVERIE LIMITED (nor any advice or service offered or provided by REVERIE LIMITED) are in any way endorsed by Lotus and Lotus has not tested or approved any such products or services. Accordingly, Lotus shall not under any circumstances be liable for any loss, claim, damages or any consequential, indirect or special damages whatsoever arising out of or in connection with the use of products sold or supplied by REVERIE LIMITED.\*