

REVERIE

UNIVERSAL PARTS BROCHURE



REVERIE



Foreword Simon Farren
MD Reverie limited

Reverie was founded back in May 2000 with the intention of designing niche automotive track day and performance enhancing products, after having worked at Lotus for a number of years, latterly on the management team putting the 340R into production. As well as producing a number of universal fitment race car products, my passion for Lotus cars led me to develop a range of aftermarket accessories purely for Lotus to further improve the performance and on track abilities of these fantastic lightweight sports cars using advanced composites.

Between 2003 and 2005 Reverie was proudly involved in winning one of the largest Motorsport Composite projects for Foggy PETRONAS Racing, involving building 150 full panel sets (inc structural seat unit) for the FP1 homologation special. Reverie in this period employed 20 full time staff and 6 Formula One contractors. All delivery times and quality targets were met by the Reverie production staff to both the OEM and FP1 Race Team.



Reverie is an established composites manufacturer with a 'can-do' attitude and uniquely, a range of its own, ever expanding motorsport products and accessories; available worldwide directly from Reverie or through our expanding worldwide dealer network. We also have a thriving sub-contract composites manufacturing business to clients such as AER engines, Citroen WRC, Ginetta cars, Mosler, Sails etc, Gibson Technology and other such clients.

Reverie's well trained and highly passionate staff have been key to the company's success. We possess an excellent knowledge of composite manufacturing processes and our extensive experience allows Reverie to intuitively make a part right first time. We also continually develop and improve our product range to ensure Reverie stay at the forefront of affordable high quality autoclaved composites.

In 2014 we achieved full ISO 9001 quality status, so as a customer you can be assured of the very best customer service, continuing improvements and highest quality products and services.

Contents:

Aerodynamics	Pages 3 - 10
Engine covers	Pages 11 - 12
Fabrication & repair	Pages 13 - 16
Induction	Pages 17 - 35
Seats	Pages 36 - 43
Steering wheels	Pages 44 - 47
Model specific products	
Aston Martin, Audi,	Page 48
Caterham, Westfield	Page 48
Noble	Page 49
Porsche, TVR, Ultima	Page 50



The autoclave process

Reverie predominantly use pre-impregnated epoxy thermo set composite materials to ensure high fibre contents can be achieved consistently. We also vacuum bag and autoclave nearly all components to further ensure low void contents and trapped volatiles to maximise interlaminar shear properties by forcing the various layers in the fibre / resin matrix together. This process results in high quality, stiff, lightweight parts achievable time and time again.

Lighter :: faster :: stronger.



REVERIE

Reverie produce various aerodynamic components in high quality, autoclaved carbon fibre to generate grip-enhancing down force and to tune the aero balance of a vehicle, such as front and rear wings, rear diffusers, canards or dive planes.

Multiple wing profiles are available optimised using CFD software. The wings range from simple low drag single element wings to much larger high down force dual element wings.

Dual element wings can be more efficient at generating down force than larger chord single element wings, which is why we don't offer a profile with a chord of more than 310mm

Most of our wings are supplied with end plates to give more downforce by reducing the tip losses of the high and low pressure air mixing.

A vehicles under body can add a significant amount of down force and sometimes also reduced drag if it is smooth, with a smooth radius entry, a flat 'throat' and a gently sloping diffuser exit that combine to create a venturi effect. It is essential to fit a carefully designed diffuser to aid the flow of air from the low pressure undercar region back into the higher pressure air behind the vehicle. The diffuser angle and length chosen depends on package constraints, you should try to operate in the range of 6-12 degrees. It is also important to seal the front edge of the diffuser neatly to the flat floor so air cannot get trapped above the diffuser and to ensure no steps or exposed edges trip the flow entering the diffuser.

Please contact us if you need Carbon / Alloy honeycomb or carbon / Foam flat front splitter sections making we can do these and profile in plan view to requirements.

For results of our CFD testing and vehicle wind tunnel tests please visit www.reverie.ltd.uk/techdata.php please note all figures assume wing is in freestream air and are for comparison purposes only




REVERIE

AERODYNAMICS

SINGLE ELEMENT UNIVERSAL WINGS (BOTTOM MOUNTED)

For CFD data including wind tunnel test results for our wings please visit www.reverie.ltd.uk/techdata.php
When ordering please specify, wing span, required distance between drop tabs (D) or end mount



High downforce 300/310mm chord up to 2100mm wide available with or without end plates and drop mounting tabs

Up to 1700mm wide

- 3 300mm with end plates and mounting tabs R01SB0347
- 300mm no end plates or mounting tabs R01SB0271

Up to 2100mm wide

- 300mm with end plates and mounting tabs R01SB0414
- 300mm no end plates or mounting tabs R01SB0413

Stocked Option:

- 310mm with end plates and mounting tabs R01SB0421 R01SB0429
- 310mm without end plates or mounting tabs R01SB0422 R01SB0430



1720mm curved radius available up to 1800mm wide, with 110, 150 or 225mm chord length, end or drop tab mounted

- 1 225mm chord with drop tabs R01SB0162
- 225mm chord end mounted R01SB0357
- 150mm chord with drop tabs R01SB0200
- 110mm chord with drop tabs R01SB0206
- 2 225mm chord drop end 1240mm wide R01SB0310



Straight wing drop or end mounted 110, 150 or 225mm chord available up to 2100mm wide

- | | 1800mm | 2100mm |
|-------------------------------|-----------|-----------|
| Rear Wings | | |
| 110mm chord | R01SB0207 | R01SB0440 |
| 150mm chord | R01SB0201 | R01SB0437 |
| 4 225mm chord drop tab mounts | R01SB0163 | |
| 225mm chord for end mounts | R01SB0358 | |

- | | |
|--|-----------|
| Front Wings | |
| 150mm chord end plates and drop mounts | R01SB0306 |
| 225mm chord end plates and drop mounts | R01SB0397 |



3 300MM HIGH DOWNFORCE WING ON LOTUS 2-ELEVEN



1 225MM DROP END CURVED WING ON EXIGE S2

WING ACCESSORIES



Wing Mount Tab Mounts

Available for top mount 110/150mm chord, top mount 225mm chord and base mount 300mm chord rear wings. Sold in pairs.

- 5 Tabs for 225mm chord rear wings R01SB0169
- 5 Tabs for 300mm chord rear wings R01SB0267
- 5 Tabs for 310mm Low Drag R01SB0427
- 5 Tabs for 310mm High Downforce R01SB0435
- 6 Tabs for 150mm chord front wings R01SB0326
- 5 Tabs for 225mm chord front wings R01SB0363



Universal 200mm Alloy Adjustable Wing Mounts for flat surfaces

- 7 R01SB0264

Universal CNC Swept Wing Mounts

- 8 R01SB0508



Rear wing gurney flaps for straight or curved wings

- | | | |
|---------------------------|------|-----------|
| 1800mm Straight 10 x 5mm | 90° | R01SU0149 |
| 1800mm Straight 10 x 10mm | 90° | R01SU0150 |
| 1240mm Straight 15 x 5mm | 110° | R01SU0086 |
| 1240mm Straight 15 x 10mm | 110° | R01SU0087 |
| 1800mm Curved 10 x 5mm | 90° | R01SU0151 |
| 1800mm Curved 10 x 10mm | 90° | R01SU0152 |
| 2100mm Straight 11 x 15mm | 90° | R01SU0238 |



Wing end plates: bespoke end plate service available please enquire when ordering

- 150mm R01SB0006 Front
- 225mm R01SB0398 Front
- 225mm R01SB0257 Rear
- 225mm R01SB0495 Droop
- 300/310mm R01SB0268 Rear

REVERIE

AERODYNAMICS

DUAL ELEMENT UNIVERSAL WINGS (BOTTOM MOUNTED)


For CFD data including wind tunnel test results for our wings please visit www.reverie.ltd.uk/techdata.php

When ordering please specify wing span, required distance between drop tabs (D) or end mount.



225mm chord main wing with either a 110mm or 150mm non adjustable flap. Maximum span of 1800mm. Plan view radius of 1720mm

1 225mm main with 110mm flap R01SB0210
225mm main with 150mm flap R01SB0208



ADJUSTABLE CENTRE SUPPORT

225mm chord main wing with either 110mm or 150mm adjustable flap. Produces 1858N of downforce at 100mph when angle of attack is 22° with span of 1800mm. Maximum span 1800mm

2 225mm chord main with 110mm flap R01SB0211
225mm chord main with 150mm flap R01SB0209



ADJUSTABLE CENTRE SUPPORT

300/310mm chord main wing with either 110mm or 150mm adjustable flap. Produces 1936N of downforce at 100mph when angle of attack is 21.5° with span of 1700mm. Maximum span 2100mm

3 300mm chord main wing with 110mm flap R01SB0273
300mm chord main wing with 150mm flap R01SB0272
310mm chord main wing with 110 flap R01SB0443
310mm chord main wing with 150 flap R01SB0444

310mm Stocked option:

REAR WING ACCESSORIES



Wing drop tab mounts, for 300/310mm chord rear wings

300mm Standard Chord R01SB0267
310mm Low Drag R01SB0427
310mm High Downforce R01SB0435



Universal 200mm alloy adjustable wing mounts for flat surfaces

R01SB0264



Rear wing gurney flaps for straight or curved wings

1800mm Straight 10 x 5mm 90° R01SU0149
1800mm Straight 10 x 10mm 90° R01SU0150
1240mm Straight 15 x 5mm 110° R01SU0086
1240mm Straight 15 x 10mm 110° R01SU0087
1800mm Curved 10 x 5mm 90° R01SU0151
1800mm Curved 10 x 10mm 90° R01SU0152
2100mm Straight 11 x 15mm 90° R01SU0238

REVERIE

AERODYNAMICS



A selection of end plate styles/shapes are available as an option

310 + 110mm Dual Element Wing with Long Swan Mounts:

Our universal fit swan wing mounts allow adjustment of AoA in accurate 2° increments and are CNC machined hollow 2-piece aero shaped from billet aluminium

Height of short swan mount: 338mm, height of long swan mount: 638mm.

Wing shown above with R01SB0495 end plates



SWAN WING MOUNTS



Universal Fit "Swan" Wing Mounts

Available in short or long versions with or without boot-lid aero bases.

- | | |
|--|-----------|
| 1 Short Swan Mounts | R01SB0518 |
| 2 Short Swan Mounts W/bases | R01SB0521 |
| 3 Long Swan Mounts | R01SB0535 |
| 4 Long Swan Mounts W/bases | R01SB0541 |
| 5 90° 6mm Alloy angle brackets - for long swan mounts for boot floor or chassis mounting | R01SB0536 |



REVERIE

AERODYNAMICS

AERODYNAMICS

TOP-MOUNTED UNIVERSAL WINGS

For CFD data including wind tunnel test results for our wings please visit www.reverie.ltd.uk/techdata.php

When ordering please specify wing span, required distance between top mount centres (D)



All these wing kits feature bonded CNC Alloy top mounted tabs which can accommodate our range of swan mounts to allow for a range of AoA adjustment that are sold separately. All dual element wings feature an adjustable centre support.

Single Element

225mm chord main wing available curved or straight. Straight wings are compatible with our range of end-plates. Note: the 225mm drooped curve wing width is 1240mm.

1	225mm straight	R01SB0522
2	225mm curved	R01SB0523
3	225mm drooped curved	R01SB0523
4	310mm High Downforce	R01SB0529
	310mm Low Drag	R01SB0526

Dual Element

225mm or 310mm chord main wing with either a 110mm or 150mm flap. 310mm available in high downforce with 150mm chord flap or low drag with 110mm chord flap configurations:

	225mm main with 110mm flap	R01SB0524
	225mm main with 150mm flap	R01SB0525
5	310mm LD main with 110mm flap	R01SB0527
	310mm HD main with 150mm flap	R01SB0528

REAR WING ACCESSORIES



Rear wing gurney flaps for straight or curved wings

1800mm Straight	10 x 5mm	90°	R01SU0149
1800mm Straight	10 x 10mm	90°	R01SU0150
1240mm Straight	15 x 5mm	110°	R01SU0086
1240mm Straight	15 x 10mm	110°	R01SU0087
1800mm Curved	10 x 5mm	90°	R01SU0151
1800mm Curved	10 x 10mm	90°	R01SU0152
2100mm Straight	11 x 15mm	90°	R01SU0238

*For compatible end plates, see page 4

Top mounted 225mm Wing Cross-Section

Sales 0044 1206 866663
www.reverie.ltd.uk



REVERIE

AERODYNAMICS

TECHNICAL DATA


COMPARISON OF DOWNFORCE VS DRAG BETWEEN WING TYPES

All data shown is based on a wing length of 1000mm and test speed of 100mph, Generally lift over drag improves as span increases, but a good estimate of downforce and drag can be obtained by multiplying the 1 metre data show below by the span of interest in metres

To convert drag into BHP absorbed use the following formula, Bhp absorbed = $(2 \times \text{Drag (N)} \times \text{Speed (m/s)}) \div 1500$

Conversion for Mph to m/s 1 mph = 0.447 m/s

Warning data not comparable to page 9 as calculated using ANSYS CFD-Flo software



110MM CHORD

150MM CHORD

AOA	Downforce (N)	Drag (N)	L/D	BHP Absorbed	AOA	Downforce (N)	Drag (N)	L/D	BHP Absorbed
4	171	10.8	15.8	0.6	4	219	16	13.7	1.0
8	220	15	14.7	0.9	8	304	21	14.4	1.3
10	239	18	13.3	1.1	10	331	25	13.3	1.5
12	240	21	11.3	1.3	12	346	29	12.0	1.7

225MM CHORD

300MM CHORD

310mm L/ Drag wing recommended see page 7

AOA	Downforce (N)	Drag (N)	L/D	BHP Absorbed	AOA	Downforce (N)	Drag (N)	L/D	BHP Absorbed
4	446	34	13.1	2.0	4	403	28	14.4	1.7
8	539	47	11.5	2.8	8	521	42	12.5	2.5
12	598	59	10.1	3.5	12	605	57	10.6	3.4
14	620	66	9.5	3.9	14	619	64	9.6	3.8

225MM CHORD WITH 110MM FLAP

225MM CHORD WITH 150MM FLAP

AOA	Downforce (N)	Drag (N)	L/D	BHP Absorbed	AOA	Downforce (N)	Drag (N)	L/D	BHP Absorbed
15	1003	136	7.4	8.1	17	1164	178	6.5	10.6
19	1108	166	6.7	9.9	21	1274	214	5.9	12.8
23	1203	198	6.1	11.8	25	1367	251	5.5	14.9
25	1240	213	5.8	12.7	27	1401	267	5.3	15.9

300MM CHORD WITH 110MM FLAP

300MM CHORD WITH 150MM FLAP

AOA	Downforce (N)	Drag (N)	L/D	BHP Absorbed	AOA	Downforce (N)	Drag (N)	L/D	BHP Absorbed
11	918	119	7.7	7.1	13	1082	158	6.9	9.4
15	1049	154	6.8	9.2	18	1221	201	6.1	11.9
19	1172	193	6.1	11.5	22	1343	246	5.5	14.7
23	1271	234	5.4	13.9	26	1438	293	4.9	17.5

(We advise selecting 310mm profiles over 300mm as these are newer and more available from Reverie)

REVERIE

AERODYNAMICS

TECHNICAL DATA

COMPARISON OF DOWNFORCE VS DRAG BETWEEN WING TYPES

All data shown is based on a wing length of 1000mm and test speed of 100mph, Generally lift over drag improves as span increases, but a good estimate of downforce and drag can be obtained by multiplying the 1 metre data show below by the span of interest in metres

To convert drag into BHP absorbed use the following formula, Bhp absorbed = $(2 \times \text{Drag (N)} \times \text{Speed (m/s)}) \div 1500$

Conversion for Mph to m/s 1 mph = 0.447 m/s

Warning data not comparable to page 8 as calculated using easy CFD_G software



310MM CHORD LOW DRAG

AOA	Downforce (N)	Drag (N)	L/D	BHP Absorbed
4	403	29	11.5	1.7
8	518	41	8.9	2.4
12	613	58	7.6	3.5
16	678	77	6.5	4.6



310MM CHORD HIGH DOWNFORCE

AOA	Downforce (N)	Drag (N)	L/D	BHP Absorbed
4	473	39	12.1	2.3
8	613	43	14.3	2.6
12	712	62	11.5	3.7
16	802	82	9.8	4.9





310MM CHORD WITH 110MM FLAP

AOA	Downforce (N)	Drag (N)	L/D	BHP Absorbed
11.3	981	63	15.6	3.8
12.5	1087	78	13.9	4.6
13.6	1173	95	12.3	5.7
14.8	1251	111	11.3	6.6
15.3	1279	119	10.7	7.1
15.9	1321	127	10.4	7.6




310MM CHORD WITH 150MM FLAP


AOA	Downforce (N)	Drag (N)	L/D	BHP Absorbed
11.3	1125	137	8.2	8.2
12.7	1232	163	7.6	9.7
14.0	1281	185	6.9	11.0
15.4	1328	207	6.4	12.3
16.0	1369	216	6.3	12.9
16.7	1410	229	6.2	13.6



225_300_310LD_310HD WINGS @ 1000mm Span Drag



225_300_310LD_310HD WINGS @ 1000mm Span Downforce



REVERIE

AERODYNAMICS

AERODYNAMICS

UNIVERSAL DIFFUSER ELEMENTS



We produce universal rear diffuser tunnels in various widths that can be joined together to form a rear diffuser with a 10° ramp angle fixing along the front mounting edge which can be retained, or cut to fit almost any vehicle. Ideally our diffusers should be mounted between 6° and 12°.

We also offer a range of adjustable stainless steel stays to allow mounting the rear of the diffuser and tuning its angle.

Universal diffuser elements are 800mm long and available as 127mm, 270mm, 630mm or 790mm wide, we also offer separate diffuser vanes that can be bonded on to increase the number of elements on the diffuser.

We produce a Group C style element that also allows for multiple elements to be bonded together, that is 305mm wide and 1470mm long.

Length and shape of vanes available to any profile or depth please specify when ordering

For dimensions please visit www.reverie.ltd.uk/diffuser_size_guide.php



127mm wide diffuser element
R01SB0220



270mm wide diffuser element
R01SB0221



630mm wide diffuser element
R01SB0222



790mm wide diffuser element
R01SB0223



Additional 700mm long diffuser vane
R01SB0224
Reference R01SS0006 for bonding of each diffuser element



Group C style diffuser element
305mm wide x 1470mm long
R01SB0311

UNIVERSAL DIFFUSER MOUNTINGS



1 Sta-Lok S/steel rod system with LH and RH threads
100mm long R01SW6305 150mm long R01SW6302
250mm long R01SW6303 350mm long R01SW6304

2 Sta-Lok 300mm tension fork assembly with double headed pins for use with 7 R01SW6300

3 Sta-Lok CNC machined fork & fork turnbuckle with double headed pins, 145mm to 250mm length R01SW6296

4 Sta-Lok S/steel c/sunk base fixed disk R01SB6044

5 Sta-Lok 6.5mm double headed pins (for joining fork ends to post) R01SW6301

6 Sta-Lok S/steel eye post for joining fork eyes
M6 CNC machined R01SW6297 M5 Alloy DME-5 version R01SW6306


7 Sta-Lok S/steel tension fork end with separate locking cone and pin
Left hand thread R01SW6319 Right hand thread R01SW6320
To be used with Rods 1

REVERIE

ENGINE BAY
PRODUCTS

Reverie produce a range of autoclaved carbon fibre engine, cam covers and heat shields. Engine covers are EMI shielded where required and use OEM fixings and gaskets or supplied with new if required.

We also produce high quality autoclaved carbon fibre battery boxes, the FIA version is supplied with a steel plate bonded into the base as required by the regulations. Both boxes are easy to fit though the FIA box requires the separate fixing kit.



REVERIE

ENGINE BAY

ENGINE BAY
PRODUCTS



ENGINE AND CAM/ROCKER COVERS



- 1 Cam belt cover for left hand bank of MG Metro 6R4 engine
- 2 Cam belt cover for right hand bank of MG Metro 6R4 engine
- 3 Oil belt cover for MG Metro 6R4 engine, includes dome as featured on OEM part
- 4 Spark plug and HT lead cover for Toyota 2ZZ-GE engine, uses OEM fixings
- 5 Injector cover for normally aspirated Toyota 2ZZ-GE engine, uses OEM fixings

R01SE0183

R01SE0184

R01SE0185

R01SE0284

R01SE0283



Turbo cover for Vauxhall Z20LET
Vauxhall Z20LET turbo cover R01SE0299



Covers
for Rover K series

- 6 Early spark plug cover R01SE0169
- 7 Early engine cover R01SE0508
- 8 Early full VVC cam cover R01SE0509
- 9 Late engine cover R01SE0135
- 10 VVC engine cover R01SE0295



Cam belt cover and spark plug cover
for Vauxhall C20XE / C20LET engines
Fully EMI shielded, uses OEM fixings

- 8 Cam belt cover R01SE0194
- 9 Spark plug cover R01SE0193



Cam cover for Vauxhall
Ecotec engine fully EMI
shielded, uses OEM fixings

X18XE1 engine R01SE0286
X14XE/X16XE/C16XE engine R01SE0192



Cam belt cover for Ford YB
cosworth available as full or
half cover, fully EMI shielded
uses OEM fixings

- 10 Full cam belt cover R01SE0289
- 11 Half cam belt cover R01SE0291
- 12 Ford YB cosworth turbo cover R01SE0290



Toyota covers

- 13 VVTI Injection cover (non supercharged) R01SE0283
- 14 VVTI Injection cover (supercharged) R01SE0441
- 15 VVTI Spark plug cover R01SE0284
- 16 Cam cover front Exige S3 V6 R01SE0637
- 17 Cam cover rear Exige S3 V6 R01SE0638

UNIVERSAL BATTERY BOXES



Reverie autoclaved, universal, carbon fibre battery boxes, FIA battery box features an internal steel plate in the base of the box to meet regulations. Also suits flat mounted DMS 8/15/20/25/30/40/70 batteries (L250 x W300 x D140)

- 1 FIA approved version R01SY0009
- 2 Non FIA approved version R01SY0011
- 3 Battery clamps for use with FIA battery box R01SY0012

REVERIE

REPAIR AND
FABRICATION


Reveie produce various autoclaved carbon fibre materials that are suitable for multiple uses such as carbon fibre flat sheet, carbon fibre sandwich panels with airex, nomex honeycomb or alloy honeycomb core and also carbon fibre angle sections. All of our carbon fibre fabrication materials are made using T300 2x2 twill autoclaved carbon fibre in a variety of thicknesses and sizes.

Thinner sheets are more flexible allowing them to be wrapped over curved surfaces. Carbon sandwich panels are much more rigid and bend less under load making them suitable for floors and work surfaces.

Carbon fibre angles can be used as structural spars in other carbon fibre assemblies or as an edge finishing product for use with carbon sheet.

Carbon fibre teardrop grille sections, both straight and curved can be used to make intake or exit grilles

For mass and deflection data please visit www.reverie.ltd.uk/sheet_data.php



REVERIE

FABRICATION

CARBON FLAT SHEET



Reverie autoclaved 3K 2x2 twill T300 carbon fibre sheet is suitable for a multitude of purposes for example creating dashboard inlays, door panels and even easy wipe kitchen splash backs.

Our carbon fibre single sided gloss sheet is available thicknesses from 1ply at 0.30mm thick to 5 ply at 1.46mm thick and are available up to a maximum sheet size of 1000 x 2000mm. double gloss, other thicknesses or special lay-ups including high modulus or UD fibres can be specified

We recomend using 3M epoxy DP490 to bond carbon sheet to other sections of carbon fibre such as our range of carbon fibre angle sections.

For technical information regarding our carbon sheet such as maximum load calculations and mass deflection information please visit www.reverie.ltd.uk/sheet_data.php



1 ply carbon fibre sheet 0.30 mm thick

1220 x 250mm	R01SU0013
1220 x 400mm	R01SU0014
1220 x 800mm	R01SU0015
1240 x 1000mm	R01SU0091
1220 x 250mm	D/Gloss R01SU0226
2000 x 500mm	R01SU0061
2000 x 1000mm	R01SU0062
2500 x 750mm	R01SU0231
500 x 500mm	R01SU0272



2 ply carbon fibre sheet 0.55 mm thick

1220 x 250mm	R01SU0016
1220 x 400mm	R01SU0017
1220 x 800mm	R01SU0018
1240 x 1000mm	R01SU0092
500 x 2000mm	R01SU0155
750 x 2500mm	R01SU0156
1000 x 2000mm	R01SU0165
500 x 500mm	R01SU0273



3 ply carbon fibre sheet 0.80 mm thick

1220 x 250mm	R01SU0019
1220 x 400mm	R01SU0020
1220 x 800mm	R01SU0021
1240 x 1000mm	R01SU0093
500 x 2000mm	R01SU0166
1000 x 2000mm	R01SU0167
750 x 2500mm	R01SU0066
1500 x 500mm	R01SU0237
500 x 500mm	R01SU0274

4 ply carbon fibre sheet 1.00 mm thick

1220 x 250mm	R01SU0024
1220 x 400mm	R01SU0025
1220 x 800mm	R01SU0026
1240 x 1000mm	R01SU0094
500 x 2000mm	R01SU0157
750 x 2500mm	R01SU0158
1000 x 2000mm	R01SU0168
500 x 500mm	R01SU0275

5 ply carbon fibre sheet 1.46 mm thick

1220 x 250mm	R01SU0037
1220 x 400mm	R01SU0038
1220 x 800mm	R01SU0039
1240 x 1000mm	R01SU0095
500 x 2000mm	R01SU0169
750 x 2500mm	R01SU0070
1000 x 2000mm	R01SU0170
500 x 500mm	R01SU0276

Miscellaneous carbon sheet

1220 x 800mm	1.8mm thick	R01SU0187
1240 x 1000mm	1.8mm thick	R01SU0188
1220 x 800mm	3.0mm thick	R01SU0189
1240 x 1000mm	3.0mm thick	R01SU0190
500 x 500mm	1.8mm thick	R01SU0285
500 x 500mm	3.0mm thick	R01SU0286
500 x 500mm	5.0mm thick	R01SU0289
1240 x 1000mm	5.0mm thick	R01SU0236

CARBON FINISHING MATERIALS



90° angle 23mm x 23mm with internal gloss surface

500mm long (int. gloss)	R01SU0032
800mm long (int. gloss)	R01SU0059
1220mm long (int. gloss)	R01SU0055



90° angle 25mm x 25mm with external gloss surface

500mm long	R01SU0033
1220mm long D/Gloss	R01SU0171
1220mm long (ext. gloss)	R01SU0056



90° rounded angle 23mm x 10mm with external gloss surface

1000mm long	R01SU0154
2000mm long	R01SU0153



90° rounded angle 25mm x 100mm with internal gloss surface

1.8mm thick	R01SU0163
1.1mm thick	R01SU0186



Aero Grille strips can be used to make entry and exit grilles

Staight	R01SB0285
Concave curve	R01SB0333
Convex curve	R01SB0286



Epoxy adhesives for bonding carbon fibre, we offer black, clear and white high temperature adhesives ideal for use in the engine bay or around exhaust components

3M Scotch-weld DP100, clear epoxy adhesive
3M Scotch-weld DP490, black epoxy adhesive
3M Scotch-weld DP760, High temperature use off-white epoxy adhesive
Würth Bond & Seal black PU sealer (sikaflex), ideal for bonding aluminium to carbon

R01SO6513
R01SO6208
R01SO6209
R01SO6290

CARBON SANDWICH PANELS

Autoclaved double gloss airex foam core sandwich panels, features C71.75 or C71.55 (75 or 55Kg/m3) PVC foam core between two ply T300 0.55mm thick skins to form a stiff sheet available as 5.4mm, 6.2mm, 12.1mm thick, or to your requirements

5.4mm thick sheet

1220 x 800mm R01SU0174	1240 x 1000mm R01SU0175	1500 x 500mm R01SU0148	1500 x 750mm R01SU0160
2000 x 500mm R01SU0159	2000 x 750mm R01SU0161	2500 x 750mm R01SU0162	2000 x 1000mm R01SU0208
500 x 500mm R01SU0281			

6.2mm thick sheet

1220 x 800mm R01SU0201	1240 x 1000mm R01SU0202	1500 x 500mm R01SU0203	1500 x 750mm R01SU0205
2000 x 500mm R01SU0204	2000 x 750mm R01SU0206	2000 x 1000mm R01SU0209	2500 x 750mm R01SU0207
500 x 500mm R01SU0287			

12.1mm thick sheet

2000 x 1000mm R01SU0232

Autoclaved double gloss Nomex commercial grade honeycomb core sandwich panels, feature nomex core between, two ply T300 carbon fibre 0.55mm thick skins to form a stiff sheet, available as 4.0mm, 6.0mm, 10.0mm or 12.0mm thick, or to your requirements please specify cell sizes and densities if required

4.0mm thick sheet

400 x 1220mm R01SU0049	800 x 1220mm R01SU0050	1000 x 1240mm R01SU0096 500 x 500mm R01SU0277	2000 x 1000mm R01SU0077 2500 x 750mm R01SU0078
------------------------	------------------------	--	---

6.0mm thick sheet

400 x 1220mm R01SU0051	800 x 1220mm R01SU0052	1000 x 1240mm R01SU0097 500 x 500mm R01SU0278	2000 x 1000mm R01SU0079 2500 x 750mm R01SU0080
------------------------	------------------------	--	---

10.0mm thick sheet

400 x 1220mm R01SU0053	800 x 1220mm R01SU0054	1000 x 1240mm R01SU0098 500 x 500mm R01SU0279	2000 x 1000mm R01SU0081 2500 x 750mm R01SU0082
------------------------	------------------------	--	---

12.0mm thick sheet

2000 x 1000mm R01SU0099 500 x 500mm R01SU02780



Autoclaved double gloss alloy commercial grade honeycomb core sandwich panels, features alloy core between, two ply T300 carbon fibre 0.55mm thick skins to form a stiff sheet, available as 5.0mm, 7.3mm, 10mm or 13.5mm thick, or to your requirements, please ask for specific cell sizes and densities if required

5.0mm thick sheet

1000 x 1240mm R01SU0176 500 x 500mm R01SU0290	2000 x 750mm R01SU0177	2000 x 1000mm R01SU0178	2500 x 750mm R01SU0179
--	------------------------	-------------------------	------------------------

7.3mm thick sheet

1000 x 1240mm R01SU0173 500 x 500mm R01SU0282	2000 x 750mm R01SU0180	2000 x 1000mm R01SU0172	2500 x 750mm R01SU0181
--	------------------------	-------------------------	------------------------

10mm thick sheet

1240 x 1000mm R01SU0211	500 x 500mm R01SU0284
-------------------------	-----------------------

13.5mm thick sheet

1000 x 1240mm R01SU0182 500 x 500mm R01SU0283	2000 x 750mm R01SU0183	2000 x 1000mm R01SU0184	2500 x 750mm R01SU0213
--	------------------------	-------------------------	------------------------



NEW! Alloy honeycomb roll cage door bar impact protection panel/sheet. 1240 x 500mm, now required in many saloon classes and BTCC touring cars.

R01SU0303

SANDWICH SHEET MASS DEFLECTION DATA

Material		Mass load (kg)	Lay up density (g/cm ³)	Bending stiffness (N/m ²)	Bending deflection (mm)	Sample weight (kg)
Airex core	2.0mm 1m ²	25	0.52	62.5	81.7	1.521
Airex core	3.0mm 1m ²	25	0.40	112.5	41.7	1.581
Airex core	5.0mm 1m ²	25	0.30	302.5	16.9	1.801
Airex core	8.0mm 1m ²	25	0.23	722.5	7.1	2.041
Airex core	10.0mm 1m ²	25	0.20	1102.5	4.6	2.201
Airex core	15.0mm 1m ²	25	0.16	2402.5	2.1	2.601
Nomex core	3.0mm 1m ²	25	0.39	112.5	41.7	1.545
Nomex core	5.0mm 1m ²	25	0.28	302.5	16.9	1.641
Nomex core	9.0mm 1m ²	25	0.18	902.5	5.7	1.833
Aluminium core	4.0mm 1m ²	25	0.41	202.5	25.2	2.194
Aluminium core	6.4mm 1m ²	25	0.31	469.2	10.9	2.415
Aluminium core	12.0mm 1m ²	25	0.22	1532.5	3.3	2.995

REVERIE

REPAIR



REPAIR EXAMPLES

CRASH DAMAGE

Recently repaired carbon fibre components for a Ducati Desmosedici, shown in right hand image. The parts had become damaged in a crash which cracked the carbon fibre in various places and delaminated plys of carbon in some areas.

The clear lacquer applied to the carbon fibre was also scratched in the crash. The cracked and delaminated carbon fibre was relaminated matching carbon fibre weave pattern and direction. All carbon fibre parts were later sanded and cleaned. A new coat of lacquer was applied giving a high gloss finish with the damaged area almost invisible.



ACCIDENTAL DAMAGE

The carbon fibre rim shown left was damaged when a new tyre was being fitted, the outside edge of the rim had cracked in two places, half of the damaged area was ground away and relaminated, the opposite side was then ground to half way through the rim and relaminated forming a structurally safe repair.

Finally a surface ply was added over the damaged area to hide the repair. After the carbon fibre had cured a new coat of lacquer was applied to match the original finish of the wheel.

REFURBISHMENT

Reverie recently refurbished a set of four carbon fibre Dymag wheels which had suffered damage to the lacquer and had also yellowed.

The epoxy resin that binds carbon fibres together can offer yellow when in prolonged direct exposure to UV light.

The old coat of lacquer was first chemically stripped allowing the carbon fibre to be sanded down and prepared, a coat of clear Durepox epoxy was applied followed by a final coat of acrylic lacquer.

The image, right, shows the carbon fibre rims in the spray booth kiln drying after being lacquered.



REVERIE

Reverie produce a range of induction parts to reduce drive by noise levels typically by 6.5 dbA to 13.5 dbA now so important at many circuit venues and further allow filtered cold ram air. We offer a range of filter solutions, air intakes and air inlet pipes to give a total one stop solution. We were proudly selected as OEM suppliers to Caterham for the original K-series carbon fibre R500 induction silencer system.

We produce a range of universal fit plenums for engines using forced induction or for single throttle normally aspirated applications, the autoclaved lay-up has been tested on Lemans prototype engines with boost pressures of 3.5 bar. The plenums have either 4 bolt 85mm pcd 70mm bore throttle flanges or direct Adel M900 wiggins connector options. To supplement the 4 bolt plenums we have a range of direct fit silicone hose adaptors ranging from 55mm to 70mm. We also offer nitrile gaskets and a range of universal back plate options. We work closely with Active Technologies whom can make custom inlet runners and manifolds to suit most engines with reverie plenums. Please also ask if you require a different throttle flange to suit your drive by wire throttle.

Reverie offer universal or application specific air induction kits, the largest in our range is capable of flowing sufficient air for high performance engines or for smaller engines in endurance racing with minimal performance loss.

To find out which air box is best suited to your requirments please visit www.reverie.ltd.uk/air_box_guide.php



REVERIE

INDUCTION



HOCKENHEIM UNIVERSAL AIR BOXES

(FOR NORMALLY ASPIRATED ENGINES)



The Hockenheim range is versatile enough to fit most four or six cylinder in line engines. The Hockenheim range can be trimmed to any depth to fit any engine bay & engine combination. A selection of accessories are available, such as increased depth fuel rail spacers allow for clearance of fuel rails, which might extend over the trumpet fixing face. Specialised air inlets/intakes are available. The standard back plate is 20mm deep which gives a good air tight seal.

The flat back plate option allows the main box to be trimmed at acute angles to fit, for example, in a front engine DAX Rush or Caterham where a tapering-in chassis rail would normally foul the air box (shown page top RHS).

For full technical drawings please visit http://www.reverie.ltd.uk/tech_drawings.php
For key information please visit http://www.reverie.ltd.uk/air_box_sizes.php



Hockenheim 250 for use with flat four engines, can be angle trimmed to allow fitment in a confined engine bay, available in GRP or carbon fibre. Volume: 15.3L

Carbon fibre with standard back plate	R01SE0332
Carbon fibre with flat back plate	R01SE0333
GRP with standard back plate	R01SE0337
GRP with flat back plate	R01SE0338



Hockenheim 354 for use with small four cylinder engines, can be angle trimmed to allow fitment in a confined engine bay, available in GRP or carbon fibre. Volume: 8.6L

2 Carbon fibre with standard back plate	R01SE0030
Carbon fibre with flat back plate	R01SE0078
4 GRP with standard back plate	R01SE0093
GRP with flat back plate	R01SE0102



Hockenheim 422 for use with four cylinder engines, can be angle trimmed to allow fitment in a confined engine bay, available in GRP or carbon fibre. Volume: 14.5L (shown angle trimmed in page header)

Carbon fibre with standard back plate	R01SE0033
Carbon fibre with flat back plate	R01SE0077
GRP with standard back plate	R01SE0090
GRP with flat back plate	R01SE0099



1 Hockenheim 422 XE. Air is fed into the back of the air box available with 75 or 100mm inlet ideal for caterham type cars. Volume 14.5L

100mm inlet	Carbon fibre R01SE0186	GRP R01SE0188
75mm inlet	Carbon fibre R01SE0131	GRP R01SE0133



Hockenheim 585, designed for use with straight six engines, can be angle trimmed when used with a flat back plate. Volume 20.1L

Standard back plate	Carbon fibre R01SE0118	GRP R01SE0124
Flat back plate	Carbon fibre R01SE0121	GRP R01SE0127

HOCKENHEIM ACCESSORIES

3 ITG bespoke to Reverie foam filter available Standard height 105mm R01SE6173 Increased height 160mm R01SE6172
For snorkels please see page 23 - 24



Fuel rail spacer, aids fitment by clearing fuel rail available in 20, 40 and 60mm versions

	354	422	585
20mm	R01SE0404	R01SE0398	R01SE0400
40mm	R01SE0405	R01SE0399	R01SE0401
60mm	R01SE0423	R01SE0424	R01SE0431



Air box top inspection panel, allows easy access to inside of box when installed in a confined space

354/422 4cyl	Carbon fibre	R01SE0381
354/422 4cyl	GRP	R01SE0382
585 6 cyl	Carbon fibre	R01SE0383
545 6 cyl	GRP	R01SE0384



Trumpet grommets, seals air box to inlet trumpets without the need for bolting to trumpet flange

(1875) 1.875"-2.000" trumpet diameter R01SE6143
(2000) 2.000"-2.250" trumpet diameter R01SE6142
(2125) 2.125"-2.500" trumpet diameter R01SE6141
(2250) 2.250"-2.375" trumpet diameter R01SE6140

REVERIE

INDUCTION

HOCKENHEIM V8, V10 AND V12 AIR BOXES

(FOR NORMALLY ASPIRATED ENGINES)



Hockenheim universal air boxes for V6, V8, V10 and V12 are perfect for handling the high air flow requirements of large engines, our largest box, the Hockenheim 605 has an internal volume of 39.9 litres and has been used on engines of all sizes. Hockenheim air boxes are incredibly versatile, allowing for complete customisation by angle trimming the air box to fit an enclosed engine bay and custom inlet snorkel positioning to ensure that the air box can be matched to most applications

The Hockenheim air boxes can be used with air induction kits such as our Suzuka Pro or alternatively with internal filters such as the ITG dome filter or panel filters when using Interlagos filter cowls

For full technical drawings please visit http://www.reverie.ltd.uk/tech_drawings.php

For key information please visit http://www.reverie.ltd.uk/air_box_sizes.php

1 + 2 For filter elements please see page 35
4 Side intake cowl 100mm entry, see page 20

Hockenheim 405, with twin entry ram air filter cowl suitable for V6 and V8 engines can also be used on flat engine configurations uses two panel filters under each cowl. Volume: 24.7L

Top entry	R01SE0452	15°V angle carbon base	R01SE0558
Side entry	R01SE0453	15°V angle GRP base	R01SE0559
			R01SE0421

1 Side Panel Filter



Hockenheim 405, allows for custom inlet pipe placement with single or multiple entry points suitable for V8, V6 and flat configuration engines available in carbon fibre or GRP. Volume: 24.7L

Standard back plate	Carbon fibre R01SE0139	GRP R01SE0141
Flat back plate	Carbon fibre R01SE0140	GRP R01SE0142

Hockenheim 405, with twin top entry filter cowl with two 75mm inlet pipes on each side suitable for V6 and V8 engines can also be used on flat engine configurations uses two panel filters. Volume: 24.7L

R01SE0480



Hockenheim 605, allows for custom inlet pipe placement with single or multiple entry points suitable for V10, V12 and flat configuration engines available in carbon fibre or GRP. Volume 36.9L

Standard back plate	Carbon fibre R01SE0143	GRP R01SE0145
Flat back plate	Carbon fibre R01SE0144	GRP R01SE0146



HOCKENHEIM ACCESSORIES

3 Hockenheim inlet diffuser runners, 100mm inlet pipes R01SE0221 75mm inlet pipes R01SE0221
For other inlet pipes and ducts please see page 25 - 26



Fuel rail spacers and inspection panel, spacers aids fitment by clearing fuel rail available in 20, 40 and 60mm versions inspection panels provide easy access to inside of air box in confined engine bays

4 20mm spacer	R01SE0406	5 Carbon inspection panel	R01SE0381
60mm spacer	R01SE0407	GRP inspection panel	R01SE0382



280 x 60 to 152mm inlet duct for use with hockenheim 405 and 605 air boxes, allows for large air flow into trimmed air low height boxes

R01SE0305



Trumpet grommets, seals air box to inlet trumpets without the need for bolting to trumpet flange

(1875) 1.875"-2.000" trumpet diameter R01SE6143
(2000) 2.000"-2.250" trumpet diameter R01SE6142
(2125) 2.125"-2.500" trumpet diameter R01SE6141
(2250) 2.250"-2.375" trumpet diameter R01SE6140

REVERIE

INDUCTION



INTERLAGOS UNIVERSAL AIR BOXES

(FOR NORMALLY ASPIRATED ENGINES)



Interlagos four cylinder air boxes can be used in various ways, the the box or lid can be used to mount to the inlet trumpets or on any of the flat surfaces. The Interlagos can also be used with various inlet types, the filter cowls shown below add the possibility of a ram air feed using an internal panel filter, the Interlagos can also be used with our range of inlet pipes as either single or multiple entry. Available in carbon fibre or GRP with either a standard or flat back plate.

For full technical drawings please visit www.reverie.ltd.uk/tech_drawings.php
For key information please visit www.reverie.ltd.uk/air_box_sizes.php

Interlagos 425 No Entry


- 1 Carbon fibre standard back plate
- Carbon fibre flat back plate
- GRP standard back plate
- GRP flat backplate

R01SE0036
R01SE0074
R01SE0096
R01SE0105

Interlagos 425 100mm Entry

- Carbon air box RH basebox kit
- Carbon air box LH basebox kit
- Carbon air box RH flat backplate kit
- Carbon air box LH flat backplate kit

R01SE0606
R01SE0607
R01SE0608
R01SE0609



RENAULT SPIDER WITH INTERLAGOS 425



Interlagos 425X, 100mm side inlet panel filter cowl uses an air filter element and allows for a ram air feed to be routed directly to the inlet. Volume: 9.95L

- Filter cowl only R01SE0433
- 2 Air box with cowl R01SE0432



Interlagos 425Y, 100mm centre inlet panel filter cowl uses an air filter element and allows for a ram air feed to be routed directly to the inlet. Volume: 9.45L

- Filter cowl only R01SE0455
- 3 Air box and cowl R01SE0454



Interlagos 425Z, blank panel filter cowl uses an air filter element and allows for custom inlet snorkel positioning. Volume: 9.15L

- Filter cowl only R01SE0469
- 4 Air box with cowl R01SE0473

INTERLAGOS ACCESSORIES

- 5 Replacement cotton gauze panel filter R01SE0421



Fuel rail spacer, aids fitment by clearing fuel rail available in 20, 40 and 60mm versions

- 6 20mm R01SE0398
- 40mm R01SE0399
- 7 60mm R01SE0424

Interlagos box top inspection panel, allows easy access to inside of filter box when installed in a confined space

Carbon fibre R01SE0381
GRP R01SE0382

Trumpet grommets, seals air box to inlet trumpets without the need for bolting to trumpet flange

(1875) 1.875"-2.000" trumpet diameter R01SE6143
(2000) 2.000"-2.250" trumpet diameter R01SE6142
(2125) 2.125"-2.500" trumpet diameter R01SE6141
(2250) 2.250"-2.375" trumpet diameter R01SE6140

REVERIE

INDUCTION

SEBRING UNIVERSAL AIR BOXES

(FOR NORMALLY ASPIRATED ENGINES)



The Sebring four cylinder air box is a versatile air box with a large internal volume of up to 10.5 litres, the air box allows for inlet pipes to be placed on any of the sides, and can be used with single or multiple entry feeds.

The Sebring is best suited for use with oval inlet pipes which maximise the air inlet area whilst remaining low in height.

The Sebring is available in four sizes, ranging from 54.5mm deep to 105mm deep, furthermore the Sebring air box is also designed to house a rectangular panel filter element (shown within the airbox left), capable of supplying sufficient air for engines producing in excess of 800Bhp, the lid is secured using a single through bolt fixing.

For full technical drawings please visit http://www.reverie.ltd.uk/tech_drawings.php

For key information please visit http://www.reverie.ltd.uk/air_box_sizes.php

For inlet snorkels please see page 25 - 26



Sebring 4-54.5 air box, 54.5mm deep giving total internal volume of 5.45 litres

Carbon fibre	R01SE0308
GRP	R01SE0314



Sebring 4-67 air box, 67mm deep giving total internal volume of 6.7 litres

Carbon fibre	R01SE0309
GRP	R01SE0315



Sebring 4-78.5 air box, 78.5mm deep giving total internal volume of 7.9 litres

Carbon fibre	R01SE0310
GRP	R01SE0316



Sebring 4-105 air box, 105mm deep giving total internal volume of 10.5 litres

Carbon fibre	R01SE0311
GRP	R01SE0317

SEBRING ACCESSORIES



Rectangular panel filters, four heights available to fit sebring air boxes

42.0mm for sebring 4-54.5	R01SE6088
54.5mm for sebring 4-67	R01SE6089
66.0mm for sebring 4-78.5	R01SE6090
96.5mm for sebring 4-105	R01SE6091



Fuel rail spacer, aids fitment by clearing fuel rail available in 20, 40 and 60mm versions

20mm	R01SE0398
40mm	R01SE0399
60mm	R01SE0424



Trumpet grommets, seal air box to inlet trumpets without the need for bolting to the trumpet flange

(1875) 1.875"-2.000" trumpet diameter	R01SE6143
(2000) 2.000"-2.250" trumpet diameter	R01SE6142
(2125) 2.125"-2.500" trumpet diameter	R01SE6141
(2250) 2.250"-2.375" trumpet diameter	R01SE6140

REVERIE

INDUCTION



SILVERSTONE UNIVERSAL AIR BOXES

(FOR NORMALLY ASPIRATED ENGINES)



The beauty of the Silverstone four cylinder air box is that it is designed to package a 152mm OD cone filter in the end of the air box. 152mm (6") filter adapters are available to reduce the air inlet size to 127.5, 100, 85, 75, 70 or 58mm or specialised adapters with multiple smaller entry diameters used to further reduce induction noise, or route enough air through a difficult chassis. Furthermore, the back plate can be specified as either alloy or carbon or with the option of a 20mm deep fuel rail spacer back plate (shown left)

Silverstone air boxes are available in left hand or right hand options with 102mm or 78mm depth and a range of reducers are available.

For technical drawings please visit - http://www.reverie.ltd.uk/tech_drawings.php
For key dimensions please visit - http://www.reverie.ltd.uk/air_box_sizes.php



- 1** Silverstone 102, available as left hand or right hand versions (left hand shown) in carbon fibre or GRP, can be used with remote filters as supposed to internal filter. Internal volume: 8.4L

Left hand	Carbon fibre R01SE0001	GRP R01SE0086
Right hand	Carbon fibre R01SE0013	GRP R01SE0087

- 2** Silverstone 78, available as left or right hand versions (left hand shown) in carbon fibre or GRP, can be used with remote filters as supposed to internal filter. Internal volume: 7.6L

Left hand	Carbon fibre R01SE0015	GRP R01SE0088
Right hand	Carbon fibre R01SE0014	GRP R01SE0089



SILVERSTONE 78 LH FITTED TO S1 ELISE

SILVERSTONE ACCESSORIES

- 3** Optional 152mm cone filter with or without rubber extension for intake adapters
with extension R01SE6098 without extension R01SE6099



Silverstone carbon fibre and alloy back plates, 20mm Fuel rail spacer back plate adds 0.6L volume available as left or right hand versions

4 Carbon fibre	Left hand R01SE0379	Right hand R01SE0380
5 Alloy	Left hand R01SE0171	Right hand R01SE0172
6 Fuel rail spacer	Left hand R01SE0396	Right hand R01SE0397
	Caterham R400/500 fitment Backplate	Right hand C01SD0002



Alloy intake adaptors, attaches to rubber moulding on 152mm cone filter

152 - 70mm high flow	R01SE6093
152 - 75mm high flow	R01SE6082
152 - 85mm high flow	R01SE6150
152 - 100mm high flow	R01SE6084
152 - 127mm high flow	R01SE6145



Trumpet grommets, seals an airbox to inlet trumpets without the need for bolting to trumpet flange

(1875) 1.875"-2.000" trumpet diameter	R01SE6143
(2000) 2.000"-2.250" trumpet diameter	R01SE6142
(2125) 2.125"-2.500" trumpet diameter	R01SE6141
(2250) 2.250"-2.375" trumpet diameter	R01SE6140

See page 25 - 26 for more

REVERIE

INDUCTION

ZOLDER UNIVERSAL AIR BOXES

(FOR NORMALLY ASPIRATED ENGINES)



Our range of quick release 4 cylinder Zolder air boxes are available in various styles the 112 or 150 side feed, 112X centre feed, 65 side feed and 65X or 122 side bottom diffused feed. We offer Zolder air boxes to fit Pipercross PX600 and ITG JC50 fixings. Our Zolder 112 models can be used with a bespoke to Reverie ITG foam filter that is neatly packaged within the air box.

The Zolder 112D, side entry air box can be specified with either a 100mm inlet pipe pre bonded in or alternately with a blank surface to allow custom air inlets to be joined.

Reverie also produce PX600 style back plates available as flat, +30mm, +60mm or +90mm versions.

For technical drawings please visit - http://www.reverie.ltd.uk/tech_drawings.php

For key dimensions please visit - http://www.reverie.ltd.uk/air_box_sizes.php



Zolder 112D, available in carbon fibre or GRP available with PX600 or JC50 fixings, allows for internal filter. specify left or right hand version. Internal volume: 5.725L

Can fit internal filter see page 24

LH fitment carbon fibre with 100mm inlet
RH fitment carbon fibre with 100mm inlet
LH fitment carbon fibre blank
RH fitment carbon fibre blank
LH fitment GRP with 100mm inlet
RH fitment GRP with 100mm inlet
LH fitment GRP blank
RH fitment GRP blank

PX600 - R01SE0459 JC50 - R01SE0520
PX600 - R01SE0460 JC50 - R01SE0518
PX600 - R01SE0435 JC50 - R01SE0516
PX600 - R01SE0426 JC50 - R01SE0514
PX600 - R01SE0461 JC50 - R01SE0521
PX600 - R01SE0462 JC50 - R01SE0519
PX600 - R01SE0446 JC50 - R01SE0517
PX600 - R01SE0444 JC50 - R01SE0515



Zolder 65C, available in carbon fibre or GRP available with PX600 or JC50 fixings, allows for use with trumpet socks, specify as left or right hand version, includes 100mm inlet Internal volume: 4.125L

LH fitment carbon fibre
RH fitment carbon fibre
LH fitment GRP
RH fitment GRP

PX600 - R01SE0434 JC50 - R01SE0512
PX600 - R01SE0425 JC50 - R01SE0510
PX600 - R01SE0445 JC50 - R01SE0513
PX600 - R01SE0443 JC50 - R01SE0511



Zolder 122 Macau available in carbon fibre allows for use trumpet socks or with air induction kits Includes 100mm inlet. Internal volume: 7.15L

can fit internal filter see page 24
LH R01SE0546 RH R01SE0544



Zolder 122 shown on Ford Duratech engine



Zolder 112X shown on Lotus engine



Zolder 112X, available in carbon fibre or GRP available with PX600 or JC50 fixings, allows for use with internal filters, trumpet socks or with air induction kits, includes 100mm inlet. Internal volume: 4.4L

can fit internal filter see page 24

Carbon fibre
GRP

PX600 - R01SE0481 JC50 - R01SE0522
PX600 - R01SE0487 JC50 - R01SE0523

REVERIE

INDUCTION



ZOLDER UNIVERSAL AIR BOXES

(FOR NORMALLY ASPIRATED ENGINES)



Zolder 150D carbon fibre 127.5mm entry
available for PX600 and JC50 backplates
LH and RH entry see page 21. Internal Volume: 9.15L

can fit internal filter see botom right
PX600 LH R01SE0590 RH R01SE0591
JC50 LH R01SE0592 RH R01SE0593



Zolder 150 on Honda S2000 with 127mm alloy inlet trumpet



Zolder 65x backplate 30,60 or 90mm deep
available in carbon fibre or GRP

	30mm	60mm	90mm
Carbon	R01SE0495	R01SE0497	R01SE0542
GRP	R01SE0496	R01SE0498	R01SE0543


also fits Fontana Plenums



Zolder 65X, available in carbon fibre or GRP
allows for use trumpet socks or with air induction
kits Includes 100mm inlet. Internal volume: 4.125L

Carbon fibre	LH R01SE0482	RH R01SE0535
GRP	LH R01SE0486	RH R01SE0539

ZOLDER ACCESSORIES



Zolder 150D carbon fibre 127.5mm
entry bond on cowl for Zolder 112
R01SE0589



PX600 Carbon fibre / GRP back plate available
as flat version or as 30 / 60 / 90mm deep version
or 60mm version with inlet pipes pre bonded

Flat	back plate	Carbon fibre R01SE0429	Alloy R01SE0449
30mm	back plate	Carbon fibre R01SE0427	GRP R01SE0447
3 60mm	back plate	Carbon fibre R01SE0428	GRP R01SE0448
90mm	back plate	Carbon fibre R01SE0502	GRP R01SE0503
4 Twin 45°	inlet pipes	Carbon fibre R01SE0450	
	Twin straight inlet pipes	Carbon fibre R01SE0451	



Trumpet grommets, seals an
airbox to inlet trumpets without
the need for bolting to trumpet flange

(1875) 1.875"-2.000" trumpet diameter R01SE6143
(2000) 2.000"-2.250" trumpet diameter R01SE6142
(2125) 2.125"-2.500" trumpet diameter R01SE6141
(2250) 2.250"-2.375" trumpet diameter R01SE6140



ITG foam dome filter for Zolder 112

1 ITG foam filter with integrated gasket	R01SE6166
2 Stand alone foam gasket no filter	R01SE6161

REVERIE

INDUCTION

AIR INLET PIPES



Reverie offer inlet/intake pipes for use with our range of air boxes that bond directly to the air box surface, we offer inlet pipes ranging in size from 58 to 152mm to suit all of our sizes of ducts in various styles, such as oval outlet, 90° radius inlet and 45° inlets.

58mm Inlet Pipes		100mm Inlet Pipes		152mm (6") Inlet Pipes	
1 Straight circular	R01SE0042	Straight circular	R01SE0163	Straight circular	R01SB0016
2 45° circular	R01SE0043	45° circular	R01SE0164	Specialised Inlet Pipes	
3 90° circular	R01SE0057	90° circular	R01SE0165	7 2 x 58 - 75mm	R01SE0062
75mm Inlet Pipes		11 Straight oval	R01SE0468	Alloy Intake Reducers	
4 Straight circular	R01SE0044	6 45° down angle	R01SE0466	8 75-58mm reducer	R01SE6095
5 45° circular	R01SE0045	45° up angle	R01SE0467	100-75mm reducer	R01SE6130
11 90° circular	R01SE0058	9 90° large bend	R01SE0500	100-85mm reducer	R01SE6152
11 Straight oval	R01SE0249	127.5mm Inlet Pipes			
6 45° oval down angle	R01SE0250	straight oval	R01SE0541		
45° oval up angle	R01SE0266				

HOSES AND CLAMPS



Rubber hoses, micropore ducting and connectors. Micropore ducting further reduces intake noise

1 Universal hose 100 - 75mm taper	R01SE6065
2 152mm flexible ducting non cuffed	R01SE0005
58mm I/D x 1m micropore ducting	R01SE0006
75mm I/D x 1m micropore ducting	R01SE0085
85mm I/D x 1m micropore ducting	R01SE6157
3 100mm I/D x 1m micropore ducting	R01SE0130
51mm O/D x 1m flexible ducting	R01SE6205
127mm O/D x 1m flexible ducting	R01SE6206
4 100mm O/D x 1m carbon ducting	R01SE0410

BONNET/WHEEL ARCH LOUVRES



Carbon Fibre wheel arch louvres supplied as a front or rear pair

12 Front R01SB0241
13 Rear R01SB0242



Carbon fibre louvre grille vents
R01SB0404




Wormdrive hose clips and mounting straps

Hose Clips

5 WDS 50 - 70mm	C01SW6007
WDS 70 - 90mm	C01SW6008
WDS 90 - 110mm	C01SW6009
150 - 170mm for 152mm ducting	R01SW6202
126 - 146mm for 127.5mm ducting	R01SW6511

Mounting straps

6 158 - 164mm for 152mm ducting	R01SE0545
215 - 316mm for 206mm filters	R01SE0605



Hockenheim inlet runner diffuser for up to 75mm / 100mm inlet pipes

	Carbon	GRP
1 Runner for 75mm inlet pipes	R01SE0220	R01SE0346
Runner for 100mm inlet pipes	R01SE0221	R01SE0347

Brake duct

2 140 x 40 rectangular inlet - 100mm outlet	R01SE0304
140 x 40 rectangular inlet - 75mm outlet	R01SE0372

FILTER ADAPTORS



Spun alloy trumpets, 152mm filter adaptors and reducers

Alloy filter adaptors		Alloy intake trumpets		Carbon fibre filter adaptors	
1 152 - 70mm	high flow R01SE6093	3 58mm	high flow R01SE6070	5 152 - 2 x 58mm Y	R01SE0350
152 - 75mm	high flow R01SE6082	75mm	high flow R01SE6072	152 - 2 x 75mm Y	R01SE0297
152 - 85mm	high flow R01SE6150	4 85mm	high flow R01SE6154	152 - 1 x 58 + 1 x 75mm Y	R01SE0349
2 152 - 100mm	high flow R01SE6084	100mm	high flow R01SE6074	152 - 2 x 100mm	R01SE0298
152 - 127.5mm	high flow R01SE6145	127.5mm	high flow R01SE6204	7 152 - 3 x 58mm cone	R01SE0007
152 - 58/75/100mm	stepped R01SE6026	10 152 - 2 x 58mm cone	R01SE6004	152 - 2 x 58mm cone	R01SE0222
152 - 75/100mm	stepped R01SE6033			8 152 - 45° angle 100mm	R01SE0303
152 - 100mm	stepped R01SE6034			152 - 100/75/58 tapered	R01SE0136
				152 - 100/75/58 stepped	R01SE0175
				9 152 - 280 x 60mm	R01SE0305
				6 152 Blank Cap	R01SE0348
				12 152 Cap 1 x 58mm + 1 x 75mm	R01SE0224
				11 152 Cap 90° 100mm snorkel	R01SE0472

REVERIE

INDUCTION



INTAKE SCOOPS AND DUCTS



EXTERNAL FLANGE INTERNAL FLANGE

Reverie Goodwood and Gurston scoops

Goodwood 49mm high internal flange
150 x 140mm R01SE0067 300 x 140mm R01SE0063 425 x 140mm R01SE0438
Goodwood 49mm high external flange
150 x 140mm R01SE0068 300 x 140mm R01SE0064 425 x 140mm R01SE0365
Gurston 90mm high internal flange
150 x 140mm R01SE0069 300 x 140mm R01SE0065 425 x 140mm R01SE0440
Gurston 90mm high external flange
150 x 140mm R01SE0070 300 x 140mm R01SE0066 425 x 140mm R01SE0439



Reverie Mondello intake scoops, available with 75mm or 100mm oval outlets

75mm outlet R01SB0026
100mm outlet R01SB0032



Carbon NACA Ducts

1	58mm triple outlet	R01SE0008
2	147 x 25mm rectangular outlet	R01SB0179
3	58mm outlet NACA outlet	R01SE0009
4	75mm outlet NACA duct	R01SE0178
5	100mm outlet NACA duct	R01SE0179



Reverie universal brake ducts, available as circular/rectangular entry

1	Rectangular bumper duct 75 / 100mm outlet	R01SE0366
2	Circular duct - 58mm outlet R01SE0386 75mm outlet	R01SE0387
3	330 x 50mm rectangular duct (can bond item 3 on rear)	R01SE0367

MODEL SPECIFIC INDUCTION KITS



RENAULT CLIO 2.0L 182 INDUCTION KIT

KIT CONTENTS - DAYTONA CANISTER AVAILABLE IN ALLOY OR CARBON FIBRE (75MM EXIT), AIR FILTER & FIXINGS.

RENAULT CLIO ALLOY KIT	R01SE0301
RENAULT CLIO CARBON KIT	R01SE0302


KIT CONTENTS - DAYTONA CANISTER (75MM EXIT) AVAILABLE IN ALLOY OR CARBON FIBRE, AIR FILTER, SILICONE THROTTLE BODY CONNECTOR & OILVENT FILTER

RENAULT CLIO ALLOY KIT	R01SE0368
RENAULT CLIO CARBON KIT	R01SE0369



MINI COOPER INDUCTION KIT (NON S)

MINI COOPER INDUCTION KIT R50 2001-2006 (NON S) CARBON FIBRE DYNO PROVEN TO GIVE 4.5HP GAINS AT 5700RPM AND LARGE GAINS THROUGH THE ENGINE SPEED RANGE.



MG-ZR 160 DAYTONA KIT

KIT CONTENTS - AIR FILTER WITH EXTENSION, HIGH-FLOW FILTER ADAPTOR 75MM TO 152MM FULL RADIUS, CARBON DAYTONA FILTER CANISTER WITH 75MM CARBON 90DEG INLET PIPE, ALLOY 75MM HIGH-FLOW INTAKE, 75MM DUCTING, K-SERIES RUBBER ELBOW CONNECTOR (CUT DOWN BOTH ENDS TO MAKE A STRAIGHT COUPLING), 75MM HOSE CLIPS X4 - R01SE0411

4 CYL FONTANA UNIVERSAL PLENUMS



Progressing from our experience working as plenum suppliers to Le Mans Car engine suppliers, we now produce four universal fit, four cylinder, autoclaved carbon fibre plenums for naturally aspirated single throttle engines or for use with forced induction.

The Fontana plenum range is rated for internal pressures of up to 3.5bar, featuring an internal, stainless steel, 18 off blind M5 hole insert base plate to ensure a good seal with the nitrile gasket and range of back plates. Standard plenum inlet is an alloy four bolt 85mm PCD 70mm bore inlet. For Jenvey SFG70/0 body or AT Power 65mm shaftless body.

We also produce a range of four bolt inlet adaptors ranging in size from 55 to 70mm OD that allow the fontana plenums to be used with silicone hoses or optional quick release Adel Wiggins M900 couplings.

For full technical drawings please visit
For key information please visit

www.reverie.ltd.uk/tech_drawings.php
www.reverie.ltd.uk/plenum_size_guide.php



Fontana 112 Turbo or N/A plenum, 112mm total depth from back plate mounting surface. Volume: 5.7L

1 Optional wiggins coupling shown unfitted

Standard four bolt plenum	R01SE0476
2.5" M900 wiggins plenum	R01SE0525
3.0" M900 wiggins plenum	R01SE0526



Fontana 65 Turbo or N/A plenum, 65mm total depth from back plate mounting surface. Volume: 4.2L

2 Optional wiggins coupling shown unfitted

Standard four bolt plenum	R01SE0477
2.5" M900 wiggins plenum	R01SE0527
3.0" M900 wiggins plenum	R01SE0528
3.5" M900 wiggins plenum	R01SE0622
4.0" M900 wiggins plenum	R01SE0623



Fontana 112X Turbo or N/A plenum, 275mm total depth from back plate mounting surface. Volume: 8.0L

3 Optional wiggins coupling shown unfitted

Standard four bolt plenum	R01SE0484
2.5" M900 wiggins plenum	R01SE0529
3.0" M900 wiggins plenum	R01SE0530
3.5" M900 wiggins plenum	R01SE0620
4.0" M900 wiggins plenum	R01SE0621



Fontana 65X Turbo or N/A plenum, 65mm total depth from back plate mounting surface. Volume: 4.4L

4 Optional wiggins coupling shown unfitted

Standard four bolt plenum	LH R01SE0486	RH R01SE0536
2.5" M900 wiggins plenum	LH R01SE0531	RH R01SE0537
3.0" M900 wiggins plenum	LH R01SE0532	RH R01SE0538
3.5" M900 wiggins plenum	LH R01SE0625	RH R01SE0624
4.0" M900 wiggins plenum	LH R01SE0627	RH R01SE0626

FONTANA ACCESSORIES



Carbon fibre back plates, available in flat, 30, 60 or 90mm deep versions

6 Flat C/fibre back plate 2mm NA use only	R01SE6170
5 Carbon fibre 30mm deep	R01SE0483
Carbon fibre 60mm deep	R01SE0489
Carbon fibre 90mm deep	R01SE0504

Or see page 28 for High boost CNC backplates



Four bolt 85mm PCD inlet adaptors 50 - 70mm 64-70mm alloy plenum throttle adapter spacer

10 64-70mm plenum throttle adapter	R01SE6182
9 50mm OD R01SE6185	55mm OD R01SE6187
8 60mm OD R01SE6189	65mm OD R01SE6191
7 70mm OD R01SE6193	



Nitrile gasket for sealing between back plates and plenums

4 Cyl Nitrile gasket	R01SE6169
----------------------	-----------

REVERIE

INDUCTION



4 CYL FONTANA UNIVERSAL PLENUMS

(FOR BOOSTED/TURBOCHARGED ENGINES)



Fontana Macau 122 - Turbo or N/A plenum
130mm total depth from backplate mounting surface.
Tapered RH Bottom entry. Volume: 7.9L

Standard four bolt plenum
2.5" M900 wiggins plenum
3.0" M900 wiggins plenum
3.5" M900 wiggins plenum
4.0" M900 wiggins plenum

R01SE0547
R01SE0640
R01SE0641
R01SE0628
R01SE0630



Honda Civic with Fontana 112



Fontana Macau 122 Turbo or N/A plenum
130mm total depth from backplate mounting surface.
Tapered LH Bottom entry. Volume: 7.9L

Standard four bolt plenum
2.5" M900 wiggins plenum
3.0" M900 wiggins plenum
3.5" M900 wiggins plenum
4.0" M900 wiggins plenum

R01SE0550
R01SE0642
R01SE0643
R01SE0629
R01SE0631



100mm 90° Large 100mm center
radius adapter can be bonded
onto plenum. Entry at any rotation angle
(special order request)

R01SE0501



340R 2.0K-Series Harvey Rotrax conversion with Fontana 112



Fontana 4 Cylinder NA plenum alloy
backplates and O rings
(see page 25 for carbon fibre backplates)

Flat 2mm backplate (NA use only)
Flat 4mm backplate (for up to 1.5bar use)
CNC 4mm backplate with O Ring flange (for over 1.5bar use)
Backplate O Ring for R01SE6246

R01SE6168
R01SE6171
R01SE6246
R01SE6248

For silicone direct hose attachment options
to bolt onto throttle inlet see page 27.

REVERIE

INDUCTION

INDUCTION

6 CYL FONTANA UNIVERSAL PLENUMS

(FOR BOOSTED/TURBOCHARGED ENGINES)

Available with 4bolt 85mm PCD, 70mm or 90mm bore inlet for 70/90mm throttle body (see Jenvey or AT Power)



Fontana 6 Cyl LH entry Carbon Plenum
N/A or Turbo 117mm total depth
from backplate mounting surface.

Volume 10.5L

70mm throttle adaptor S2000
90mm throttle adaptor Jenvey
3.0" M900 Wiggings
3.5" M900 Wiggings
4.0" M900 Wiggings

R01SE0584
R01SE0586
R01SE0614
R01SE0616
R01SE0618



Fontana 6 Cyl LH entry Carbon Plenum
N/A or Turbo 117mm total depth
from backplate mounting surface.

Volume 10.5L

70mm throttle adaptor S2000
90mm throttle adaptor Jenvey
3.0" M900 Wiggings
3.5" M900 Wiggings
4.0" M900 Wiggings

R01SE0585
R01SE0587
R01SE0615
R01SE0617
R01SE0619



End on view of Fontana 6 Cyl Plenum
with S2000 adaptor fitted



Fontana 6cyl NA plenum alloy
Backplates and O rings

1 Flat 4mm backplate (for up to 1.5bar use)
2 CNC 4mm backplate with O Ring flange (for over 1.5bar use)
3 Backplate O Ring for R01SE6246

R01SE0566
R01SE6247
R01SE6249



Carbon fibre back plates, available
in flat, 30, 60 or 90mm deep versions

4 Carbon fibre 30mm deep
Carbon fibre 60mm deep
Carbon fibre 90mm deep

R01SE0573
R01SE0574
R01SE0575



Four bolt 85mm PCD inlet
to hose adaptors 50 - 70mm
64-70mm alloy plenum
throttle adapter spacer
(for fitment to 4 bolt plenums)

8 64- 70mm plenum throttle adapter R01SE6182
9 90-100mm bolt flange to hose adapter R01SE6240
7 50mm OD R01SE6185 55mm OD R01SE6187
6 60mm OD R01SE6189 65mm OD R01SE6191
5 70mm OD R01SE6193



Nitrile gasket for
sealing between back
plates and plenums

6 Cyl Nitrile gasket R01SE0567

Sales 0044 1206 866663
www.reverie.ltd.uk



REVERIE

INDUCTION



6 CYL ZOLDER UNIVERSAL AIR BOXES

(FOR BOOSTED/TURBOCHARGED ENGINES)



Zolder Macau 6 Cyl RH entry
Carbon Fibre Airbox to fit
ITG JC100 backplate range
Volume 10.5L
R01SE0560



Zolder Macau 6 Cyl LH entry
Carbon Fibre Airbox to fit
ITG JC100 backplate range
Volume 10.5L
R01SE0561



Zolder Macau 6Cyl
ITG compatible
JC 100 backplates

4	Flat carbon backplate	R01SE0568
3	30mm Deep C/fibre	R01SE0569
2	60mm Deep C/fibre	R01SE0570
1	90mm Deep C/fibre	R01SE0571



Zolder Macau 6 Cyl
Internal ITG Air Filter
R01SE6212



Zolder Macau 6 Cyl Self adhesive
Fuel resistant Foam Gasket
R01SE0572
(Not required if Filter Fitted)



BMW E30 M30 courtesy of Erik Tryggvesson
Fitted with LH Zolder 6 Cyl Airbox

REVERIE

INDUCTION

152MM DAYTONA UNIVERSAL AIR INDUCTION KITS



Reverie's Daytona air induction kits are suitable for normally aspirated engines to 250bhp & Turbo to 320bhp and provide a neat fully enclosed system that is compatible with most engines. The kit is available in three main variants, a full carbon fibre canister and adaptor assembly, a carbon fibre canister with alloy adaptor or a full alloy canister and adaptor assembly. The Daytona allows for a maximum inlet and outlet size of 100mm and can be specified with 75mm or 58mm inlet and outlet adaptors. Kits also include a metre of noise reducing micropore ducting, alloy bell mouth intake, cone filter and all clips required for installation.

The Daytona is a popular universal system and is also available as bespoke kits for Lotus cars such as Exige S2

For 152mm air filter adaptors please see page 25 -26

Air flow data for Daytona remote filters can be found at

www.reverie.ltd.uk/canister_air_filter.php

- 2 Daytona 230A TT shortened alloy canister and alloy adaptor
- 1 Daytona 230C Carbon fibre canister and alloy adaptor
- 4 Daytona 230CX carbon fibre canister and carbon fibre adaptor
- 5 75mm inlet ring, shown below and left, smooths air flow, bonds inside steps
- 3 Stainless steel mounting strap for 152mm filter cases

R01SE0272
R01SE0174
R01SE0173
R01SE6078
R01SE0545



2 Daytona 230 carbon fibre canister, 152mm inlet, 100 / 75 / 58mm outlet for use with bespoke to Reverie cone filter
Filter flows 166 cfm at 1.5" H₂O using 100mm inlet/outlet

R01SE0198




Daytona 230 alloy canister, 152mm inlet, 100 / 75 / 58mm outlet for use with bespoke to Reverie cone filter. Filter flows 166 cfm at 1.5" H₂O using 100mm inlet/outlet

100mm	exit	R01SE6119
75mm	exit	R01SE6118
58mm	exit	R01SE6117



Daytona 230 TT filter canister, shorter than standard Daytona 152mm inlet, 100 / 75 / 58mm outlet for use with Reverie cone filter
Filter flows 166 cfm at 1.5" H₂O using 100mm inlet/outlet

100mm	exit	R01SE6040
75mm	exit	R01SE6038
58mm	exit	R01SE6036



LOTUS EXIGE S2 1.11R USING DAYTONA INDUCTION KIT TEST RESULTS



RENAULT CLIO 182



LOTUS ELISE S1

REVERIE

INDUCTION

152MM INDY UNIVERSAL AIR INDUCTION KITS



Reverie's universal Indy air induction kit provides a neat self contained package that is suitable for most cars and engines. The Indy kit uses the same 152mm (6") cone filter as our Daytona and Suzuka air induction kits. The Indy air induction kit is available in three different styles with various inlet and outlet sizes, a straight through kit with an adaptor at each end (BC), the flat entry (FC) and the side entry versions (SC). The Indy 200SC kit features a rectangular to circular 100 / 75mm inlet / outlet pipe increasing the ease of fitment in unusual engine bays. Indy 200FC and 200BC models use our standard alloy trumpets and filter adaptors, please specify 58,70,75,85,100 or 127.5mm adaptors for both inlet and outlet when ordering.

Air flow data for Indy remote filters can be found at www.reverie.ltd.uk/canister_air_filter.php

3 For 152mm air filter adaptors please see page 25 - 26



Indy 200 BC flat entry / outlet canister designed for use with Reverie cotton gauze cone filters. Filter flows 166 cfm at 1.5" H₂O with 100mm entry and outlet

Canister only	R01SE0351
Full kit	R01SE0375



Indy 200 SC side entry / outlet canister designed for use with Reverie cotton gauze cone filters. Filter flows 166 cfm at 1.5" H₂O with 100mm entry and outlet

Canister only	R01SE0374
Full kit	R01SE0377
100mm	to 140 x 40mm inlet R01SE0304
75mm	to 140 x 40mm inlet R01SE0372




Indy 200 FC end entry / outlet, canister designed for use with Reverie cotton gauze cone filters. Filter flows 166 cfm at 1.5" H₂O with 100mm entry and outlet

Canister only	R01SE0352
Full Kit	R01SE0376

2 Reverie cotton gauze cone filter, available with or without 152mm rubber extension, used to fit a filter adaptor.

With rubber extension R01SE6098 Without rubber extension R01SE6099

INDY 200FC OPEN ENTRY WITH
100MM EXIT ADAPTOR FITTED



INDY 200FC ON HONDA-POWERED
ELISE S1



INDY 200FC AND INTERLAGOS FITTED
TO CATERHAM 7

REVERIE

INDUCTION

INDUCTION

206MM DAYTONA 500 UNIVERSAL AIR INDUCTION CANISTERS/FILTERS - VERY HIGH-FLOW



Daytona 500 206mm Carbon air
induction canister/case only
75/85/100 or 127.5mm
R01SE0594



Daytona 500 206mm Aluminium
air induction canister/case only
75/85/100 or 127.5mm outlet
75mm R01SE0596
85mm R01SE0598
100mm R01SE0600
127.5mm R01SE0602



Cone filter with 206mm dia
rubber neck ext
Short version 170mm R01SE6228
Long version 210mm R01SE6229
supplied with 2 stainless steel clips



IPVDX Time Attack Evo



Daytona 500 Carbon
Mounting Bracket
R01SE0604



215mm 316 s/steel
mounting strap & clamp
R01SE0605



Daytona 500 206mm Reducer Adapters

- 1 206-152mm
- 2 206-152mm Flat
- 3 206-127.5mm
- 4 206-100mm
- 5 206-85mm
- 6 206-75mm

- R01SE6231
- R01SE6233
- R01SE6221
- R01SE6223
- R01SE6225
- R01SE6227



Lotus Evora Daytona Komotec

Sales 0044 1206 866663
www.reverie.ltd.uk



REVERIE

INDUCTION



152MM SUZUKA UNIVERSAL AIR INDUCTION KITS



Reverie's range of universal Suzuka 290 and Suzuka Pro air induction kits and filters provide a practical solution for filtering air outside of the air box, shown left is a Suzuki air induction kit bonded to the side of a trimmed Hockenheim 422 air box. The Suzuka 290 is available in three versions, straight through flow in carbon fibre or GRP, or as a "Clubman" high flow dual inlet kit with two 152mm cone filters with a 100mm side outlet.

The ultra high-flow Suzuka Pro is available in 100mm side outlet or base offset outlet versions, custom inlet size of either 58, 70, 75, 85, 100, 127.5 or 152mm can be specified. The base entry version allows for custom inlet and outlet sizes of either 58, 70, 75, 85, 100, 127.5 or 152mm.

For full air flow data for our range of Suzuka induction kits, please visit www.reverie.ltd.uk/canister_air_filter.php



1 Suzuka 290G GRP kit available as canister only or as a full kit including filter, inlet and exit adaptors
Filter flows 166 cfm at 1.5" H₂O with 100mm inlet/outlet

Full kit R01SE0114
Canister only R01SE0115



Suzuka 290G carbon fibre kit available as canister only or as a full kit including filter, inlet and exit adaptors
Filter flows 166 cfm at 1.5" H₂O with 100mm inlet/outlet

Full kit R01SE0047
Canister only R01SE0049



Suzuka 290 clubman carbon fibre dual filter kit available as canister only or as a full kit including filter, inlet and exit adaptors
Filter flows 166 cfm at 1.5" H₂O with 100mm inlet/outlet

Full kit R01SE0488
Canister only R01SE0457



Suzuka Pro BC kit, includes carbon fibre canister, filter adaptor and 100mm carbon fibre outlet, suitable for cars up to 1000 Bhp
Filter flows 422 cfm at 1.5" H₂O when using 152mm inlets/outlets

R01SE0479

SUZUKA REMOTE FILTER ACCESSORIES

For filter adaptors please see page 25 - 26



Suzuka 290 Canister end caps, allows custom inlet to be used with Suzuka kits available in carbon fibre or GRP

Carbon fibre R01SE0051
GRP R01SE0116



Bond on 100mm centre entry or exit feed, ideal for using two filters, in each Suzuka 290 canister end

R01SE0456



Replacement air filters with or without extension to allow use of filter adaptors

1 Suzuka 290 filter with extension R01SE6098
2 Suzuka 290 filter without extension R01SE6099
3 Suzuka pro SC/BC filter element R01SE6177

REVERIE

INDUCTION

AIR FILTERS

Reverie's range of air filters have been designed for ease of fitment to Reverie's air boxes and air induction kits. We offer air filter elements for use in our Interlagos, Holley carburetor and Sebring air boxes. Reverie's Daytona, Indy and Suzuka air induction kits use high flow foam cone filters. We also offer a range of bespoke to Reverie ITG foam filters for use in our Hockenheim, Interlagos and Zolder air boxes.

Our largest universal filter for the Suzuka Pro air induction kit is capable of flowing 746 cfm at 1.5" H₂O making it suitable for very highly tuned engines up to 1000 Bhp.

All of our filters have been flow tested, the results of these flow tests and a comparison of different filters can be found at www.reverie.ltd.uk/filter_data.php



Cotton gauze air filter for use with Sebring air boxes available in four heights

435 x 153 x 42.0mm	R01SE6088
435 x 153 x 54.5mm	R01SE6089
435 x 153 x 66.0mm	R01SE6090
435 x 153 x 96.5mm	R01SE6091

Reverie cone air filter for use in Reverie's Silverstone air box and Daytona, Indy and Suzuka air induction kits

With 152mm adaptor moulding	R01SE6098
Without 152mm adaptor moulding	R01SE6099

152mm universal cone air filter with spun alloy 100 / 85 / 75mm outlet trumpet

100mm outlet trumpet	R01SE0343
85mm outlet trumpet	R01SE0420
75mm outlet trumpet	R01SE0342
127.5mm outlet trumpet	R01SE0632
Filter only	R01SE6048

High performance air filter for use in Interlagos air boxes or with Hockenheim air boxes using Interlagos filter cowl

Panel filter for Interlagos	R01SE0421
Panel filter for Ultima GTR air box	R01SE6009

High-flow cotton gauze air filter for Suzuka Pro air induction kits

R01SE6177

Cotton gauze filter for Can-Am and Holley carburetor air boxes

R01SE6017



- 1 ITG foam filter for Reverie's Zolder air boxes, includes an integrated gasket that seals between air box and back plate R01SE6166
- 2 ITG foam filter for Reverie's Hockenheim 405 V8 air boxes covers eight trumpets (85mm high) R01SE6183
- 3 ITG foam filter for Reverie's Hockenheim 405 V8 air boxes, covers four trumpets, requiring two elements to filter air flow for all trumpets R01SE6178
- 4 ITG foam filter for Reverie's Hockenheim 422 straight 4 air boxes using standard or flat back plates, available in increased height or standard versions Standard height (105mm high) R01SE6173 Increased height (160mm high) R01SE6172

Pipercross Trumpet socks, can be used within any Reverie air box, socks cable tie to inlet trumpets, fits 40-50 DCOE trumpets available as single, pair of single socks or dual trumpet socks

Single trumpet sock	R01SE0080
Single trumpet sock pair	R01SE0081
Dual trumpet sock	R01SE0079

REVERIE

Reverie produce a range of autoclaved seats from single skin (matt black finish on the rear) to twin skin (moulded polished front and back shells bonded together to make the ultimate stiff light monocoque seat).

We make low back versions suitable for older sports cars to fully approved amazingly light FIA approved twin skin monocoque racing seats.

Our FIA approved seats have been impact sled tested in excess of 20G. FIA seats have the option of Velcro on trim pads or a fully trimmed seat front.

A range of seat cushions (in narrow or wide) or full seat trim options (FIA only) are available for use with the seats such as FIA approved (fire resistant) spacer fabrics, genuine leather or carbon fibre embossed effect leather. Trim is available as cushion kits or, on some models, full seat trim.



REVERIE

SEATS

SEATS

NARROW UNIVERSAL SEATS

XR C narrow twin skin seat
with side impact head rest
Mass 3.1kg (approx)
R01SI0036



X C twin skin seat,
provides additional
support to leg and
kidney areas
Mass: 3.0kg
(approx)
R01SI0047

SUBFRAMES

Subframes listed below are compatible with all Reverie seats. Our newly designed subframes allow for a range of different seat positions in order to help you achieve the perfect driving position.
(All weights stated are for each subframe)



Alloy Stepped Seat Mounts
Pro-Team Aluminium Side
Mount FIA Approved - pair
R01SI6189

S355 Steel stepped side
mount subframes, fits all
Reverie seats - pair
285-295mm base
Approx. 1.1kg
R01SI6002



Alloy Seat Mounts
Pro-Team 90° Aluminium
Side Mount
FIA Approved - pair
R01SI6190

Solid Billet Aluminium
Subframes for S/Sport
Seat - Pair FIA tested
with seat. Approx. 1kg
Universal fitment R01SI0111
Lotus fitment R01SI0115



S355 Steel L-side 90°
mount subframes, fits all
Reverie seats - pair
285-295mm base
Approx. 1.1kg
R01SI6212

Lotus Elise/Exige/VX220
S355 steel subframes, fits
all Reverie seats - pair
285-295mm base
Approx. 1.1kg
R01SI6215

Sales 0044 1206 866663
www.reverie.ltd.uk

REVERIE SEATS



NARROW SEATS - SUPER SPORTS

All Super Sports seats are universal (288mm approx. side mounts) and also fit Elise S1/S2/S3 / Exige S1/S2/S3 V6 & 340R / 2-Eleven / 340R VX220 With our Lotus fitment Subframes. All seats can be fitted with our velcro on cushion trim kits.



Super Sports Twin Skin Seat Polished
Mass 4.4kg (approx).

Super Sport (FIA Approved) R01SI0091

Super Sport (Non FIA) R01SI0107

(note: optional bolt-on head rest shown)



Optional Bolt on
Fia Approved Head Restraint
to Fit all Super Sports Seats

R01SI0094



Super Sports Twin Skin Seat
Black Fia Fabric Trimmed
Mass 5.2kg (approx).

Super Sport (FIA Approved) R01SI0101

Super Sport (Non FIA) R01SI0108

Budget Super Sports B Single Skin
Seat Black Fia Fabric Trimmed
Fia Approved Mass 5.4kg
(approx).

Super Sport B R01SI0106

1 Seat subframes R01SI0111

(see page 37)

Sales 0044 1206 866663
www.reverie.ltd.uk



REVERIE

SEATS

SEATS

NARROW UNIVERSAL SEATS

All seats for standard 288-290mm OMP/Sparco/Reverie/Cobra/Corbeau side mounts, Lotus Elise fixed and sliding S1 subframe options, Twin skin seats feature ultra stiff monocoque construction of two shells bonded together



Mulsanne C twin skin
Mass: 2.4kg (approx)
Optional bolt on side
head restraint (above)

- 1 Mulsanne C R01SI0001
- 2 Optional bolt-on head restraint R01SI0043

Mulsanne B single skin
matt black rear side
Mass: 3.0kg (approx)
R01SI0017



Mulsanne B low back single skin seat
designed to suit classic cars
Mass: 2.8kg (approx)
R01SI0055



Mulsanne C low back twin skin seat
designed to suit classic cars
Mass: 2.2kg (approx)
R01SI0015



Mulsanne CM Twin Skin Seat
Bottom Mounted
For Caterham & narrow chassis fitment direct to
chassis or runners
R01SI0104



Sales 0044 1206 866663
www.reverie.ltd.uk



REVERIE SEATS



WIDE UNIVERSAL SEATS

All seats fit standard OMP / Sparco side mounts (285 - 295mm).

Twin skin seats feature ultra stiff monocoque construction of two shells bonded together



Reverie XR C twin skin with side head restraints, increases support to critical areas, Available fully trimmed or untrimmed
Mass: 5.0kg approx

Untrimmed	R01SI0044
Leather Trimmed	R01SI0071
Black FIA fabric	R01SI0073

Reverie XR C twin skin offers increased support to critical areas, Available as an un-trimmed version (XS C) or as bottom mounted version to bolt to chassis or sliding runners (XM C) Mass: 5.0kg approx

Untrimmed	R01SI0045
Black SpacerFabric	R01SI0074
XSC untrimmed	R01SI0050
XM C Untrimmed	R01SI0069
Leather	R01SI0072



REVERIE

SEATS



SEATS

WIDE UNIVERSAL SEATS

All seats fit standard OMP / Sparco side mounts (285 - 295mm).

Twin skin seats feature ultra stiff monocoque construction of two shells bonded together

Reverie GT C twin skin
construction

Mass 3.5kg approx

R01SI0011

Reverie GT B Single skin
construction with matt black
rear to reduce cost

Mass: 4.4kg approx

R01SI0018



Reverie GT B low back
designed to suit classic cars,
single skin construction

Mass: 4.2kg approx

R01SI0056



Reverie GT C low back designed
to suit classic cars
twin skin construction

Mass 3.3kg approx

R01SI0016



Sales 0044 1206 866663
www.reverie.ltd.uk



41

REVERIE

SEATS



SEAT SIZES



Part No	Description	FIA	KG	Dimensions (mm)																	
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	X
R01SI0055	Mulsanne B Single Skin (Narrow, Low Back)	✗	2.5	475	445	330	385	410	680	560	292.5	670	640	NA	NA	360	90	200	130	175	63
R01SI0017	Mulsanne B Single Skin (Narrow)	✗	2.9	475	445	330	385	410	690	560	292.5	670	660	95	640	360	330	200	130	175	63
R01SI0015	Mulsanne C Twin Skin (Narrow, Low Back)	✗	2.4	470	440	330	380	410	680	540	286	660	630	NA	NA	360	90	230	130	175	60
R01SI0001	Mulsanne C Twin Skin (Narrow)	✗	2.9	470	440	330	380	410	685	540	288	660	650	95	640	360	345	230	130	175	60
R01SI0047	X C Twin Skin (Narrow)	✗	3.7	495	440	320	380	430	690	650	286	690	650	100	640	340	240	340	130	175	65
R01SI0038	XR C Twin Skin (Narrow)	✗	3.6	500	440	330	380	470	690	640	286	690	650	140	640	340	250	340	130	175	65
R01SI0104	Mulsanne CM Twin Skin (Narrow, Roll-Over Protection)	✗	2.5	430	400	330	320	400	640	640	288	700	630	90	600	345	330	240	NA	NA	60
R01SI0106	Super Sports B Single Skin (Narrow, Truncated)	✓	5.0	525	460	370	440	450	910	620	288	700	650	130	670	330	330	310	130	175	70
R01SI0091	Super Sports Twin Skin (Narrow, Polished)	✓	4.4	490	440	330	420	430	910	630	288	700	680	150	655	340	330	310	130	175	65
R01SI0101	Super Sports Twin Skin (Narrow, Truncated)	✓	5.2	490	440	310	420	430	910	630	288	700	680	150	655	325	310	310	130	175	65
R01SI0107	Super Sports Twin Skin (Narrow, Polished)	✗	4.4	490	440	330	420	430	910	630	288	700	680	150	655	340	330	310	130	175	65
R01SI0108	Super Sports Twin Skin (Narrow, Truncated)	✗	5.0	490	440	310	420	430	910	630	288	700	680	150	655	325	310	310	130	175	65
R01SI0056	GT B Single Skin (Wide, Low Back)	✗	4.2	540	500	400	430	515	680	650	283.5	610	640	NA	NA	440	330	300	130	175	75
R01SI0018	GT B Single Skin (Wide)	✗	4.4	540	500	400	430	515	690	650	283.5	610	900	95	740	440	330	300	130	175	75
R01SI0016	GT C Twin Skin (Wide, Low Back)	✗	3.5	530	485	400	460	520	750	630	283.5	610	640	NA	NA	425	80	310	130	175	75
R01SI0011	GT C Twin Skin (Wide)	✗	3.3	535	500	400	460	520	1010	630	283.5	610	900	95	770	430	370	310	130	175	75
R01SI0044	XR C Twin Skin (Wide, Head Rest)	✗	5.9	530	480	370	450	500	800	640	286	675	670	140	650	360	310	340	130	175	65
R01SI0045	XR C Twin Skin (Wide, Non Head Rest)	✗	4.8	550	510	380	450	490	900	630	286	665	680	145	650	380	330	300	130	175	60
R01SI0050	XSC Twin Skin (Wide, Non Head Rest)	✗	4.5	550	510	380	450	480	900	630	286	670	670	145	650	370	330	310	130	175	60
R01SI0066	XM C Twin Skin (Wide, No Head Rest)	✗	3.7	530	510	360	450	480	800	630	286	670	670	145	650	370	330	310	NA	NA	60
R01SI0071	XR C Twin Skin (Wide, Leather Truncated, Head Rest)	✗	5.9	540	460	380	445	500	910	650	286	680	670	125	660	350	350	350	130	175	65
R01SI0072	XR C Twin Skin (Wide, Leather Truncated, Non Head Rest)	✗	5.9	550	510	380	445	490	915	600	286	690	670	130	660	370	350	310	130	175	60
R01SI0073	XR C Twin Skin (Wide, FIA Truncated, Head Rest)	✗	6.2	540	460	380	445	500	910	650	286	680	670	125	660	350	350	350	130	175	65
R01SI0074	XR C Twin Skin (Wide, FIA Truncated, Non Head Rest)	✗	5.7	550	510	380	445	490	915	600	286	690	670	130	660	370	350	310	130	175	60

REVERIE

SEATS

SEATS

SEAT CUSHION KITS

Reverie velcro on cushion pad kits, standard colours listed below, other colours may be available on request
Narrow kits will fit Mulsanne B, Mulsanne C, X C and XR C, wide kits will fit GT B, GT C, XRC, XSC, XMC (+ wide)
A full range can be viewed on our website www.reverie.ltd.uk



BRUSHED NYLON FABRIC CUSHION KITS



Black Narrow R01SI6043 Wide R01SI6044	Red Narrow R01SI6043R Wide R01SI6044R	Dark Blue Narrow R01SI6043DB Wide R01SI6044DB	Blue Narrow R01SI6043B Wide R01SI6044B	Dark Grey Narrow R01SI6043DG Wide R01SI6044DG
---	---	---	--	---



FIA SPACER FABRIC CUSHION KITS



Black Narrow R01SI6135 Wide R01SI6137	Red Narrow R01SI6135R Wide R01SI6137R	Blue Narrow R01SI6135BE Wide R01SI6137BE	Grey Narrow R01SI6135G Wide R01SI6137G
Yellow Stitching Narrow R01SI6191 Wide R01SI6198			
White Stitching Narrow R01SI6204 Wide R01SI6206			
Green Stitching Narrow R01SI6205 Wide R01SI6207			

OPTIONAL STITCHING




CM Narrow Seat
Black
Black Stitching R01SI6208
Yellow Stitching R01SI6209



DINAMICA CUSHION KITS



Black Narrow R01SI6045 Wide R01SI6046	Red Narrow R01SI6045R Wide R01SI6046R	Royal Blue Narrow R01SI6045RB Wide R01SI6046RB	Grey Narrow R01SI6045G Wide R01SI6046G	Green (Yellow Stitching) Narrow R01SI6194 Wide R01SI6201
---	---	--	--	--



LEATHER CUSHION KITS



Black Narrow R01SI6007B Wide R01SI6011 CM R01SI6211	Red Narrow R01SI6007R Wide R01SI6011R	Blue Narrow R01SI6007BE Wide R01SI6011BE	Grey Narrow R01SI6007GY Wide R01SI6011GY	Green Narrow R01SI6007GN Wide R01SI6011GN	Yellow Narrow R01SI6007Y Wide R01SI6011Y
--	---	--	--	---	--

BLACK FOAM CUSHION KITS



Black foam cushion kits
Narrow R01SI0007 Wide R01SI0014

VINYL CUSHION KITS



Vinyl cushion kits
Narrow R01SI6009 Wide R01SI6013

CARBON LEATHER



Carbon effect leather cushion kits
Narrow R01SI6024 Wide R01SI6025

ADDITIONAL SUPPORT CUSHIONS



Additional support cushion pads
1 Side head rest R01SI6164
2 Lumbar support R01SI6162
3 Side support R01SI6163

Sales 0044 1206 866663
www.reverie.ltd.uk



REVERIE

Reverie autoclaves carbon fibre pre-preg steering wheels of superb quality which meet F1 technical regulations as tested by TRL.

The most common fixing patterns are available as standard, such as Momo, Sparco, OMP, Nardi and 3 stud. Wheels can also be custom drilled upon request.

We have supplied steering wheels to Citroen rally team, with Sebastien Lobe, winners of WRC every year between 2004 and 2010 and now supply for 2015.


We make steering wheels in various sizes from 255mm to 350mm diameter.

We produce steering wheels that support electronic displays, the Rally 330 flat bottom steering wheel, featured below can be ordered with a fully customisable integrated MoTeC SLM. We also offer steering wheels to house the Stack / Farrington ST8600 electronic dash

For technical information regarding our steering wheels including measurements, cross sectional areas and weights please visit http://www.reverie.ltd.uk/steering_data.php



DRILLING PATTERNS



REVERIE

STEERING WHEELS

STEERING
WHEELS

ALCANTARA TRIMMED STEERING WHEELS

Available predrilled or undrilled with two or three optional button holes



OPTIONAL BUTTON
HOLES

Rally 330
approx mass: 325g

Momo / Sparco / OMP Two button holes R01SH0032
Three button holes R01SH0038 No button holes R01SH0037

Nardi / personal Two button holes R01SH0074
Three button holes R01SH0075 No button holes R01SH0073

Three stud Two button holes R01SH0109
Three button holes R01SH0111 No button holes R01SH0107

Raid Two button holes R01SH0108
Three button holes R01SH0110 No button holes R01SH0106

Undrilled Two button holes R01SH0040
Three button holes R01SH0041 No button holes R01SH0039



OPTIONAL BUTTON
HOLES

Rally 350
approx mass: 325g

Momo / Sparco / OMP Two button holes R01SH0046
Three button holes R01SH0055 No button holes R01SH0077

Nardi / personal Two button holes R01SH0101
Three button holes R01SH0104 No button holes R01SH0099

Three stud Two button holes R01SH0102
Three button holes R01SH0103 No button holes R01SH0100

Raid Two button holes R01SH0078
Three button holes R01SH0047 No button holes R01SH0045

Undrilled Two button holes R01SH0043
Three button holes R01SH0044 No button holes R01SH0042



OPTIONAL BUTTON
HOLES

Rally 330 for use with farrington ST8600,
approx mass: 325g

Momo / Sparco / OMP Two button holes R01SH0160
Three button holes R01SH0161 No button holes R01SH0159

Nardi / personal Two button holes R01SH0163
Three button holes R01SH0164 No button holes R01SH0162

Three stud Two button holes R01SH0184
Three button holes R01SH0185 No button holes R01SH0183

Raid Two button holes R01SH0187
Three button holes R01SH0188 No button holes R01SH0186

Undrilled Two button holes R01SH0166
Three button holes R01SH0167 No button holes R01SH0165



OPTIONAL BUTTON
HOLES

Rally 330 flat bottom with MoTeC SLM
approx mass: 350g

Momo / Sparco / OMP
Two button holes R01SH0155 No button holes R01SH0150

Nardi / personal
Two button holes R01SH0157 No button holes R01SH0152

Three stud
Two button holes R01SH0158 No button holes R01SH0153

Raid
Two button holes R01SH0156 No button holes R01SH0151

Undrilled
Two button holes R01SH0154 No button holes R01SH0149



OPTIONAL BUTTON
HOLES

FQ 350
approx mass: 325g

Momo / Sparco / OMP Two button holes R01SH0129
Three button holes R01SH0134 No button holes R01SH0066

Nardi / personal Two button holes R01SH130
Three button holes R01SH0135 No button holes R01SH0098

Three stud Two button holes R01SH0132
Three button holes R01SH0137 No button holes R01SH0105

Raid Two button holes R01SH0131
Three button holes R01SH0136 No button holes R01SH0080

Undrilled Two button holes R01SH0128
Three button holes R01SH0133 No button holes R01SH0065



OPTIONAL BUTTON
HOLES

Rally 330 flat bottom
approx mass: 302g

Momo / Sparco / OMP
Two button holes R01SH0092 No button holes R01SH0140

Nardi / personal
Two button holes R01SH0093 No button holes R01SH0139

Three stud
Two button holes R01SH0094 No button holes R01SH0141

Raid
Two button holes R01SH0113 No button holes R01SH0112

Undrilled
Two button holes R01SH0097 No button holes R01SH0096

Sales 0044 1206 866663
www.reverie.ltd.uk



45

REVERIE

STEERING WHEELS



UNTRIMMED STEERING WHEELS



Eclipse 255 approx mass: 215g

Momo / Sparco / OMP	R01SH0028
Nardi / personal	R01SH0121
Three stud	R01SH0030
Raid	R01SH0029
Undrilled	R01SH0031



Eclipse 270 flat bottom approx mass: 215g

Momo / Sparco / OMP	R01SH0033
Nardi / personal	R01SH0120
Three stud	R01SH0035
Raid	R01SH0034
Undrilled	R01SH0036



Eclipse 280 approx mass: 230g

Momo / Sparco / OMP	R01SH0118
Nardi / personal	R01SH0007
Three stud	R01SH0011
Raid	R01SH0016
Undrilled	R01SH0010



Eclipse 315 optional 23mm mounting offset, approx mass: 255g

Momo / Sparco / OMP	Std R01SH0001	Offset R01SH0114
Nardi / personal	Std R01SH0071	Offset R01SH0116
Three stud	Std R01SH0005	Offset R01SH0117
Raid	Std R01SH0014	Offset R01SH0115
Undrilled	Std R01SH0004	Offset R01SH0056



Eclipse 270 flat bottom for fitment with farrington / Stack ST8600 dash system (not included) approx mass: 215g

Momo / Sparco / OMP	R01SH0124
Nardi / personal	R01SH0127
Three stud	R01SH0126
Raid	R01SH0125
Undrilled	R01SH0123



Eclipse 280 for fitment with farrington / Stack ST8600 dash system (not included) approx mass: 230g

Momo / Sparco / OMP	R01SH0058
Nardi / personal	R01SH0119
Three stud	R01SH0060
Raid	R01SH0059
Undrilled	R01SH0019



Rally 330 approx mass: 335g

Momo / Sparco / OMP	
Two button holes	R01SH0050
Three button holes	R01SH0051
No button holes	R01SH0020
Nardi / personal	
Two button holes	R01SH0081
Three button holes	R01SH0082
No button holes	R01SH0072
Raid	
Two button holes	R01SH0189
Three button holes	R01SH0190
No button holes	R01SH0021
Undrilled	
Two button holes	R01SH0048
Three button holes	R01SH0049
No button holes	R01SH0023
Three Stud	
Two button holes	R01SH0191
Three button holes	R01SH0192
No button holes	R01SH0022



Rally 330 for farrington ST8600 dash approx mass: 320g

Momo / Sparco / OMP	
Two button holes	Farrington R01SH0169
Three button holes	Farrington R01SH0170
No button holes	Farrington R01SH0168
Nardi / personal	
Two button holes	Farrington R01SH0172
Three button holes	Farrington R01SH0173
No button holes	Farrington R01SH0171
Raid	
Two button holes	Farrington R01SH0181
Three button holes	Farrington R01SH0182
No button holes	Farrington R01SH0180
Undrilled	
Two button holes	Farrington R01SH0175
Three button holes	Farrington R01SH0176
No button holes	Farrington R01SH0174
Three Stud	
Two button holes	Farrington R01SH0178
Three button holes	Farrington R01SH0179
No button holes	Farrington R01SH0177



Rally 350 approx mass: 345g

Momo / Sparco / OMP	
Two button holes	R01SH0054
Three button holes	R01SH0079
No button holes	R01SH0024
Nardi / personal	
Two button holes	R01SH0083
Three button holes	R01SH0084
No button holes	R01SH0076
Three Stud	
Two button holes	R01SH0143
Three button holes	R01SH0144
No button holes	R01SH0026
Raid	
Two button holes	R01SH0142
Three button holes	R01SH0146
No button holes	R01SH0025
Undrilled	
Two button holes	R01SH0052
Three button holes	R01SH0053
No button holes	R01SH0027



Flight 280 approx mass: 230g

Momo / Sparco / OMP	R01SH0008
Nardi / personal	R01SH0122
Three Stud	R01SH0009
Raid	R01SH0015
Undrilled	R01SH0012

Flight 315 approx mass: 345g

Momo / Sparco / OMP	R01SH0002
Nardi / personal	R01SH0070
Three Stud	R01SH0003
Raid	R01SH0013
Undrilled	R01SH0006

REVERIE

STEERING WHEELS

STEERING
WHEELS

ACCESSORIES



B&G quick release Momo steering wheel adapter

R01SH6031



Carbon fibre center horn push ring, fits Momo, OMP and Sparco drilling patterns

R01SH0057



Reverie horn push centre button kit, fits to 51mm holes drilled in wheels

R01SH6003



Carbon fibre mount for Race Tech dash available with 23mm offset

Standard mount R01SH0087
23mm offset mount R01SH0086



Universal steering wheel push button switch for steering wheels with removable cap

R01SW6308



Coloured cap for steering wheel push button switch

Red R01SW6309
White R01SW6311
Black R01SW6310



Rubber heatshrink boot for use on rear of push switch

R01SW6312

UNIVERSAL GEAR KNOBS



CARBON FIBRE LIFT REVERSE

M8 - 1.5

Alloy - Tungsten filled R01SU0122 Unfilled R01SU0084
Brass - Tungsten filled R01SU0124 Unfilled R01SU0104
19mm internal diameter 17.6mm lift travel

M10 - 1.5

Alloy - Tungsten filled R01SU0136 Unfilled R01SU0138
Brass - Tungsten filled R01SU0144 Unfilled R01SU0146
21mm internal diameter 17.6mm lift travel

M12 - 1.5

Alloy - Tungsten filled R01SU0199 Unfilled R01SU0200
Brass - Tungsten filled R01SU0196 Unfilled R01SU0197
21mm internal diameter 17.6mm lift travel



CARBON FIBRE NON LIFT REVERSE

M8 - 1.25

Brass - Tungsten filled R01SU0108 Unfilled R01SU0106

5/16-18 UNC

Brass - Tungsten filled R01SU0132 Unfilled R01SU0130

M10 - 1.25

Tungsten filled R01SU0112 Unfilled R01SU0110

M10 - 1.5

Tungsten filled R01SU0128 Unfilled R01SU0126

7/16-20 UNF

Brass - Tungsten filled R01SU0120 Unfilled R01SU0118

M12 - 1.25

Brass - Tungsten filled R01SU0116 Unfilled R01SU0114

M12 - 1.75

Brass - Tungsten filled R01SU0230 Unfilled R01SU0229



CLASSIC STYLE UNIVERSAL GEAR KNOB

8mm Tufnol Bore Insert

Carbon fibre Tungsten filled R01SU0134

Carbon fibre Quaife gearshaft

3/8" UNC

Carbon fibre Caterham Style Alloy insert

Unfilled R01SU0034

Unfilled R01SU0060

Unfilled R01SU0266

Silver texalium tungsten filled R01SU0135

Silver texalium Quaife gearshaft

Tungsten filled R01SU0267

Unfilled R01SU0089

Unfilled R01SU0090



SILVER TEXALIUM LIFT REVERSE

M8 - 1.5

Alloy - Tungsten filled R01SU0123 Unfilled R01SU0085
Brass - Tungsten filled R01SU0125 Unfilled R01SU0105
19mm internal diameter 17.6mm lift travel

M10 - 1.5

Alloy - Tungsten filled R01SU0137 Unfilled R01SU0139
Brass - Tungsten filled R01SU0145 Unfilled R01SU0147
21mm internal diameter 17.6mm lift travel

M12 - 1.5

Brass - Tungsten filled R01SU0195 Unfilled R01SU0198
21mm internal diameter 17.6mm lift travel



SILVER TEXALIUM NON LIFT REVERSE

M8 - 1.25

Brass - Tungsten filled R01SU0109 Unfilled R01SU0107

5/16-18 UNC

Brass - Tungsten filled R01SU0133 Unfilled R01SU0131

M10 - 1.25

Brass - Tungsten filled R01SU0113 Unfilled R01SU0111

M10 - 1.5

Brass - Tungsten filled R01SU0129 Unfilled R01SU0127

7/16-20 UNF

Brass - Tungsten filled R01SU0121 Unfilled R01SU0119

M12 - 1.25

Brass - Tungsten filled R01SU0117 Unfilled R01SU0115

Sales 0044 1206 866663
www.reverie.ltd.uk



REVERIE

MODEL SPECIFIC



AUDI & ASTON MARTIN



Audi S3 Carbon Fibre Mud Spats

Stylish Carbon Fibre mud spats that fit to Audi S3 models and includes fixings

Saloon R01SB0538
Sportback R01SB0516



Aston Martin Rear Wing Kits:

310mm Chord Carbon Fibre wing kits (including alloy CNC mounts) to fit the Vantage (05-17) and new Vantage GT8 produced from 2017

Vantage (05-17) R01SB0510
Vantage (17-) R01SB0542

CATERHAM AND WESTFIELD

DUCTED INTAKE AIR BOX SYSTEMS



Reverie Mondello intakes, available for Caterham Fireblade, Blackbird and JPE, tailored to fit, comprises of pre-trimmed Hockenheim air box, Suzuka air induction kit, cotton gauze cone filter, adaptors, ducting and Mondello bonnet mounted intake scoop.

1 Caterham Fireblade Carbon fibre R01SE0227
Caterham Blackbird Carbon fibre R01SE0229
Caterham JPE/XE Carbon fibre R01SE0216
Caterham JPE/XE Carbon fibre R01SE0395 (non ducted kit)
2 Caterham CSR260 Carbon fibre R01SE0647

3 Reverie Blister intakes, available for Caterham Fireblade, Blackbird, XE and JPE, tailored to fit, comprises of pre-trimmed Hockenheim air box, Suzuka air induction kit, cotton gauze cone air filter, adaptors, ducting and Reverie Blister intake scoop.

Caterham Fireblade Carbon fibre R01SE0226
Caterham Blackbird Carbon fibre R01SE0228
Caterham JPE/XE Carbon fibre R01SE0214 (GRP R01SE0215)



3 Stand alone Blister air intakes

Carbon fibre
UK driver side R01SE0040
UK passenger side R01SE0041
GRP
UK driver side R01SE0180
UK passenger side R01SE0181

NON DUCTED SYSTEMS



4 Non ducted air box systems for Caterham Fireblade, JPE and Hayabusa powered Westfield or XTR2. Kits feature pre-trimmed Hockenheim 422 air box, bonded Suzuka filter canister and cotton gauze cone filter.

Caterham Fireblade Carbon fibre R01SE0190 GRP R01SE0191
Caterham JPE GRP R01SE0395
Westfield Hayabusa Carbon fibre R01SE0245 GRP R01SE0246
XTR2 Hayabusa non-ducted Carbon fibre R01SE0393 GRP R01SE0394
XTR2 Hayabusa Ducted Carbon fibre R01SE0392

AERO BODY PARTS



Caterham CSR/Levante/SV front wing assembly
1285mm wide with end plates
M02SB0010
(Std S3 Chassis: M02SB0013)



Caterham diffuser for De-Dion axle available as SV wide or Non SV versions Centre cut out shown on diffuser (above image) is not required for cars with newer independent rear suspension

SV Wide diffuser R01SB0111
Non SV diffuser R01SB0121

REVERIE

MODEL SPECIFIC

MODEL SPECIFIC

NOBLE M12, M400 AND 3R

For wind tunnel test results please visit <http://www.reverie.ltd.uk/Downloads/ReverieNobleData.pdf>



- 1 Carbon fibre floor extensions, creates flat underside forward of wheel arches to improve downforce - pair R01SB0294
- 2 Carbon fibre brake duct blanks, streamlines front of car reducing drag - pair R01SB0297
- 3 Carbon fibre front canards, provides additional downforce to front of car - pair R01SB0288
- 4 Front splitter, 50mm version will fit both tilt and lift off clam, 100mm version will fit lift off clamshell version only
50mm R01SB0289 100mm R01SB0296
- 5 Raditor gurney flap, creates additional downforce and improves cooling R01SB0378
- 6 Five element carbon fibre rear diffuser, simple bolt on fitment R01SB0290
- 7 Carbon fibre wheel arch louvres, allows pressurised air in wheel arches to escape increasing downforce, fits both front and rear wheel arches - pair R01SB0242



Carbon fibre door handle covers supplied individually and lacquered R01SB6057



Carbon fibre wing endplates
8 Standed Noble m400 style R01SB0348
9 Rectangular 2-Eleven style R01SB0356



Carbon fibre gearknob M12-1.25 non-lift reverse brass insert for Noble M12
Unfilled R01SU0116 Tungsten filled R01SU0114



Sales 0044 1206 866663
www.reverie.ltd.uk

REVERIE

MODEL SPECIFIC



PORSCHE



Porsche 911 GT3 (911.1) Carbon Fibre Products:

- | | |
|---|-----------|
| 1 Bumper Canards | R01SB0464 |
| 2 Front Splitter | R01SB0459 |
| 3 Side Skirts | R01SB0488 |
| 4 310mm chord rear wing kit with CNC mounts | R01SB0487 |

ULTIMA GTR / CAN AM



- | | |
|--|-----------|
| 1 Ultima GTR / Ultima Can Am Holley 5 1/4" Carburetor fitment air box, includes two 100mm ram air inlets | R01SE0231 |
| 2 Ultima GTR Carbon fibre air box, with top ram air feed, for Holley Carburetors or and 5 1/4" down draft | R01SE0197 |
| 3 Ultima GTR cam covers for Chevy small block engine, direct OEM replacement, supplied as a pair | R01SE0254 |
| 4 Ultima GTR / Can Am side air intakes, available as left hand or right hand part for use with
UK drivers side R01SE0195 UK passenger side R01SE0196 | |
| 5 Ultima GTR / Can am 3 element rear Carbon fibre diffuser | R01SB0453 |

TVR T350



- | | |
|---|-----------|
| 1 225mm chord curved rear wing for TVR T350, 1300mm span, includes end plates and drop tabs | R01SB0345 |
| 2 CNC machined alloy wing supports for TVR T350, machined to match body profile | R01SB6062 |
| 3 Three element diffuser, splits standard diffuser into three separate tunnels, further streamlining underside of car | R01SB0346 |
| 4 Carbon fibre canards, used to balance downforce over the car when using a rear wing or diffuser - pair | R01SB0344 |
| 5 Carbon fibre front splitter plates, supplied as a left or right hand part, enhances front grip | |

Right hand splitter plate R01SB0342 Left hand splitter plate R01SB0343

TVR Tamora Carbon fibre front splitter panel 60mm extension

R01SB0408

TVR Tuscan Mk2 Mulsanne B / C / XC Seat bracket kit subframes

Driver side R01SI6184 Passenger side R01SI6185



World Wide Dealers Wanted



Visit Reverie online for worldwide dealers

Download latest prices, technical data, drawings and digital versions of our brochures for free
Advanced search function available to show all parts compatible with your car

www.reverie.ltd.uk

Authorised Dealer Stamp



Tel: +44 (0)1206 866663
Tech Sales: +44 (0)1206 913465
Accounts: +44 (0)1206 235997
VOIP: +44 (0)1206 868144
Skype: +44 (0)2081 235997
Email: sales@reverie.ltd.uk

[reverie_composites](https://www.facebook.com/reverieltd)
[facebook.com/reverieltd](https://www.facebook.com/reverieltd)
twitter.com/reverieltd
[instagram.com/reverieltd](https://www.instagram.com/reverieltd)

WARNING! MOTORSPORT OR DRIVING CAN BE DANGEROUS RESULTING IN DEATH OR PERSONAL INJURY. READ OUR FITTING INSTRUCTIONS CAREFULLY ReVerie automotive products are for "motorsports use only". We cannot be held responsible for misuse of our products. This article is sold without warranty expressed or implied. No warranty or representation is made as to this product's ability to protect the user from injury or death. The user assumes that risk. The effectiveness, warranty and longevity of this equipment are directly related to the manner in which it is INSTALLED, USED, and/or MAINTAINED. THE USER ASSUMES THE RISK. Fitment of reverie products to automobiles that are subject to a manufacturer's warranty MAY VOID THE MANUFACTURER'S WARRANTY AND THE VEHICLES ABILITY TO MEET EMISSION OR OTHER TRANSPORT REGULATIONS. By purchasing this product and/or opening the packaging, users / purchasers expressly acknowledge, understand and agree that they take, select and purchase these REVERIE products from REVERIE, its affiliates, distributors, and agents (collectively, REVERIE) "as is" and "with all faults". The entire risk as to the quality and performance of these REVERIE parts is with the purchasers. Should the goods prove defective following their purchase; the purchasers assume the entire cost for all necessary servicing or repair or any resulting liability. Working on your car can be a dangerous activity. If you are unsure of what you are doing, please leave mechanical or Safety critical work to a skilled mechanic. We take no responsibility for the incorrect use and / or installation of REVERIE products. If this Carbon fibre product is exposed to sunlight / UV then it should be regularly UV coated with Armour-all protectant or sanded and 2k clear lacquered. Prolonged exposure to UV will 'yellow' the epoxy and lead to slow deterioration of structural performance (more info available on our web site or on request).

Although ReVerie Limited supply parts for use with/on vehicles manufactured by Lotus Cars Limited, ReVerie Limited is in no way connected to Lotus Cars Limited or any other member of the Lotus Group of companies ("Lotus") and is entirely independent of Lotus. Accordingly, none of the products offered for sale or supplied by ReVerie Limited (nor any advice or service offered or provided by ReVerie Limited) are in any way endorsed by Lotus and Lotus has not tested or approved any such products or services. Accordingly, Lotus shall not under any circumstances be liable for any loss, claim, damages or any consequential, indirect or special damages whatsoever arising out of or in connection with the use of products sold or supplied by ReVerie."

1 DEFINITIONS AND INTERPRETATION

- 1.1 In these Conditions, the following definitions apply:
- 1.1.1 "Acceptance" the acceptance of the Order by any of the following means: a) In writing whether by the return of a signed duplicate copy of the Order or by any other means; or b) By dispatch or delivery of the Items by the Seller to the Customer.
- 1.1.2 "Business Day" means a day (other than a Saturday, Sunday or public holiday) when banks in London are open for business.
- 1.1.3 "Conditions" means the terms and conditions set out in this document as amended from time to time in accordance with clause 10.6.
- 1.1.4 "Delivery date" the estimated date specified by the Customer in the Order when the Items are to be delivered see clause 3
- 1.1.5 "Contract" the contract for the supply and delivery of the Items by REVERIE LIMITED to the Customer in accordance with the terms of the Order and the Supplier Contract which arises on Acceptance in accordance with these Conditions;
- 1.1.6 "Customer" means the person or firm who purchases the Products / Services from REVERIE LIMITED.
- 1.1.7 "Force Majeure Event" has the meaning given in clause 9.
- 1.1.8 "Price" is defined in clause 6
- 1.1.9 "Quantity Required" the number of the Items which the customer wishes to purchase as set out in the purchase order.
- 1.1.9 "Products / Services" means the Products (or any part of them) set out in the Order, and shall include (if applicable) any advice provided by REVERIE LIMITED in relation to such Products.
- 1.1.10 "Order" means the Customer's order for the Products, as set out in the Customer's purchase order form or in the absence of a purchase order form from the Customer then in the Customer's written acceptance of REVERIE LIMITED's quotation.
- 1.1.11 REVERIE LIMITED is herein the Supplier company registered in England and Wales with company number 3987987.
- 1.1.12 "Specification" means any specification for the Products / Services, including any related plans, CAD models, drawings, reference samples or quality documents that are produced by REVERIE LIMITED or supplied by the Customer and agreed to in writing by REVERIE LIMITED.
- 1.2 Construction. In these Conditions, the following rules apply:
- 1.2.1 A person includes a natural person, corporate or unincorporated body (whether or not having separate legal personality).
- 1.2.2 A reference to a party includes its personal representatives, successors or permitted assigns.
- 1.2.3 A reference to a statute or statutory provision is a reference to such statute or provision as amended or re-enacted. A reference to a statute or statutory provision includes any subordinate legislation made under that statute or statutory provision, as amended or re-enacted.
- 1.2.4 Any phrase introduced by the terms including, include, in particular or any similar expression shall be construed as illustrative and shall not limit the sense of the words preceding those terms.
- 1.2.5 A reference to writing or written includes faxes, e-mails, SMS text messages and 'WhatsApp'

2 BASIS OF CONTRACT

- 2.1 These Conditions apply to the Contract to the exclusion of any other terms that the Customer seeks to impose or incorporate, or which are implied by trade, custom, practice or course of dealing (save as shall have been expressly agreed in writing by REVERIE LIMITED). No variation or representation will be binding on REVERIE LIMITED unless confirmed in writing by an authorized officer of REVERIE LIMITED.
- 2.2 The Order constitutes an offer by the Customer to purchase the Goods in accordance with these Conditions. The Customer is responsible for ensuring that the terms of the Order and any applicable Specification submitted by the Customer are complete and accurate.
- 2.3 The Order shall only be deemed to be accepted when REVERIE LIMITED issues a written acceptance of the order, at which point the contract shall come into existence.
- 2.4 The Contract constitutes the entire agreement between the parties. The Customer acknowledges that it has not relied on any statement, promise or representation made or given by or on behalf of REVERIE LIMITED which is not set out in the Contract.
- 2.5 Any samples, drawings, CAD models, descriptive matter, or advertising and any descriptions or illustrations on REVERIE LIMITED's website or catalogues are produced for the sole purpose of giving an approximate idea of the Goods described in them. They shall not form part of the Contract or have any contractual force.
- 2.6 A quotation for the Goods given by REVERIE LIMITED shall not constitute an offer. A quotation shall only be valid for a period of 30 Days from its date of issue.
- 2.7 Any reference in these Conditions to any provision of an Act of Parliament or statutory instrument shall be construed as a reference to the provision as amended or re-enacted or extended at the relevant time.
- 2.8 The headings in these Conditions are set out for convenience only and shall have no effect in the interpretation of the individual clauses.

3 DELIVERY

- 3.1 REVERIE LIMITED shall deliver the Products (Ex works) to the location set out in the Order and agreed by REVERIE LIMITED or such other location as the parties may agree ("Delivery Location") at any time after REVERIE LIMITED notifies the Customer that the Products are ready subject to clause 6.
- 3.2 Delivery of the Products shall be completed on the Products' arrival at the Delivery Location or Where Goods are delivered by an independent carrier instructed by the purchaser, delivery to the carrier shall be deemed to be delivery to the customer.
- 3.3 Any dates quoted for delivery are approximate only, and the time of delivery is not of the essence. REVERIE LIMITED shall not be liable for any delay in delivery of the Products that is caused by a Force Majeure event or the Customer's failure to provide REVERIE LIMITED with adequate delivery instructions or any other instructions that are relevant to the supply of the Products.
- 3.4 If REVERIE LIMITED fails to deliver the Products, its liability shall be limited to the costs and expenses incurred by the Customer in obtaining replacement Products of similar description and quality in the cheapest market available, less the price of the Products. REVERIE LIMITED shall have no liability for any failure to deliver the Products to the extent that such failure is caused by a Force Majeure Event or the Customer's failure to provide REVERIE LIMITED with adequate delivery instructions or any other instructions that are relevant to the supply of the Products.
- 3.5 If the Customer fails to accept delivery of the Products within 3 Business Days of REVERIE LIMITED notifying the Customer that the Products are ready, then, except where such failure or delay is caused by a Force Majeure Event or REVERIE LIMITED's failure to comply with its obligations under the Contract:
- 3.5.1 Delivery of the Products shall be deemed to have been completed at 9.00 am on the third Business Day following the day on which REVERIE LIMITED notified the Customer that the Products were ready; and
- 3.5.2 REVERIE LIMITED shall store the Products until delivery takes place, and the Customer shall be liable for all related costs and expenses (including insurance).
- 3.6 If 5 Business Days after REVERIE LIMITED notified the Customer that the Products were ready for delivery the Customer has not accepted delivery of them, REVERIE LIMITED may resell or otherwise dispose of part or all of the Products and, after deducting reasonable storage and selling costs, account to the Customer for any excess over the price of the Products or charge the Customer for any shortfall below the price of the Products.
- 3.7 The Customer shall not be entitled to reject the Products if REVERIE LIMITED delivers up to and including 5% more or less than the quantity of Products ordered, but a pro rata adjustment shall be made to the Order invoice on receipt of notice from the Customer that the wrong quantity of Products was delivered.
- 3.8 REVERIE LIMITED may deliver the Products by instalments, which shall be invoiced and paid for separately. Each instalment shall constitute a separate Contract. Any delay in delivery or defect in an instalment shall not entitle the Customer to cancel any other instalment.
- 3.9 Each delivery of the Goods to the address requested on the order is accompanied by a delivery note which shows the date of the Order, all relevant Customer and REVERIE LIMITED reference numbers, the type and quantity of the Goods (including the code number of the Goods, where applicable).

4 QUALITY

- 4.1 REVERIE LIMITED warrants that on delivery, and for a period of 12 months from the date of delivery ("warranty period"), the Products shall:
- 4.1.1 Conform in all material respects with their description and any applicable Specification; and
- 4.1.2 Be free from material defects in design, material and workmanship.
- 4.2 Subject to clause 4.3, if:
- 4.2.1 The Customer gives notice in writing to REVERIE LIMITED during the warranty period within a reasonable time of discovery that some or all of the Products do not comply with the warranty set out in clause 4.1; and
- 4.2.2 REVERIE LIMITED is given a reasonable opportunity of examining such Products; and
- 4.2.3 The Customer (if asked to do so by REVERIE LIMITED) returns such Products to REVERIE LIMITED's place of business at the Customer's cost; then REVERIE LIMITED shall, at its option, repair or replace the defective Products, or refund the price of the defective Products in full.
- 4.3 REVERIE LIMITED shall not be liable for Products' failure to comply with the warranty set out in clause 4.1 if:
- 4.3.1 The Customer makes any further use of such Products after giving notice in accordance with clause 4.2; or
- 4.3.2 The defect arises because the Customer failed to follow REVERIE LIMITED's oral or written instructions as to the storage, commissioning, installation, use and maintenance of the Products or (if there are none) good trade practice; or
- 4.3.3 The defect arises as a result of REVERIE LIMITED following any drawing, design or specification supplied by the Customer; or
- 4.3.4 The Customer alters or repairs (or engages a third party to alter or repair) such Products without the written consent of REVERIE LIMITED; or
- 4.3.5 The defect arises as a result of fair wear and tear, wilful damage, negligence, or abnormal storage or working conditions.
- 4.4 Except as provided in this clause 4, REVERIE LIMITED shall have no liability to the Customer in respect of the Products' failure to comply with the warranty set out in clause 4.1.
- 4.5 Except as set out in these Conditions, all warranties, conditions and other terms implied by statute or common law are, to the fullest extent permitted by law, excluded from the Contract.
- 4.6 These Conditions shall apply to any repaired or replacement Products supplied by REVERIE LIMITED.

5 TITLE AND RISK

- 5.1 The risk in the Products shall pass to the Customer on completion of delivery.
- 5.2 Title to the Products shall not pass to the Customer until REVERIE LIMITED has received payment in full (in cash or cleared funds) for:
- 5.2.1 The Products; and
- 5.2.2 Any other Products or services that REVERIE LIMITED has supplied to the Customer in respect of which payment has become due.
- 5.3 Until title to the Products has passed to the Customer, the Customer shall:
- 5.3.1 Hold the Products on a fiduciary basis as REVERIE LIMITED's bailee;
- 5.3.2 Store the Products separately from all other Products held by the Customer so that they remain readily identifiable as REVERIE LIMITED's property;
- 5.3.3 Not remove, deface or obscure any identifying mark or packaging on or relating to the Products;
- 5.3.4 Maintain the Products in satisfactory condition and keep them insured against all risks for their full price from the date of delivery;
- 5.3.5 Notify REVERIE LIMITED immediately if it becomes subject to any of the events listed in clause 7.2; and
- 5.3.6 Give REVERIE LIMITED such information relating to the Products as REVERIE LIMITED may require from time to time, but the Customer may resell or use the Products in the ordinary course of its business.
- 5.4 If before title to the Products passes to the Customer the Customer becomes subject to any of the events listed in clause 7.2, or REVERIE LIMITED reasonably believes that any such event is about to happen and notifies the Customer accordingly, then, provided that the Products have not been resold, or irrevocably incorporated into another product, and without limiting any other right or remedy REVERIE LIMITED may have, REVERIE LIMITED may at any time require the Customer to deliver up the Products and, if the Customer fails to do so promptly, enter any premises of the Customer or of any third party where the Products are stored in order to recover them.

6 PRICE AND PAYMENT

- 6.1 The price of the Products shall be the price set out in the Order, or, if no price is quoted, the price set out in REVERIE LIMITED's published price list in force as at the date of delivery.
- 6.2 REVERIE LIMITED may, by giving notice to the Customer at any time up to 30 Business Days before delivery, increase the price of the Products to reflect any increase in the cost of the Products that is due to:
- 6.2.1 Any factor beyond REVERIE LIMITED's control (including foreign exchange fluctuations, increases in taxes and duties, and increases in labour, materials and other manufacturing costs);
- 6.2.2 Any request by the Customer to change the delivery date(s), quantities or types of Products ordered, or the Specification; or
- 6.2.3 Any delay caused by any instructions of the Customer or failure of the Customer to give REVERIE LIMITED adequate or accurate information or instructions.
- 6.3 The price of the Products is exclusive of the costs and charges of packaging, insurance and transport of the Products, which shall be paid by the Customer when it pays for the Products.
- 6.4 The price of the Products is exclusive of amounts in respect of value added tax (VAT). The Customer shall, on receipt of a valid VAT invoice from REVERIE LIMITED, pay to REVERIE LIMITED such additional amounts in respect of VAT as are chargeable on the supply of the Products.
- 6.5 Unless advance payment or some other arrangement is specified in REVERIE LIMITED's written acceptance of the Order, REVERIE LIMITED may invoice the Customer for the Products on or at any time after the completion of delivery.
- 6.6 The Customer shall pay the invoice in full and in cleared funds before delivery or for agreed account customers within the terms set out and agreed, if no special terms have been agreed then our default 30 days net of the date of the invoice shall apply. For non-account customers We may ask for a deposit or full payment in advance of goods or services being supplied. Payment shall be made to the bank account nominated in writing by REVERIE LIMITED on the invoice. Time of payment is of the essence.
- 6.7 If the Customer fails to make any payment due to REVERIE LIMITED under the Contract by the due date for payment ("due date"), then the Customer shall pay interest on the overdue amount at the rate of 8% per annum above the Bank of England's base lending rate from time to time. Such interest shall accrue on a daily basis from the due date until the date of actual payment of the overdue amount, whether before or after judgment. The Customer shall pay the interest together with the overdue amount. REVERIE LIMITED may also (a) Suspend or cancel delivery of any goods to the purchaser and / or (b) Appropriate any payment / payments (SET-OFF) made by the customer to such of the goods (or Goods supplied under any other contract with the purchaser) as the company may in its sole discretion think fit.
- 6.8 The Customer shall pay all amounts due under the Contract in full without any deduction or withholding except as required by law and the Customer shall not be entitled to assert any credit, set-off or counterclaim against REVERIE LIMITED in order to justify withholding payment of any such amount in whole or in part. REVERIE LIMITED may at any time, without limiting any other rights or remedies it may have, set off any amount owing to it by the Customer against any amount payable by REVERIE LIMITED to the Customer.

7 CUSTOMER'S INSOLVENCY OR INCAPACITY

- 7.1 If the Customer becomes subject to any of the events listed in clause 7.2, or REVERIE LIMITED reasonably believes that the Customer is about to become subject to any of them and notifies the Customer accordingly, then, without limiting any other right or remedy available to REVERIE LIMITED, REVERIE LIMITED may cancel or suspend all further deliveries under the Contract or under any other contract between the Customer and REVERIE LIMITED without incurring any liability to the Customer, and all outstanding sums in respect of Products delivered to the Customer shall become immediately due.
- 7.2 For the purposes of clause 7.1, the relevant events are:
- 7.2.1 The Customer suspends, or threatens to suspend, payment of its debts or is unable to pay its debts as they fall due or admits inability to pay its debts or (being a company) is deemed unable to pay its debts within the meaning of section 123 of the Insolvency Act 1986, or (being an individual) is deemed either unable to pay its debts or as having no reasonable prospect of so doing, in either case, within the meaning of section 268 of the Insolvency Act 1986, or (being a partnership) has any partner to whom any of the foregoing apply; or
- 7.2.2 The Customer commences negotiations with all or any class of its creditors with a view to rescheduling any of its debts, or makes a proposal for or enters into any compromise or arrangement with its creditors other than (where the Customer is a company) these events take place for the sole purpose of a scheme for a solvent amalgamation of the Customer with one or more other companies or the solvent reconstruction of the Customer; or
- 7.2.3 (being an individual) the Customer is the subject of a bankruptcy petition or order; or
- 7.2.4 A creditor or encumbrancer of the Customer attaches or takes possession of, or a distress, execution, sequestration or other such process is levied or enforced on or sued against, the whole or any part of its assets and such attachment or process is not discharged within 14 days; or
- 7.2.5 (being a company) an application is made to court, or an order is made, for the appointment of an administrator or if a notice of intention to appoint an administrator is given or if an administrator is appointed over the Customer; or
- 7.2.6 (being a company) a floating charge holder over the Customer's assets has become entitled to appoint or has appointed an administrative receiver; or
- 7.2.7 A person becomes entitled to appoint a receiver over the Customer's assets or a receiver is appointed over the Customer's assets; or
- 7.2.8 Any event occurs, or proceeding is taken, with respect to the Customer in any jurisdiction to which it is subject that has an effect equivalent or similar to any of the events mentioned in clause 7.2.1 to clause 7.2.7 (inclusive); or
- 7.2.9 The Customer suspends, threatens to suspend, ceases or threatens to cease to carry on all or substantially the whole of its business; or 7.2.10 The Customer's financial position deteriorates to such an extent that in REVERIE LIMITED's opinion the Customer's capability adequately to fulfil its obligations under the Contract has been placed in jeopardy
- 7.2.10 (being an individual) the Customer dies or, by reason of illness or incapacity (whether mental or physical), is incapable of managing his or her own affairs or becomes a patient under any mental health legislation.

8 LIMITATION OF LIABILITY

- 8.1 Nothing in these Conditions shall limit or exclude REVERIE LIMITED's liability for:
- 8.1.1 Death or personal injury caused by its negligence, or the negligence of its employees, agents or subcontractors (as applicable);

REVERIE LIMITED TERMS AND CONDITIONS OF SALE 13/05/2019 v1.0

The customer's attention is drawn in particular to the provisions of clause 8

- 8.1.2 Fraud or fraudulent misrepresentation; or
- 8.1.3 Breach of the terms implied by section 12 of the Sale of Products Act 1979; or
- 8.1.4 Defective products under the Consumer Protection Act 1987; or
- 8.1.5 Any matter in respect of which it would be unlawful for REVERIE LIMITED to exclude or restrict liability.
- 8.2 Subject to clause 8.1:
- 8.2.1 REVERIE LIMITED shall have no liability to the Customer, whether direct or indirect, and whether in contract, tort (including negligence), breach of statutory duty, indemnity or otherwise for any costs, losses or expenses arising out of, under, in relation to or in connection with the Contract (any and all such liability together being "Liability"), for any:
- 8.2.1.1 Loss of profit or anticipated profit;
- 8.2.1.2 Loss of sales, revenue, opportunity or business;
- 8.2.1.3 Loss of agreements or contracts;
- 8.2.1.4 Loss of anticipated savings;
- 8.2.1.5 Loss of or damage to goodwill or reputation;
- 8.2.1.6 Loss of use or corruption of software, data or information;
- 8.2.1.7 Financial or economic loss; or
- 8.2.1.8 Indirect or consequential loss; and
- 8.2.2 REVERIE LIMITED's total aggregate Liability to the Customer shall, save as specified in clause 8.2.3 below, not exceed the aggregate price paid for Products under the Contract; and
- 8.2.3 REVERIE LIMITED's total aggregate Liability to the Customer for property damage caused by the negligence or breach of the Contract of REVERIE LIMITED shall not exceed £500,000; and
- 8.2.4 Where the Customer is not the ultimate customer or end user of the Products (such person being "End User"), then the Customer shall indemnify REVERIE LIMITED against any Liability to such End User to the extent that such Liability is in excess of the Liability that REVERIE LIMITED would have to the Customer under the applicable Contract in relation to which the relevant Products were supplied.
- 9 FORCE MAJEURE**
- 9.1 Neither party shall be liable for any failure or delay in performing its obligations under the Contract to the extent that such failure or delay is caused by a Force Majeure Event. A "Force Majeure Event" means any event beyond a party's reasonable control, which by its nature could not have been foreseen, or, if it could have been foreseen, was unavoidable, including strikes, lock-outs or other industrial disputes (whether involving its own workforce or a third party's), failure of energy sources or transport network, acts of God, war, terrorism, riot, civil commotion, interference by civil or military authorities, national or international calamity, armed conflict, malicious damage, breakdown of plant or machinery, nuclear, chemical or biological contamination, sonic boom, explosions, collapse of building structures, fires, floods, storms, earthquakes, loss at sea, epidemics or similar events, natural disasters or extreme adverse weather conditions, or default of suppliers or subcontractors.
- 10 GENERAL**
- 10.1 Assignment and subcontracting.
- 10.1.1 REVERIE LIMITED may at any time assign, transfer, charge, subcontract or deal in any other manner with all or any of its rights or obligations under the Contract.
- 10.1.2 The Customer may not assign, transfer, charge, subcontract or deal in any other manner with all or any of its rights or obligations under the Contract without the prior written consent of REVERIE LIMITED.
- 10.2 Notices.
- 10.2.1 Any notice or other communication given to a party under or in connection with the Contract shall be in writing, addressed to that party at its registered office (if it is a company) or its principal place of business (in any other case) or such other address as that party may have specified to the other party in writing in accordance with this clause, and shall be delivered personally, sent by pre-paid first-class post, recorded delivery, commercial courier, fax or e-mail.
- 10.2.2 A notice or other communication shall be deemed to have been received: if delivered personally, when left at the address referred to in clause 10.2.1; if sent by pre-paid first-class post or recorded delivery, at 9.00 am on the second Business Day after posting; if delivered by commercial courier, on the date and at the time that the courier's delivery receipt is signed; or, if sent by fax or e-mail, one Business Day after transmission.
- 10.2.3 The provisions of this clause shall not apply to the service of any proceedings or other documents in any legal action.
- 10.3 Severance.
- 10.3.1 If any court or competent authority finds that any provision of the Contract (or part of any provision) is invalid, illegal or unenforceable, that provision or part-provision shall, to the extent required, be deemed to be deleted, and the validity and enforceability of the other provisions of the Contract shall not be affected.
- 10.3.2 If any invalid, unenforceable or illegal provision of the Contract would be valid, enforceable and legal if some part of it were deleted, the provision shall apply with the minimum modification necessary to make it legal, valid and enforceable.
- 10.4 Waiver. A waiver of any right or remedy under the Contract is only effective if given in writing and shall not be deemed a waiver of any subsequent breach or default. No failure or delay by a party to exercise any right or remedy provided under the Contract or by law shall constitute a waiver of that or any other right or remedy, nor shall it preclude or restrict the further exercise of that or any other right or remedy. No single or partial exercise of such right or remedy shall preclude or restrict the further exercise of that or any other right or remedy.
- 10.5 Third party rights. A person who is not a party to the Contract shall not have any rights under or in connection with it.
- 10.6 Variation. Any variation to the Contract, including the introduction of any additional terms and conditions, shall only be binding when agreed in writing and signed by the Customer.
- 10.7 Governing law and jurisdiction. The Contract, and any dispute or claim arising out of or in connection with it or its subject matter or formation (including non-contractual disputes or claims), shall be governed by, and construed in accordance with, English law, and the parties irrevocably submit to the exclusive jurisdiction of the courts of England and Wales.
- 10.8 Entire Agreement. Each of the parties agrees that save in respect of statements made fraudulently it shall have no remedy in respect of any untrue statement upon which it relied in entering this Agreement and that its only remedies shall be for breach of contract.
- 10.9 Rights of Consumer. Nothing in these conditions shall affect the statutory rights of a consumer.
- 11 RETURNS**
- 11.1 If you are wishing to return a product please call us first. If the product has been wrongly ordered or no longer required it will be subject to a 15% Handling fee if we agree at our discretion to accept the return of the item for a refund or exchange. If the item does not fit, is not fit for purpose or has been damaged and signed for as damaged in transit then on return of damaged goods we will send a new replacement or may offer a full refund if the replacement item will be some weeks. Special order items may not be cancelled or returned unless agreed by REVERIE LIMITED
- 12 INTELLECTUAL PROPERTY AND INFORMATION**
- 12.1 REVERIE LIMITED will take all reasonable steps in the course of business to ensure that the products do not infringe any patent, design, trademark, copyright or any other rights of third parties.
- 12.2 REVERIE LIMITED own full copyright on all items supplied unless rights to the design are specifically sold on to the buyer. Intellectual property is retained by REVERIE LIMITED.
- 12.3 REVERIE LIMITED will take action to protect its copyright & Intellectual property.
- 13 INSPECTION AND ACCEPTANCE**
- 13.1 The Customer shall not be deemed to have accepted any part of the products until they have actually inspected the Items and ascertained that they are in accordance with the Contract or not more 14 days from the Delivery Date.
- 13.2 The Customer may, by notice to REVERIE LIMITED prior to acceptance, reject any Items which are not in accordance with the Contract.
- 13.3 Unless within a reasonable time of receipt of notice of rejection REVERIE LIMITED collects such Items the Customer may dispose of them as the Buyer shall think fit (provided that if the Buyer sells such Items the Buyer shall account to the Seller for the net proceeds of such sale).
- 14 CANCELLATION OF ORDERS**
- 14.1 Orders for Services may not be cancelled or suspended without the Supplier's written consent, there may also be a cancellation fee if any of the works have been planned, started, materials purchased etc.
- 15 PRIVACY POLICY**
- 15.1 REVERIE LIMITED privacy policy can be found at https://www.reverie.ltd.uk/legal_info.php
- 16 DISCLAIMER**
- 16.1 Opening the package/packages and/or fitting / using our products / items means you accept & understand our liability / warranty disclaimers & warnings as set out below:
- WARNING! MOTORSPORT OR DRIVING CAN BE DANGEROUS RESULTING IN DEATH OR PERSONAL INJURY. READ OUR FITTING INSTRUCTIONS CAREFULLY
- REVERIE LIMITED automotive products are for "motorsports use only". We cannot be held responsible for misuse of our products. This article is sold without warranty expressed or implied. No warranty or representation is made as to this product's ability to protect the user from injury or death. The user assumes that risk. The effectiveness, warranty and longevity of this equipment are directly related to the manner in which it is INSTALLED, USED, and/or MAINTAINED. THE USER ASSUMES THE RISK.
- Fitting of REVERIE LIMITED products to automobiles that are subject to a manufacturer's warranty MAY VOID THE MANUFACTURER'S WARRANTY AND THE VEHICLES ABILITY TO MEET EMISSION OR OTHER TRANSPORT REGULATIONS.
- By purchasing this product and/or opening the packaging, users / purchasers expressly acknowledge, understand and agree that they take, select and purchase these REVERIE LIMITED products from REVERIE LIMITED, its affiliates, distributors, and agents (collectively, REVERIE LIMITED) "as is" and "with all faults".
- The entire risk as to the quality and performance of these REVERIE LIMITED parts is with the purchasers. Should the goods prove defective following their purchase; the purchasers assume the entire cost for all necessary servicing or repair or any resulting liability. Working on your car can be a dangerous activity. If you are unsure of what you are doing, please leave mechanical or Safety critical work to a skilled mechanic. We take no responsibility for the incorrect use and / or installation of REVERIE LIMITED products.
- If this Carbon fibre product is exposed to sunlight / UV then it should be regularly UV coated with Armour-all protectant or sanded and 2k clear lacquered. Prolonged exposure to UV will 'yellow' the epoxy and lead to slow deterioration of structural performance (more info available on our web site or on request).
- 16.2 Although REVERIE LIMITED supply parts for use with/on vehicles manufactured by Lotus Cars Limited, REVERIE LIMITED is in no way connected to Lotus Cars Limited or any other member of the Lotus Group of companies ("Lotus") and is entirely independent of Lotus. Accordingly, none of the products offered for sale or supplied by REVERIE LIMITED (nor any advice or service offered or provided by REVERIE LIMITED) are in any way endorsed by Lotus and Lotus has not tested or approved any such products or services. Accordingly, Lotus shall not under any circumstances be liable for any loss, claim, damages or any consequential, indirect or special damages whatsoever arising out of or in connection with the use of products sold or supplied by REVERIE LIMITED.*