



UNIVERSAL PARTS BROCHURE

AERO/EXTERIOR

REVERIE

LIGHTER | FASTER | STRONGER

ABOUT US

Established in 2000 in Colchester, Essex, UK by former Lotus engineer Simon Farren, Reverie started by designing and producing niche track day and aftermarket Carbon Fibre performance parts, primarily for Lotus models. Growing quickly, in 2001 Reverie started offering composite engineering and manufacturing services to small car manufacturers, motorsport manufacturing companies and race teams. Caterham Cars commissioned Reverie to design, manufacture and supply a complete induction silencer system for their R500 with K-Series engine. Between 2003 and 2005, Reverie was proudly involved in winning a large motorsport composite project for Foggy PETRONAS Racing, involving the manufacture of 150 full panel sets for the FP1 homologation special motorbike. All delivery times and quality targets were met for both the OEM manufacturing company and the FP1 race team. After gaining ISO9001 certification in 2014, Reverie was selected to manufacture Carbon Fibre OEM key fobs for McLaren (MP4/12 P1) to very high clear coated paint specifications. This large contract involved manufacturing over 24,000 units.#

MD, Simon J. Farre

WHY CHOOSE REVERIE?

An established world-wide market leader with passionate, professional and highly skilled staff who offer composites design, manufacturing and repair skills. A technical sales team with real practical knowledge of road/race and track applications and fitments of our Product ranges be it aerodynamics or powertrain enhancing to help you select the best solution and support you to fit our products. We have a one-stop shop - Composite cutting, laminating, curing, CNC machining, painting, polishing and inspection. We proudly supply LMP1/WRC Motorsport teams and manufacturers, not F1 including for example Cosworth Electronics, Gibson Technology, Lazer lamps, M-Sport. Because we do not supply F1 means we are not seasonal and will therefore not increase or inflate our prices or hold up your Reverie parts order. With full ISO 9001 quality status, as a customer you can be assured of the very best customer service, continuing service and product improvements and highest quality products and services, we need, like, internally monitor / report and respect your valued feedback.

View terms and conditions

WHY THE AUTOCLAVED PROCESS?

We predominantly use pre-impregnated epoxy thermoset composite materials to ensure that high fibre contents can be achieved consistently. We also CNC cut, then meticulously hand lay, vacuum bag and autoclave all the layers to further ensure low void contents and trapped volatiles to maximise interlaminar shear properties by forcing the various layers in the fibre/resin matrix together. This process as used widely in F1 results in high quality lightweight, cosmetic grade parts achievable time and time again, with low void content and surface pin-holing.





1 **BODYWORK PARTS** 2 **AIR INTAKE DUCTS/SCOOPS** Part No. 1 R01SB0032 Mondello - 100mm Oval Outlet £282.45 R01SB0026 Mondello - 75mm Oval Outlet £271.95 2 R01SE0367 Bumper/Radiator Duct 330 x 50mm £177.45 Rectangular Duct 75/100mm Outlet (per side) £166.95 **BONNET/ROOF SCOOPS** 4 R01SE0068 150 x 140 x 49mm, Ext. Flange £166.95 5 R01SE0067 150 x 140 x 49mm, Int. Flange £166.95 R01SE0070 150 x 140 x 90mm, Ext. Flange £166.95 R01SE0069 150 x 140 x 90mm, Int. Flange £166.95 R01SE0064 300 x 140 x 49mm, Ext. Flange £166.95 R01SE0063 300 x 140 x 49mm, Int. Flange £166.95 R01SE0065 300 x 140 x 90mm Int. Flange £166.95 R01SE0066 300 x 140 x 90mm, Ext. Flange £166.95 R01SE0365 425 x 140 x 49mm, Ext. Flange £166.95 R01SE0438 425 x 140 x 49mm, Int. Flange £166.95 R01SE0439 425 x 140 x 90mm, Ext. Flange £166.95 R01SE0440 425 x 140 x 90mm, Int. Flange £166.95 Pair shown non-handed **BONNET VENT GRILLS** 5 6 6 R01SB0404 L232mm x W56mm £177.45 **NACA DUCTS** 7 R01SE0009 58mm Outlet £114.45 8 R01SE0008 58mm Triple Outlet £240.45 9 R01SE0178 75mm Outlet £137.95 10 R01SE0179 100mm Outlet £145.95 II R01SB0179 Rectangular 147 x 25mm Outlet £114.45 7 8 Inside non-moulded paint ready 9 10 11




>> CLICK TO VIEW DIFFUSER SIZE GUIDE


UNIVERSAL DIFF

We produce universal rear diffuser tunnels in various widths that can be joined together to form a rear diffuser with a 10° ramp angle fixing along the front mounting edge which can be retained, or cut to fit almost any vehicle. Ideally, our diffusers should be mounted between 6° and 12° to the floor. We also offer a range of adjustable stainless steel stays to allow mounting the rear of the diffuser and tuning its angle.

Universal diffuser elements are 800mm long and available as 127mm, 270mm, 630mm or 790mm wide, we also offer separate diffuser vanes that can be bonded on to increase the number of elements on the diffuser. We produce a Group C style element that also allows for multiple elements to be bonded together, that is 305mm wide and 1470mm long. Length and shape of vanes available to any profile or depth please specify when ordering.







680*

790*

270

Customer to specify dimension X, Y, Z when ordering. A = 20mm tab that can be trimmed off.


X = up to 90mmY = up to 180mmZ = up to 800mm

*can be cut to reduce to any width and joined with another diffuser element.

To join another element/ bond & fit vanes: £49+VAT per vane.



Joined diffuser tunnels



>> CLICK TO VIEW TECH DATA
>> CLICK TO VIEW REAR WING FAQ
>> CLICK TO VIEW WING SELECTION GUIDE

WINGS (FRONT/REAR)

We produce various styled front and rear wings in high quality, autoclaved Carbon Fibre to generate grip-enhancing down force and to tune the aero balance of a vehicle. Multiple wing profiles are available optimised using CFD software.


The wings range from simple low drag single element wings to much larger high down force dual element wings. Dual element wings can be more efficient at generating down force than larger chord single element wings, which is why we don't offer a profile with a chord of more than 310mm.

Most of our wings are supplied with end plates to give more down-force by reducing the tip losses of the high and low pressure air mixing.



>> CLICK TO VIEW WING SELECTION GUIDE


WINGS TECHNICAL INFORMATION




All data shown is based on a wing length of 1000mm and test speed of 100mph, Generally lift over drag improves as span increases, but a good estimate of downforce and drag can be obtained by multiplying the 1 metre data show below by the span of interest in metres To convert drag into BHP absorbed use the following formula;

BHP absorbed = $(2 \times Drag (N) \times Speed (m/s)) \div 1500$ Conversion for Mph to m/s 1×1000 mph = 0.447×1000 m/s

>> CLICK TO VIEW MORE CALCULATION EXPLANATIONS







AoA	D/FORCE (N)	DRAG (N)	L/D	BHP ABSORBED
4	219	16.0	13.7	1.0
8	304	21.0	14.4	1.3
12	331	25.0	13.3	1.5
14	346	29.0	12.0	1 7

225mm CHORD



AoA	D/FORCE (N)	DRAG (N)	L/D	BHP ABSORBED
4	446	34.0	13.1	2.0
8	539	47.0	11.5	2.8
12	598	59.0	10.1	3.5
14	620	66.0	9.5	3.9

310mm CHORD LOW DRAG



AoA	D/FORCE (N)	DRAG (N)	L/D	BHP ABSORBE	
4	403	29.0	11.5	1.7	
8	518	41.0	8.9	2.4	
12	613	58.0	7.6	3.5	
16	678	77.0	6.5	4.6	
310mm CHORD HIGH D/FORCE					



AoA	D/FORCE (N)	DRAG (N)	L/D	BHP ABSORBED
4	473	39.0	12.1	2.3
8	613	43.0	14.3	2.6
12	712	62.0	11.5	3.7
16	802	82.0	9.8	4.9



50,0000 35,0000

	: : : _ : _ : : : : : : : :							
AoA	D/FORCE (N)	DRAG (N)	L/D	BHP ABSORBED				
15	1003	136.0	7.4	8.1				
19	1108	166.0	6.7	9.9				
23	1203	198.0	6.1	11.8				
25	1240	213.0	5.8	12.7				
	210	. 110	CII	ODD				

225 + 110mm CHORD

|--|--|

AoA	D/FORCE (N)	DRAG (N)	L/D	BHP ABSORBED		
17	1164	178.0	6.5	10.6		
21	1274	214.0	5.9	12.8		
25	1367	251.0	5.5	14.9		
27	1401	267.0	5.3	15.9		
310 ± 150mm CHORD						

225 + 150mm CHORD



	310 + 110mm CHORD					
	AoA	D/FORCE (N)	DRAG (N)	L/D	BHP ABSORBED	
	11.3	981.0	63.0	15.6	3.8	
	12.5	1087.0	78.0	13.9	4.6	
	13.6	1173.0	95.0	12.3	5.7	
	14.8	1251.0	111.0	11.3	6.6	
	15.3	1279.0	119.0	10.7	7.1	
	15.9	1321.0	127.0	10.4	7.6	



	1.01	207.0	5.5	13.3	
310 + 150mm CHORD					
AoA	D/FORCE (N)	DRAG (N)	L/D	BHP ABSORBED	
11.3	1125.0	137.0	8.2	8.2	
12.7	1232.0	163.0	7.6	9.7	
14.0	1281.0	185.0	6.9	11.0	
15.4	1328.0	207.0	6.0	12.3	
16.0	1369.0	216.0	6.3	12.9	
16.7	1410.0	229.0	6.2	13.6	

» WINGS (FRONT/REAR) > FRONT WINGS


>> CLICK TO VIEW TECH DATA >> CLICK TO VIEW REAR WING FAQ

>> CLICK TO VIEW WING SELECTION GUIDE

FRONT WINGS

Our lightweight high-downforce Carbon Fibre front wings are designed by aerodynamics writer and designer Simon McBeath and can fit a range of different cars. Available in either 150, 225 or 310LDmm chord, our front wings can be adjustably mounted from above allowing you to fine tune the angle of attack.

Not supplied are wing mounts, only wing mount support tabs which we can pack loose for you to fit in the desired position or alternatively we can drill to the required mounting width. We can also trim the width of the wing to your application. Please contact us first before ordering.














» WINGS (FRONT/REAR) > SINGLE ELEMENT BOTTOM MOUNTED REAR WINGS

>> CLICK TO VIEW REAR WING FAQ

>> CLICK TO VIEW WING SELECTION GUIDE | >> CLICK TO VIEW TECH DATA

SINGLE ELEMENT BOTTOM MOUNTED





	Part No.	110mm CHORD		£ (Ex. VAT)
	R01SB0207	W1.8m Max. Straight C	lam/Boot/Roof Mounted	£817.95
	R01SB0440	W2.1m Max. Straight C	lam/Boot/Roof Mounted	£817.95
	R01SB0206	W1.8m Max. Curved Cla	am/Boot/Roof Mounted	£817.95
		150mm CHORD		
	R01SB0201	W1.8m Max. Straight C	lam/Boot/Roof Mounted	£838.95
	R01SB0437	W2.1m Max. Straight C	lam/Boot/Roof Mounted	£838.95
	R01SB0200	W1.8m Max. Curved Cla	am/Boot/Roof Mounted	£838.95
		225mm CHORD STR	AIGHT	
	R01SB0358	W1.8m Max. Straight E	nd Mounted, No Drop Mount Tabs	£943.95
	R01SB0163	W1.8m Max. Straight C	lam/Boot/Roof Mounted	£996.45
		225mm CHORD CUR	VED	
[1	R01SB0310	W1.24m Max. Drop-End	d Style Clam/Boot/Roof Mounted	£1363.95
2	R01SB0162	W1.8m Max. Clam/Boot	t/Roof Mounted	£996.45
	R01SB0357	W1.8m Max. End Moun	ted, No Drop Mount Tabs	£975.45
		310mm CHORD HIGH	H DOWNFORCE	
	R01SB0430	W2.1m Max. Straight, N	lo Drop Tabs	£1048.95
	R01SB0429	W2.1m Max. Straight w	/Drop Tabs & End Plates	£1258.95
		310mm CHORD LOW	DRAG	
3	R01SB0422	W2.1m Max. Straight N	o Drop Tabs	£1048.95
	R01SB0421	W2.1m Max. Straight w	/Drop Tabs & End Plates	£1258.95





WINGS (FRONT/REAR) > DUAL ELEMENT BOTTOM MOUNTED REAR WINGS

>> CLICK TO VIEW REAR WING FAQ



2 R01SB0443 310/110mm Chord x W2.1m Max. Straight Adjustable

R01SB0444 310/150mm Chord x W2.1m Max. Straight Adjustable



£1836.45

£1836.45

WINGS (FRONT/REAR) > SINGLE ELEMENT TOP MOUNTED REAR WINGS

>> CLICK TO VIEW REAR WING FAQ

>> CLICK TO VIEW WING SELECTION GUIDE \[>> CLICK TO VIEW TECH DATA \]

SINGLE ELEMENT TOP MOUNTED









	Part No.	SINGLE ELEMENT TOP MOUNTED WINGS	£ (Ex. VAT)
1	R01SB0522	225mm Chord x W1.8m Max. Straight	£1258.95
2	R01SB0523	225mm Chord x W1.8m Max. Curved	£1185.45
3	R01SB0530	225mm Chord x W1.24m Curved Drop-End Style	£1500.45
4	R01SB0529	310mm Chord H/Downforce x W2.1m Max. Straight	£1363.95
	R01SB0526	310mm Chord Low Drag x W2.1m Max. Straight	£1363.95
		"SWAN" MOUNTS	
5	R01SB0518	Standard Swan Mounts - Pair Black Anodised	£699.00
6	R01SB0521	Standard Swan Mounts & Base - Pair Black anodised	£899.00
7	R01SB0535	Long Swan Mounts - Pair Black Anodised	£899.00
8	R01SB0541	Long Swan Mounts & Base - Pair Black Anodised	£1095.00
9	R01SB0536	Reverie Swan Mount Bottom Bracket Chassis Mount (Each)	£99.00











For wing accessories, see page 14



» WINGS (FRONT/REAR) > DUAL ELEMENT TOP MOUNTED REAR WINGS


>> CLICK TO VIEW REAR WING FAQ

>> CLICK TO VIEW WING SELECTION GUIDE | >> CLICK TO VIEW TECH DATA



ACCESSORIES

> REAR WINGS



A Gurney flap is small angled flap that fits on to the trailing edge tip of the pressure surface of a wing to increase down-force with a minimum penalty in drag. Our Gurney flaps can be trimmed to any length to fit your application and are available in a range of different sections and two different angles; 90° & 110°.







Both the straight and swept wing mounts have an array of 9 x holes allowing you to achieve the desired wing AoA. The mounts have two M6 threaded holes in the underside for mounting to flat surfaces.

The mounts are black satin powder coated and are compatible with all bottom-mounted rear wings.

More wing mounts and wing kits can be found in the model specific brochure.

Custom end plate designs can be created upon request. Scale drawings of end plate hole positions for all sizes of wing (both single and dual element) can be downloaded allowing you to sketch your desired shape. Contact us for further details.

	1 Part No.	GURNEY FLAPS	£ (Ex. VAT)
ı	R01SU0152	10 x 10 x 1800mm, 90deg - Curved	£156.45
ı	R01SU0151	10 x 5 x 1800mm, 90deg - Curved	£156.45
ı	R01SU0150	10 x 10 x 1800mm, 90deg - Straight	£145.95
ı	R01SU0149	10 x 5 x 1800mm, 90deg - Straight	£145.95
	R01SU0238	11 x 15 x 2100mm, 90deg - Straight	£156.45
1	R01SU0087	15 x 10 x 1240mm, 110deg - Straight	£103.95
l	R01SU0263	15 x 15 x 2100mm, 110deg - Straight	£145.95
	R01SU0086	15 x 5 x 1240mm, 110deg - Straight	£103.95
	2	REAR WING LOWER DROP TAB BRACKETS	
	R01SB0554	for 110mm Chord Wing (Pair)	£129.00
i	R01SB0410	for 150mm Chord Wing (Pair)	£129.00
١	R01SB0169	for 225mm Chord Wing (Pair)	£139.00
l	R01SB0435	for 310mm HD Chord Wing (Pair)	£139.00
l	R01SB0427	for 310mm LD Chord Wing (Pair)	£139.00
l		REAR WING UPPER DROP TAB BRACKETS	
l	R01SB0326	for 110/150mm Chord Wing (Pair)	£129.00
l	R01SB0363	for 225mm Chord Wing (Pair)	£139.00
l	R01SB0428	for 310mm LD Chord Wing (Pair)	£139.00
l		REAR WING END PLATES	
l	3 R01SB0257	225mm Chord Slotted End Plates - Pair	£109.00
l	4 R01SB0182	225mm Chord Slotted End Plates - Pair (Palette Style)	£109.00
l	5 <u>R01SB0495</u>	225mm Chord Angled End Plates - Pair	£240.45
l	6 R01SB0231	225mm Chord Dual Element End Plates - Pair	£199.00
l	7 R01SB0268	310mm Chord Wing End Plates - Pair	£149.00
l	8 R01SB0445	310mm Chord Dual Element End Plates - Pair	£199.00
l		REAR WING MOUNTS (UNIVERSAL)	
l	9 R01SB0508	Universal Swept Wing Mounts Black - Each	£159.00
l	10 R01SB0264	Universal Straight 12mm Support Mount Black - Each	£109.00
l			


6



















VISIT WWW.REVERIE.LTD.UK FOR WORLDWIDE DEALERS

Download latest prices, technical data, drawings and digital versions of our brochures for free. Advanced search function available to show all parts that are compatible with your car.

AUTHORISED DEALER STAMP

Reverie Limited Unit 2 Chandlers Row Colchester Essex CO1 2HG UK

WARNING! MOTORSPORT OR DRIVING CAN BE DANGEROUS RESULTING IN DEATH OR PERSONAL INJURY. READ OUR FITTING INSTRUCTIONS CAREFULLY Reverie automotive products are for "motorsports use only". We cannot be held responsible for misuse of our products. This article is sold without warranty expressed or implied. No warranty or representation is made as to this product's ability to protect the user from injury or death. The user assumes that risk. The effectiveness, warranty and longevity of this equipment are directly related to the manner in which it is INSTALLED, USED, and/or MAINTAINED. THE USER ASSUMES THE RISK. Fitment of Reverie products to automobiles that are subject to a manufacturer's warranty MAY VOID THE MANUFACTURER'S WARRANTY AND THE VEHICLES ABILITY TO MEET EMISSION OR OTHER TRANSPORT REGULATIONS. By purchasing this product and or opening the packaging, users / purchases expressly acknowledge, understand and agree that they take, select and purchase these REVERIE products from REVERIE, its affiliates, distributors, and agents (collectively, REVERIE) "as is" and "with all faults". The entire risk as to the quality and performance of these REVERIE parts is with the purchasers. Should the goods prove defective following their purchases: the purchasers assume the entire cost for all necessary servicing or repair or any resulting liability. Working on your car can be a dangerous activity. If you are unsure of what you are doing, please leave mechanical or Safety critical work to a skilled mechanic. We take no responsibility for the incorrect use and / or installation of REVERIE products. If this Carbon fibre product is exposed to sunlight / UV then it should be regularly UV coated with Armour-all protect and or sanded and 2k clear lacquered. Prolonged exposure to UV will 'yellow' the epoxy and lead to slow deterioration of structural performance (more info available on our web site or on request).

 Web:
 www.reverie.ltd.uk

 Email:
 sales@reverie.ltd.uk

 Tel:
 +44 (0)1206 866663

 Tech Sales:
 +44 (0)1206 913465

 Accounts:
 +44 (0)2081 235997

 VOIP:
 +44 (0)1206 868144

 Skype:
 +44 (0)2081 235997

9001 IFIED Copyright © 2020 Reverie Ltd - Version: 000

reverie_composites S facebook.com/reverieltd f twitter.com/reverieltd



